Optical Engineering

2000 Author Index (Volume 39)

KEY TO INDEX USE

Each principal author's entry includes coauthors, title of paper, and location of the paper in Volume 39. A "See" reference means the person is a coauthor of the referenced paper.

A

Abdi, H. — See Yang, Fan, **39** (11), 2894-9 (2000).
Abraham, Patrick — See LaBounty, Christopher, **39** (11), 2847-52 (2000).
Abramson, Alexis R. — See Tada, Haruna, **39** (8), 2296-304 (2000).
Abril, Héctor C. — Objective automatic assessment of pilling in fabrics by image analysis. — Héctor C. Abril, María S. Millán, and Yezid Torres; **39** (6), 1477-88 (2000).
Abushagur, Mustafa A. G. — See Riasati, Vahid R., **39** (5), 1156-61 (2000).
Achenbach, Jan D. — See Fomitchov, Pavel A., **39** (7), 1972-84 (2000).
Adamovsky, Grigory — See Sarkisov, Sergey S., **39** (3), 616-23 (2000).
Aikens, David M. — See Wang, D. Y., **39** (7), 1788-95 (2000).
Akizuki, Katsuya — See Nagata, Hirotoshi, **39** (4), 1103-5 (2000).
Alam, Mohammad S. — Target Recognition Techniques. — Mohammad S. Alam and Mohammad A. Karim; **39** (5), 1119-21 (2000).
— Phase-encoded fringe-adjusted joint transform correlation. — Mohammad S. Alam; **39** (5), 1169-76 (2000).
— Efficient multiple target recognition using a joint wavelet transform processor. — Mohammad S. Alam and Dylan Chain; **39** (5), 1203-10 (2000).
— Identification and estimation of nonlinearity in constant-voltage-biased infrared sensor detected signals. — Mohammad S. Alam and Joe Predina; **39** (12), 3264-71 (2000).
Alanís, Elvio E. — Interferometric measurement of diffusion coefficients through a scanning laser beam. — Elvio E. Alanís, Graciela G. Romero, and Carlos C. Martínez; **39** (3), 744-50 (2000).
— See Romero, Graciela G., **39** (6), 1652-8 (2000).
Alexandrescu, Adrian — See Dobroiu, Adrian, **39** (12), 3201-6 (2000).
Alexandrov, Serguei A. — Interference method for determination of the refractive index and thickness. — Serguei A. Alexandrov and Igor V. Chernyh; **39** (9), 2480-6 (2000).
Alkanhal, Mohamed — Improving the false alarm capabilities of the maximum average correlation height correlation filter. — Mohamed Alkanhal, B. V. K. Vijaya Kumar, and Abhijit Mahalanobis; **39** (5), 1133-41 (2000).
Alonso, José — See Crespo, Daniel, **39** (3), 817-24 (2000).
Alvarez, José L. — See Mohedano, Rubén, **39** (10), 2740-7 (2000).
An, Dechang — See Tang, Suning, **39** (3), 643-51 (2000).
— See Tang, Suning, **39** (3), 680-8 (2000).
Anand, Arun — Beamsplitter testing using temporal coherence. — Arun Anand and C. S. Narayanamurthy; **39** (11), 3084-8 (2000).
Andersson, Åke — Coherent synchrotron radiation in the far infrared from a 1-mm electron bunch. — Åke Andersson, Matthew S. Johnson, and Bengt Nelander; **39** (12), 3099-105 (2000).
Andreev, Nikolay F. — See Palashov, Oleg V., **39** (6), 1536-42 (2000).
Andrews, Larry C. — Scintillation model for a satellite communication link at large zenith angles. — Larry C. Andrews, Ronald L. Phillips, and Cynthia Young Hopen; **39** (12), 3272-80 (2000).
Aoki, Takahiro — See Takeda, Mitsuo, **39** (1), 61-8 (2000).
Apostol, Dan — See Dobroiu, Adrian, **39** (12), 3201-6 (2000).
Aramaki, Toru — See Kiyono, Satoshi, **39** (10), 2720-5 (2000).
Araújo, Francisco M. — See Ferreira, L. A., **39** (8), 2226-34 (2000).
Arikan, Orhan — See Unal, Gozde Bozkurt, **39** (11), 2860-6 (2000).
Arines, Justo — Significance of the recovery filter in deconvolution from wavefront sensing. — Justo Arines and Salvador Bará; **39** (10), 2789-96 (2000).
Arisawa, Takasi — See Tei, Kazuyoku, **39** (1), 320-2 (2000).
Arregui, Francisco J. — See Bariáin, Cándido, **39** (8), 2241-7 (2000).
Arrington, Douglas C. — See Hubbs, John E., **39** (10), 2660-71 (2000).
Arsenault, Henri H. — See Ping, Ziliang, **39** (5), 1260-6 (2000).
Artioukov, Igor A. — Schwarzschild objective for soft x-rays. — Igor A. Artioukov and Kirill M. Krymski; **39** (8), 2163-70 (2000).
Asundi, Anand — Optical strain sensor using position-sensitive detector and diffraction grating: error analysis. — Anand Asundi and Bing Zhao; **39** (6), 1645-51 (2000).
— See Tong, Liu, **39** (10), 2689-95 (2000).
— See Zhao, Bing, **39** (10), 2715-9 (2000).
— See Xu, Lei, **39** (12), 3214-9 (2000).
Aswendt, Petra — See Höfling, Roland, **39** (1), 175-82 (2000).
Attia, Rabah — Mode scrambler for polymer optical fibers. — Rabah Attia and Jacques Marcou; **39** (1), 299-303 (2000).
Aviram, G. — Evaluation of human detection performance of targets embedded in natural and enhanced infrared images using image metrics. — G. Aviram and S. R. Rotman; **39** (4), 885-96 (2000).
Aviram, Guy — Evaluating human detection performance of targets and false alarms, using a statistical texture image metric. — Guy Aviram and Stanley R. Rotman; **39** (8), 2285-95 (2000).
Äyräs, P. — See Geraghty, D. F., **39** (2), 575-6 (2000).
Azzopardi, Barry J. — See Simmons, Mark J. H., **39** (2), 505-9 (2000).

B

Bablumian, Arkady S. — Multiplexed holograms in thick bacteriorhodopsin films for optical memory/interconnections. — Arkady S. Bablumian and Thomas F. Krile; **39** (11), 2964-74 (2000).
Bachim, Brent L. — See Weis, R. Stephen, **39** (6), 1591-6 (2000).
Bae, Seongho — See Lee, Muno, **39** (11), 3076-83 (2000).
Bagley, Brian G. — See Sikorski, Yuri, **39** (8), 2015-21 (2000).
Balsley, Ben B. — See Eaton, Frank D., **39** (9), 2517-26 (2000).
Baltazar, Rosario — See Camacho P., Alma A., **39** (8), 2149-52 (2000).
Banerjee, Partha P. — See Riasati, Vahid R., **39** (5), 1156-61 (2000).
Bao, Xiaoyi — See DeMerchant, Michael D., **39** (6), 1632-5 (2000).
Bao, Xinxian — See Li, Chunfei, **39** (3), 628-32 (2000).
Bao, Zheng — See Liao, Xuejun, **39** (8), 2065-74 (2000).
Baptista, José M. — Mach-Zehnder and Michelson topologies for self-referencing fiber optic intensity sensors. — José M. Baptista, José L. Santos, and Armindo S. Lage; **39** (6), 1636-44 (2000).
Bará, Salvador — See Arines, Justo, **39** (10), 2789-96 (2000).
Baraldi, Andrea — Contextual clustering for image segmentation. — Andrea Baraldi, Palma Blonda, Flavio Parmiggiani, and Giuseppe Satalino; **39** (4), 907-23 (2000).
Barbee, T. W., Jr. — See Martínez-Galarce, Dennis S., **39** (4), 1063-79 (2000).
Bariáin, Cándido — Tapered optical-fiber-based pressure sensor. — Cándido Bariáin, Ignacio R. Matías, Francisco J. Arregui, and Manuel López-Amo; **39** (8), 2241-7 (2000).
Barmenkov, Yuri O. — See Sifuentes, Claudia, **39** (8), 2182-6 (2000).
Barrera, Junior — See Hirata, Nina S. T., **39** (12), 3106-23 (2000).
Baumbach, Jason — See Rogers, Stanley, **39** (10), 2763-74 (2000).
Beadle, Brad M. — See Weis, R. Stephen, **39** (6), 1591-6 (2000).
Beddows, Dave C. S. — See Samek, Ota, **39** (8), 2248-62 (2000).
Bedi, Navjot Singh — See Ghosh, Anjan Kumar, **39** (5), 1405-12 (2000).
Beléndez, Augusto — See Márquez, Andrés, **39** (6), 1612-9 (2000).
Ben-David, M. — See Inberg, A., **39** (5), 1316-20 (2000).
Benítez, Pablo — See Mohedano, Rubén, **39** (10), 2740-7 (2000).
Bennett, Jean M. — See Valliant, J. Glenn, **39** (12), 3247-54 (2000).
Bentell, J. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Beraldin, J.-A. — Eye-safe digital 3-D sensing for space applications. — J.-A. Beraldin, F. Blais, M. Rioux, L. Cournoyer, D. Laurin, and S. G. MacLean; **39** (1), 196-211 (2000).
Bergeron, Adam — Interphase in plasma-deposited silicon nitride optical films on polycarbonate: *in situ* ellipsometric characterization. — Adam Bergeron, Daniel Poitras, and Ludvik Martinu; **39** (3), 825-31 (2000).
Bernabeu, Eusebio — See Crespo, Daniel, **39** (3), 817-24 (2000).
Bernardo, Luis M. — See Mas, David, **39** (6), 1427-30 (2000).
Berseth, C.-A. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Bewley, S. A. — See Pace, Phillip E., **39** (6), 1517-26 (2000).
Bhanu, Bir — Recognizing target variants and articulations in synthetic aperture radar images. — Bir Bhanu and Grinnell Jones, III; **39** (3), 712-23 (2000).
Bijl, Piet — See Toet, Alexander, **39** (5), 1344-53 (2000).
Birge, Robert R. — See Zhang, Tianhao, **39** (2), 527-34 (2000).
Blackman, S. S. — Improved tracking capability and efficient radar allocation through the fusion of radar and infrared search-and-track observations. — S. S. Blackman, R. J. Dempster, S. H. Roszkowski, D. M. Sasaki, and P. F. Singer; **39** (5), 1391-8 (2000).
Blais, F. — See Beraldin, J.-A., **39** (1), 196-211 (2000).
Blanco-Garcia, Jesús — See Fernández, Antonio, **39** (8), 2106-13 (2000).
Blatt, Joel H. — See Gilbert, Bernard S., **39** (1), 52-60 (2000).
Blomquist, Robert — See Eldada, Louay, **39** (3), 596-609 (2000).
Blonda, Palma — See Baraldi, Andrea, **39** (4), 907-23 (2000).
Boay, Chai Gin — See Tong, Liu, **39** (10), 2689-95 (2000).
Boeddinghaus, Markus — See Wang, Lingli, **39** (6), 1659-64 (2000).
Boerner, P. F. X. — See Martínez-Galarce, Dennis S., **39** (4), 1063-79 (2000).
Boeuf, N. — Calculating characteristics of noncollinear phase matching in uniaxial and biaxial crystals. — N. Boeuf, D. Branning, I. Chaperot, E. Dauler, S. Guérin, G. Jaeger, A. Muller, and A. Migdall; **39** (4), 1016-24 (2000).
Bogenberger, Richard — See Moisel, Jörg, **39** (3), 673-9 (2000).
Bohnert, Klaus — Fiber optic voltage sensor for 420 kV electric power systems. — Klaus Bohnert, Jadran Kostovic, and Pascal Pequignot; **39** (11), 3060-7 (2000).
Bolognini, Néstor — See Tebaldi, Myrian, **39** (12), 3232-8 (2000).
Bolte, Michèle — See Lafond, Christophe, **39** (3), 610-5 (2000).
Boopathi, Veerappa — See Liu, Jingfeng, **39** (2), 396-400 (2000).
Borkowski, Józef — Application of the discrete Fourier transform linear interpolation method in the measurement of volume scattering function at small angle. — Józef Borkowski and Janusz Mroczka; **39** (6), 1576-86 (2000).
Bosch, Thierry — See Mourat, Grégory, **39** (3), 738-43 (2000).
Boshusha, G. — See Yitzhaky, Yitzhak, **39** (8), 2083-91 (2000).
Botha, Elizabeth C. — See Nieuwoudt, Christoph, **39** (5), 1245-51 (2000).
Boucart, Julian — See Streubel, Klaus, **39** (2), 488-97 (2000).
Bouché, N. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Bouvier, Manuel — Analysis of nematic-liquid-crystal binary gratings with high spatial frequency. — Manuel Bouvier and Toralf Scharf; **39** (8), 2129-37 (2000).
Bowers, C. W. — See Chen, Peter C., **39** (9), 2320-9 (2000).
Bowers, John E. — See LaBounty, Christopher, **39** (11), 2847-52 (2000).
Bozzi, Maurizio — Design, fabrication, and measurement of frequency-selective surfaces. — Maurizio Bozzi, Luca Perregrini, Jochen Weinzierl, and Carsten Winnewisser; **39** (8), 2263-9 (2000).
Braasch, Joachim R. — See Schreier, Hubert W., **39** (11), 2915-21 (2000).
Branning, D. — See Boeuf, N., **39** (4), 1016-24 (2000).
Bremner, Theodore W. — See DeMerchant, Michael D., **39** (6), 1632-5 (2000).
Brennan, Victor L. — See Zhao, Qun, **39** (5), 1230-44 (2000).
Breugnot, Sébastien — Modeling and performances of a polarization active imager at λ = 806 nm. — Sébastien Breugnot and Philippe Clémenceau; **39** (10), 2681-8 (2000).
Brito, Alejandro E. — See Whittenberger, Estille, **39** (12), 3154-64 (2000).
Brodland, G. Wayne — Curved-ray technique to measure the stress profile in tempered glass. — G. Wayne Brodland and Allan T. Dolovich; **39** (9), 2501-5 (2000).

Brooks, Dana H. — See Tzannes, Alexis P., **39** (8), 2270-8 (2000).
Brown, Anthony W. — See DeMerchant, Michael D., **39** (6), 1632-5 (2000).
Brown, Gordon C. — New test methodology for static and dynamic shape measurements of microelectromechanical systems. — Gordon C. Brown and Ryszard J. Pryputniewicz; **39** (1), 127-36 (2000).
Brown, Gordon M. — Optical methods for shape measurement. — Gordon M. Brown and Frank Chen; **39** (1), 8-9 (2000).
— See Chen, Frank, **39** (1), 10-22 (2000).
Brown, K. S. — See Dawson, J. M., **39** (12), 3239-46 (2000).
Bucholtz, Frank — See Stellman, Christopher M., **39** (7), 1928-35 (2000).
Budgett, David M. — Electronic compensation for nonideal spatial light modulator characteristics. — David M. Budgett, James H. Sharp, Pei C. Tang, Rupert C. D. Young, Brian F. Scott, and Christopher R. Chatwin; **39** (10), 2601-8 (2000).
Bueno, Marie-Ange — Optical characterization of the state of fabric surfaces. — Marie-Ange Bueno, Bernard Durand, and Marc Renner; **39** (6), 1697-703 (2000).
Burton, David R. — See Lilley, Francis, **39** (1), 187-95 (2000).
— See Zhang, Hong, **39** (7), 1958-64 (2000).
Byun, Gill Sang — See Kim, Sung-Ho, **39** (7), 1985-8 (2000).

C

Cabrera, Sergio D. — See Whittenberger, Estille, **39** (12), 3154-64 (2000).
Cai, Luzhong — Massive parallel optical pattern recognition and retrieval via a two-stage high-capacity multichannel holographic random access memory system. — Luzhong Cai and Hua-Kuang Liu; **39** (2), 401-8 (2000).
Camacho P., Alma A. — Method for the determination of the focal length of a microlens. — Alma A. Camacho P., Cristina Solano, Moisés Cywiak, Geminiano Martínez-Ponce, and Rosario Baltazar; **39** (8), 2149-52 (2000).
Cambie, Daniela — See Howells, Malcolm R., **39** (10), 2748-62 (2000).
Campos, Juan — See Kasztelanic, Rafal, **39** (4), 993-1001 (2000).
— See Márquez, Andrés, **39** (6), 1612-9 (2000).
— See Márquez, Andrés, **39** (12), 3301-7 (2000).
Carlotto, Mark J. — Spatial enhancement of elevation data using a single multispectral image. — Mark J. Carlotto; **39** (2), 430-7 (2000).
— Nonlinear background estimation and change detection for wide-area search. — Mark J. Carlotto; **39** (5), 1223-9 (2000).
Carlsson, Torgny E. — See Nilsson, Bengt, **39** (1), 244-53 (2000).
Carter, Robert E. — See Fujimoto, Koji, **39** (11), 3025-31 (2000).
Cassarly, William J. — Automated design of a uniform distribution using faceted reflectors. — William J. Cassarly, Stuart R. David, David G. Jenkins, Andrew P. Riser, and Thomas L. Davenport; **39** (7), 1830-9 (2000).
Çetin, A. Enis — See Unal, Gozde Bozkurt, **39** (11), 2860-6 (2000).
Chain, Dylan — See Alam, Mohammad S., **39** (5), 1203-10 (2000).
Chalasinska-Macukow, Katarzyna — See Kasztelanic, Rafal, **39** (4), 993-1001 (2000).
Chan, Francis — Distortion-tolerant minimum-mean-squared-error filter for detecting noisy targets in environmental degradation. — Francis Chan, Nasser Towghi, Luting Pan, and Bahram Javidi; **39** (8), 2092-100 (2000).
Chan, S. C. — See Mao, J. S., **39** (10), 2810-20 (2000).
Chan, Y. C. — See Que, Wenxiu, **39** (10), 2804-9 (2000).
Chanclou, P. — Focusing and coupling properties of collective micro-optics on fiber ribbons. — P. Chanclou, M. Thual, J. Lostec, D. Pavy, and M. Gadonna; **39** (2), 387-92 (2000).
Chang, Chein-I — Generalized constrained energy minimization approach to subpixel target detection for multispectral imagery. — Chein-I Chang, Jih-Ming Liu, Bin-Chang Chieu, Hsuan Ren, Chuin-Mu Wang, Chien-Shun Lo, Pau-Choo Chung, Ching-Wen Yang, and Dye-Jyun Ma; **39** (5), 1275-81 (2000).
— See Yang, Ching-Wen, **39** (5), 1293-303 (2000).
Chang, Chia Y. — See Kuo, S. Didi, **39** (4), 1047-56 (2000).
Chang, Chin-Chen — See Hu, Yu-Chen, **39** (2), 464-71 (2000).
— See Hu, Yu-Chen, **39** (6), 1489-96 (2000).
Chang, Chuan-Yu — Two-layer competitive based Hopfield neural network for medical image edge detection. — Chuan-Yu Chang and Pau-Choo Chung; **39** (3), 695-703 (2000).
Chang, Horng — See Sun, Wen-Shing, **39** (4), 978-88 (2000).
Chang, Hsuan T. — Gradient match vector quantizers for images. — Hsuan T. Chang; **39** (8), 2046-57 (2000).
Chang, Ming-Wen — See Sun, Wen-Shing, **39** (4), 978-88 (2000).
Chang, Tallis Y. — See Sefler, George A., **39** (1), 260-6 (2000).
Chang,, Chein-I — See Ren, Hsuan, **39** (12), 3138-45 (2000).
Chao, Shuenn-Ching — See Yang, Ching-Wen, **39** (5), 1293-303 (2000).
Chao, Tien-Hsin — See Riasati, Vahid R., **39** (5), 1218-22 (2000).
Chao, Yei-Chin — Quantitative imaging of OH concentrations in a swirling methane jet flame via single-pulse laser-induced predissociative fluorescence. — Yei-Chin Chao, Der-Chyun Wu, and Tsarng-Sheng Cheng; **39** (6), 1441-9 (2000).
Chaperot, I. — See Boeuf, N., **39** (4), 1016-24 (2000).
Chatwin, Christopher R. — See Budgett, David M., **39** (10), 2601-8 (2000).
Chazelas, J. — See Tonda-Goldstein, Sylvie, **39** (12), 3294-300 (2000).
Chen, Antao — Vertically tapered polymer waveguide mode size transformer for improved fiber coupling. — Antao Chen, Vadim Chuyanov, Felix Ignacio Marti-Carrera, Sean Garner, William H. Steier, Jinghong Chen, Shajing Sun, and Larry R. Dalton; **39** (6), 1507-16 (2000).
Chen, Ellen Y. — See Pierson, Robert E., **39** (3), 838-46 (2000).
Chen, Frank — See Brown, Gordon M., **39** (1), 8-9 (2000).
— Overview of three-dimensional shape measurement using optical methods. — Frank Chen, Gordon M. Brown, and Mumin Song; **39** (1), 10-22 (2000).
— See Shang, H. M., **39** (1), 23-31 (2000).
Chen, J. — See Dawson, J. M., **39** (12), 3239-46 (2000).
Chen, Jinghong — See Chen, Antao, **39** (6), 1507-16 (2000).
Chen, Peter C. — Advances in very lightweight composite mirror technology. — Peter C. Chen, C. W. Bowers, David A. Content, Marzouk Marzouk, and R. C. Romeo; **39** (9), 2320-9 (2000).
Chen, Ray T. — See Tang, Suning, **39** (3), 643-51 (2000).
— See Tang, Suning, **39** (3), 680-8 (2000).
Chen, Tao — Efficient deinterlacing algorithm using edge-based line average interpolation. — Tao Chen, Hong Ren Wu, and Zheng Hua Yu; **39** (8), 2101-5 (2000).
Chen, Xin — See Xiao, Mufei, **39** (9), 2495-500 (2000).
Chen, Ying-Jui — See Walker, James S., **39** (11), 2900-8 (2000).
Chen, Zikuan — Forest representation of wavelet transform and feature detection. — Zikuan Chen and Mohammad A. Karim; **39** (5), 1194-202 (2000).
— Oversampled optical subband decomposition. — Zikuan Chen and Mohammad A. Karim; **39** (9), 2422-30 (2000).
Cheng, Tsarng-Sheng — See Chao, Yei-Chin, **39** (6), 1441-9 (2000).
Cheng, Yi-Chang — Application of a liquid sensor based on surface plasma wave excitation to distinguish methyl alcohol from ethyl alcohol. — Yi-Chang Cheng, Wen-Kuan Su, and Jiann-Horng Liou; **39** (1), 311-4 (2000).
Cheng, Zhongyang — See Yin, Shizhuo, **39** (3), 670-2 (2000).
Chernyh, Igor V. — See Alexandrov, Serguei A., **39** (9), 2480-6 (2000).
Chi, Sien — See Lee, Chien-Chung, **39** (2), 374-8 (2000).
Chieu, Bin-Chang — See Chang, Chein-I, **39** (5), 1275-81 (2000).
Chin, Leonard — See Yao, Jianping, **39** (5), 1149-55 (2000).
Cho, Kyuman — See Ji, June Keun, **39** (4), 936-40 (2000).
Cho, Sun-Jae — See Kang, Hyun-Soo, **39** (12), 3308-16 (2000).
Choe, Joon Y. — See Im, Yong-Seok, **39** (11), 2909-14 (2000).
Choi, Eun-Chang — See Lee, Seung-Woo, **39** (12), 3191-5 (2000).
Choi, Jae Gark — See Kang, Hyun-Soo, **39** (12), 3308-16 (2000).
Choi, Jong-Soo — See Jahng, Surng-Gabb, **39** (9), 2397-404 (2000).
— See Han, Sung-Hyun, **39** (9), 2568-73 (2000).
— See Oh, Jeong-Su, **39** (10), 2797-803 (2000).
Choi, T. S. — See Park, M. S., **39** (4), 866-71 (2000).
Choi, Tae S. — Three-dimensional shape recovery from the focused-image surface. — Tae S. Choi and Joungil Yun; **39** (5), 1321-6 (2000).
— See Kober, Vitaly, **39** (8), 2153-62 (2000).
Choi, Tae Sun — See Seong, Yeong Kyeong, **39** (2), 472-7 (2000).
Choi, Woo-Young — See Lee, Seung-Woo, **39** (12), 3191-5 (2000).
Chong Chong, Tow — See Liu, Jingfeng, **39** (2), 396-400 (2000).
Christensen, Finn E. — See Jimenez-Garate, Mario A., **39** (11), 2982-94 (2000).
Chrzanowski, K. — A condition on spatial resolution of IR collimators for testing of thermal imaging systems. — K. Chrzanowski, H. C. Lee, and W. Wrona; **39** (5), 1413-7 (2000).
Chrzanowski, Krzysztof — Testing and evaluation of thermal cameras for absolute temperature measurement. — Krzysztof Chrzanowski, Joachim Fischer, and Robert Matyszkiel; **39** (9), 2535-44 (2000).
Chtcherbakov, Anatoli A. — See Swart, Pieter L., **39** (4), 1038-43 (2000).
Chu, Pak Lim — See Xiong, Zhengjun, **39** (3), 624-7 (2000).
Chung, Kun-Wook — See Yin, Shizhuo, **39** (3), 670-2 (2000).
Chung, Pau-Choo — See Chang, Chuan-Yu, **39** (3), 695-703 (2000).
— See Chang, Chein-I, **39** (5), 1275-81 (2000).
— See Yang, Ching-Wen, **39** (5), 1293-303 (2000).
Chuyanov, Vadim — See Chen, Antao, **39** (6), 1507-16 (2000).
Clarke, Dana S. — See Descour, Michael R., **39** (7), 1737-47 (2000).
Clémenceau, Philippe — See Breugnot, Sébastien, **39** (10), 2681-8 (2000).
Cocorullo, Giuseppe — See Iodice, Mario, **39** (6), 1704-11 (2000).
Coggrave, C. R. — Optimization of a shape measurement system based on spatial light modulators. — C. R. Coggrave and J. M. Huntley; **39** (1), 91-8 (2000).
Cohen, Adam D. — Dynamic holographic telecommunications components based on spatial light modulation with pixelated $\chi^{(2)}$ polymers in a Fabry-Pérot cavity. — Adam D. Cohen and R. J. Mears; **39** (3), 633-42 (2000).
Cohen, Ira — Applying branching processes theory for building a statistical model for scanning electron microscope signals. — Ira Cohen, Rotem Golan, and Stanley R. Rotman; **39** (1), 254-9 (2000).
Coiras, Enrique — Segment-based registration technique for visual-infrared images. — Enrique Coiras, Javier Santamaría, and Carlos Miravet; **39** (1), 282-9 (2000).
Conner, W. Steven — Engineering design of an image acquisition and analysis system for dendrochronology. — W. Steven Conner, Robert A. Schowengerdt, Martin Munro, and Malcolm K. Hughes; **39** (2), 453-63 (2000).
Content, David A. — See Chen, Peter C., **39** (9), 2320-9 (2000).
Corbalán, Montse — Color measurement in standard CIELAB coordinates using a 3CCD camera: correction for the influence of the light source. — Montse Corbalán, María S. Millán, and María J. Yzuel; **39** (6), 1470-6 (2000).
Corbin, Elizabeth — See Presting, Hartmut, **39** (10), 2624-41 (2000).
Cournoyer, L. — See Beraldin, J.-A., **39** (1), 196-211 (2000).
Couture, Michael E. — See Shi, Weimin, **39** (10), 2705-14 (2000).
Cowan, William D. — See Rogers, Stanley, **39** (10), 2763-74 (2000).
Craig, William W. — See Jimenez-Garate, Mario A., **39** (11), 2982-94 (2000).
Crespo, Daniel — Optical encoder based on the Lau effect. — Daniel Crespo, José Alonso, Tomás Morlanes, and Eusebio Bernabeu; **39** (3), 817-24 (2000).
Croitoru, N. — See Dekel, B., **39** (4), 941-6 (2000).
— See Inberg, A., **39** (5), 1316-20 (2000).
— See Dekel, B., **39** (5), 1384-90 (2000).
Croitoru, Nathan — See Klibanov, Lev, **39** (4), 989-92 (2000).
Crossland, William A. — See Xu, Huan, **39** (6), 1568-72 (2000).
— See Tee, Clarence A. T. H., **39** (9), 2527-34 (2000).
Cui, Zheng — See Du, Jinglei, **39** (3), 771-5 (2000).
Curley, Michael J. — See Sarkisov, Sergey S., **39** (3), 616-23 (2000).
Cywiak, Moisés — See Camacho P., Alma A., **39** (8), 2149-52 (2000).

D

Dahan, Reuben — See Klibanov, Lev, **39** (4), 989-92 (2000).
Dalton, Larry R. — Polymeric electro-optic materials: optimization of electro-optic activity, minimization of optical loss, and fine-tuning of device performance. — Larry R. Dalton; **39** (3), 589-95 (2000).
— See Chen, Antao, **39** (6), 1507-16 (2000).
Damian, Victor — See Dobroiu, Adrian, **39** (12), 3201-6 (2000).
Dauler, E. — See Boeuf, N., **39** (4), 1016-24 (2000).
Davenport, Thomas L. — See Cassarly, William J., **39** (7), 1830-9 (2000).
Davey, Anthony B. — See Xu, Huan, **39** (6), 1568-72 (2000).
— See Tee, Clarence A. T. H., **39** (9), 2527-34 (2000).
David, Stuart R. — See Cassarly, William J., **39** (7), 1830-9 (2000).
Dávila, A. — See Martínez-Celorio, R. A., **39** (3), 751-7 (2000).
Dávila, Abundio — See Fernández, Antonio, **39** (8), 2106-13 (2000).
— Fast phase-map recovery from large shears in an electronic speckle-shearing pattern interferometer using a Fourier least-squares estimation. — Abundio Dávila, Manuel Servin, and M. Facchini; **39** (9), 2487-94 (2000).
Davis, Jeffrey A. — See Márquez, Andrés, **39** (12), 3301-7 (2000).

Dawson, J. M. — Through-wafer optical probe characterization for microelectromechanical systems positional state monitoring and feedback control. — J. M. Dawson, J. Chen, K. S. Brown, P. Famouri, and L. A. Hornak; **39** (12), 3239-46 (2000).
Deck, Robert T. — See Sikorski, Yuri, **39** (8), 2015-21 (2000).
De Freitas, J. M. — Phase nonlinearity extrema in Zeeman heterodyne interferometry. — J. M. De Freitas; **39** (2), 572-5 (L) (2000).
de Groot, Peter — Geometrically desensitized interferometry for shape measurement of flat surfaces and 3-D structures. — Peter de Groot, Xavier Colonna de Lega, and Dave Stephenson; **39** (1), 86-90 (2000).
Dehaese, O. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Dekel, B. — Fiber optic thermal imaging system based on hollow glass waveguides or silver halide fibers as scanning elements. — B. Dekel, A. Inberg, N. Croitoru, S. Shalem, and A. Katzir; **39** (4), 941-6 (2000).
— Hollow glass waveguides and silver halide fibers as scanning elements for CO_2 laser marking systems. — B. Dekel, A. Inberg, N. Croitoru, S. Shalem, and A. Katzir; **39** (5), 1384-90 (2000).
De Leeuw, Gerrit — See Piazzola, Jacques, **39** (6), 1620-31 (2000).
de Lega, Xavier Colonna — See de Groot, Peter, **39** (1), 86-90 (2000).
Della Corte, Francesco G. — See Iodice, Mario, **39** (6), 1704-11 (2000).
DeMerchant, Michael D. — Signal processing for a high-spatial-resolution distributed sensor. — Michael D. DeMerchant, Anthony W. Brown, Xiaoyi Bao, and Theodore W. Bremner; **39** (6), 1632-5 (2000).
Dempster, R. J. — See Blackman, S. S., **39** (5), 1391-8 (2000).
Derouin, E. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Deschênes, Sylvain — See Ping, Ziliang, **39** (5), 1260-6 (2000).
Descour, Michael R. — See Lerner, Scott A., **39** (3), 792-802 (2000).
— Misalignment modes in high-performance optical systems. — Michael R. Descour, Mark R. Willer, Dana S. Clarke, and Curtis E. Volin; **39** (7), 1737-47 (2000).
Dewald, D. Scott — Using ZEMAX Image Analysis and user-defined surfaces for projection lens design and evaluation for Digital Light Processing™ projection systems. — D. Scott Dewald; **39** (7), 1802-7 (2000).
DeYoung, Russell J. — See Refaat, Tamer F., **39** (10), 2642-50 (2000).
Dhar, Vikram — Optimum diode geometry in a two-dimensional photovoltaic array. — Vikram Dhar and Vishnu Gopal; **39** (8), 2022-30 (2000).
Diggs, Darnell E. — See Sarkisov, Sergey S., **39** (3), 616-23 (2000).
Dionne, Charles E. — Optical incoherent imaging through a thin slab waveguide. — Charles E. Dionne and Robert A. Gonsalves; **39** (9), 2392-6 (2000).
Ditto, Tom — Moly: a prototype handheld three-dimensional digitizer with diffraction optics. — Tom Ditto and Douglas A. Lyon; **39** (1), 69-78 (2000).
Dobroiu, Adrian — Centering and profiling algorithm for processing Newton's rings fringe patterns. — Adrian Dobroiu, Adrian Alexandrescu, Dan Apostol, Victor Nascov, and Victor Damian; **39** (12), 3201-6 (2000).
Doel, A. Peter — See Lee, Jun Ho, **39** (4), 1057-62 (2000).
Dole, Gary A. — See Hubbs, John E., **39** (10), 2660-71 (2000).
Dolfi, Daniel — See Tonda-Goldstein, Sylvie, **39** (12), 3294-300 (2000).
Dolovich, Allan T. — See Brodland, G. Wayne, **39** (9), 2501-5 (2000).
Domján, László — Stripe illuminator based on LED array and parabolic mirror for active triangulation sensors used on mobile robots. — László Domján, László Kocsányi, Péter Richter, Sándor Várkonyi, and Wendelin Feiten; **39** (11), 2867-75 (2000).
Doo, Kyung-Soo — See Oh, Jeong-Su, **39** (10), 2797-803 (2000).
Dougherty, Edward R. — See Hirata, Nina S. T., **39** (12), 3106-23 (2000).
Doval, Angel F. — See Fernández, Antonio, **39** (8), 2106-13 (2000).
Drew, Mark S. — See Sun, Yinlong, **39** (11), 2931-42 (2000).
Driggers, Ronald G. — Target identification performance as a function of low spatial frequency image content. — Ronald G. Driggers, Richard H. Vollmerhausen, and Keith Krapels; **39** (9), 2458-62 (2000).
Du, Chunlei — See Du, Jinglei, **39** (3), 771-5 (2000).
Du, Jinglei — Precompensation approach for improving the quality of laser direct writing patterns by a modified proximity function. — Jinglei Du, Fuhua Gao, Yongkang Guo, Chunlei Du, Chuankai Qiu, and Zheng Cui; **39** (3), 771-5 (2000).
Duarte, David — Illumination-invariant face recognition using composite filters synthesized by simulated annealing. — David Duarte and Shizhuo Yin; **39** (5), 1252-9 (2000).
Duarte, Robert M. — See Howells, Malcolm R., **39** (10), 2748-62 (2000).
Dugan, Edward T. — See Su, Zhong, **39** (9), 2472-9 (2000).
Durand, Bernard — See Bueno, Marie-Ange, **39** (6), 1697-703 (2000).

E

Eaton, Frank D. — Turbulence observations over a desert basin using a kite/tethered-blimp platform. — Frank D. Eaton, Ben B. Balsley, Rod G. Frehlich, Ronald J. Hugo, Mike L. Jensen, and Kimberley A. McCrae; **39** (9), 2517-26 (2000).
Elam, Kristie A. — See Tuma, Margaret L., **39** (2), 498-504 (2000).
Elbert, Alexander — See Wang, Lingli, **39** (6), 1659-64 (2000).
Eldada, Louay — High-performance polymeric componentry for telecom and datacom applications. — Louay Eldada, Robert Blomquist, Lawrence W. Shacklette, and Michael J. McFarland; **39** (3), 596-609 (2000).
Ellis, Kenneth S. — See Sparrold, Scott W., **39** (7), 1822-9 (2000).
ElMaraghy, Hoda A. — See Zghal, Hassen, **39** (2), 336-46 (2000).
Englander, Abraham — See Tilleman, Michael M., **39** (3), 758-62 (2000).
English, R. Edward, Jr. — See Wang, D. Y., **39** (7), 1788-95 (2000).
Englund, Marja — See Karioja, Pentti, **39** (4), 1032-7 (2000).
Eom, J. — High reflectivity measurements using the beat frequency of longitudinal modes of external cavity semiconductor lasers. — J. Eom and Chin B. Su; **39** (6), 1587-90 (2000).
Espy, Patrick J. — See Haque, Rezaul, **39** (6), 1527-35 (2000).
Ettemeyer, Andreas — Combination of 3-D deformation and shape measurement by electronic speckle-pattern interferometry for quantitative strain- stress analysis. — Andreas Ettemeyer; **39** (1), 212-5 (2000).

F

Facchini, M. — See Dávila, Abundio, **39** (9), 2487-94 (2000).
Famouri, P. — See Dawson, J. M., **39** (12), 3239-46 (2000).
Fan, Jianping — Automatic moving object extraction toward compact video representation. — Jianping Fan, Gen Fujita, Makoto Furuie, Takao Onoye, Isao Shirakawa, and Lide Wu; **39** (2), 438-52 (2000).
Fang, Hui — See Luo, Gang, **39** (6), 1712-6 (2000).
Fang, Zhiliang — See Luo, Gang, **39** (6), 1712-6 (2000).
Farahi, Faramarz — See Ferreira, L. A., **39** (8), 2226-34 (2000).
Farson, Dave — See Guo, Yunan, **39** (9), 2345-50 (2000).
Fdez-Valdivia, J. — See Fdez-Vidal, Xose R., **39** (1), 267-81 (2000).
— See Fdez-Vidal, Xose R., **39** (2), 415-29 (2000).
Fdez-Vidal, Xose R. — Computing visual target distinctness through selective filtering, statistical features, and visual patterns. — Xose R. Fdez-Vidal, Alexander Toet, J. A. Garcia, and J. Fdez-Valdivia; **39** (1), 267-81 (2000).
— Defining the notion of visual pattern for predicting visual target distinctness in a complex rural background. — Xose R. Fdez-Vidal, J. A. Garcia, J. Fdez-Valdivia, and Rosa Rodriguez-Sanchez; **39** (2), 415-29 (2000).
Feiten, Wendelin — See Domján, László, **39** (11), 2867-75 (2000).
Feldkhun, Daniel L. — See Mermelstein, Michael S., **39** (1), 106-13 (2000).
Feng, Boru — See Zhou, Chongxi, **39** (11), 2943-6 (2000).
Feng, Wenyi — Volume holographic wavelet correlation processor. — Wenyi Feng, Yingbai Yan, Guofan Jin, Minxian Wu, and Qingsheng He; **39** (9), 2444-50 (2000).
Fenster, Aaron — See Galigekere, R. R., **39** (4), 1088-97 (2000).
Fernández, Antonio — Measurement of transient out-of-plane displacement gradients in plates using double-pulsed subtraction TV shearography. — Antonio Fernández, Angel F. Doval, Guillermo H. Kaufmann, Abundio Dávila, Jesús Blanco-García, Carlos Pérez-López, and José L. Fernández; **39** (8), 2106-13 (2000).
Fernández, José L. — See Fernández, Antonio, **39** (8), 2106-13 (2000).
Ferreira, Carlos — See Mas, David, **39** (6), 1427-30 (2000).
Ferreira, L. A. — See Jorge, P. A. S., **39** (5), 1399-404 (2000).
— Simultaneous measurement of strain and temperature using interferometrically interrogated fiber Bragg grating sensors. — L. A. Ferreira, Francisco M. Araújo, José L. Santos, and Faramarz Farahi; **39** (8), 2226-34 (2000).
Fesharaki, Mehdi N. — See Mahmoodi, Ali, **39** (9), 2545-54 (2000).
Filippov, Valery N. — See Sifuentes, Claudia, **39** (8), 2182-6 (2000).
Fimia, Antonio — See Márquez, Andrés, **39** (6), 1612-9 (2000).
Fischer, Joachim — See Chrzanowski, Krzysztof, **39** (9), 2535-44 (2000).
Fissan, H. — See Luo, J., **39** (4), 1009-15 (2000).
Fitzgerald, Edward J. — Two-dimensional optical wavefront measurements using a small-aperture beam technique derivative instrument. — Edward J. Fitzgerald and Eric J. Jumper; **39** (12), 3285-93 (2000).
Flaissier, Marc-Olivier — Testing layered synthetic microstructures by computer processing of their digitized electron-microscope cross sections. — Marc-Olivier Flaissier, Georges Rasigni, Monique Rasigni, and Christophe Guichet; **39** (5), 1364-8 (2000).
Foley, Michael P. — See Valliant, J. Glenn, **39** (12), 3247-54 (2000).
Fomitchov, Pavel A. — Extrinsic and intrinsic fiber optic Sagnac ultrasound sensors. — Pavel A. Fomitchov, Sridhar Krishnaswamy, and Jan D. Achenbach; **39** (7), 1972-84 (2000).
Forkner, John F. — Computer generation of null masks for Ronchi lens tests. — John F. Forkner; **39** (7), 1840-4 (2000).
Fracchia, F. David — See Sun, Yinlong, **39** (11), 2931-42 (2000).
Frehlich, Rod G. — See Eaton, Frank D., **39** (9), 2517-26 (2000).
Friedenberg, Abraham — Sampling-interpolation modulation transfer function as the envelope of the interpolated output. — Abraham Friedenberg; **39** (2), 520-6 (2000).
Friesem, Asher A. — See Wang, Dayong, **39** (11), 3014-24 (2000).
Fryc, Irena — New method of angular correction of a luxmeter photometric head. — Irena Fryc; **39** (12), 3260-3 (2000).
Fu, Guanghua — See Zhang, Tianhao, **39** (2), 527-34 (2000).
Fu, Jie — See Li, Yan, **39** (11), 3039-43 (2000).
Fu, Rulian — See Wang, Zhaoqi, **39** (10), 2595-600 (2000).
Fu, Zhenhai — See Tang, Suning, **39** (3), 643-51 (2000).
Fuhr, Peter L. — See Spammer, Stephanus J., **39** (8), 2177-81 (2000).
Fujii, Takanori — See Kikuchi, Hiroshi, **39** (3), 656-69 (2000).
Fujikake, Hideo — See Kikuchi, Hiroshi, **39** (3), 656-69 (2000).
Fujimoto, Koji — Tetramorph, a novel optical scanner using four piezoelectric bimorphs. — Koji Fujimoto, Jan G. Smits, and Robert E. Carter; **39** (11), 3025-31 (2000).
Fujita, Gen — See Fan, Jianping, **39** (2), 438-52 (2000).
Furlong, Cosme — Absolute shape measurements using high-resolution optoelectronic holography methods. — Cosme Furlong and Ryszard J. Pryputniewicz; **39** (1), 216-23 (2000).
Furuie, Makoto — See Fan, Jianping, **39** (2), 438-52 (2000).
Füzessy, Zoltán — See Németh, Attila, **39** (12), 3196-200 (2000).

G

Gaborit, F. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Gadonna, M. — See Chanclou, P., **39** (2), 387-92 (2000).
Galigekere, R. R. — Moment patterns in the Radon space. — R. R. Galigekere, D. W. Holdsworth, M. N. S. Swamy, and Aaron Fenster; **39** (4), 1088-97 (2000).
Gallagher, Anthony — See Voicu, Liviu I., **39** (9), 2359-71 (2000).
Gao, Fuhua — See Du, Jinglei, **39** (3), 771-5 (2000).
Gao, Wei — See Kiyono, Satoshi, **39** (10), 2720-5 (2000).
Garcia, J. A. — See Fdez-Vidal, Xose R., **39** (1), 267-81 (2000).
— See Fdez-Vidal, Xose R., **39** (2), 415-29 (2000).
Garcia, Javier — See Mas, David, **39** (6), 1427-30 (2000).
Garner, Sean — See Chen, Antao, **39** (6), 1507-16 (2000).
Gearhart, Marvin — See Weis, R. Stephen, **39** (6), 1591-6 (2000).
Geraghty, D. F. — Self-aligned photoresist patterning for integrated optics. — D. F. Geraghty, P. Ayras, G. E. Jabbour, S. Honkanen, and N. Peyghambarian; **39** (2), 575-6 (L) (2000).
Gerber, Jörg — See Kowarschik, Richard, **39** (1), 150-8 (2000).
Gerhart, Grant R. — See Karlsen, Robert E., **39** (3), 704-11 (2000).
Geveaux, Pierre — Analysis of compatibility between lighting devices and descriptive features using Parzen's kernel: application to flaw inspection by artificial vision. — Pierre Geveaux, Sophie Kohler, Johel Miteran, and Frederic Truchetet; **39** (12), 3165-75 (2000).
Ghosh, Anjan Kumar — Package design for low-cost optical liquid-level sensors. — Anjan Kumar Ghosh, Navjot Singh Bedi, and Prashanta Paul; **39** (5), 1405-12 (2000).
Gianino, Peter D. — See Khoury, J., **39** (5), 1122-32 (2000).
— See Khoury, Jehad, **39** (5), 1142-8 (2000).
— See Khoury, J., **39** (5), 1177-83 (2000).
Gilbert, Bernard S. — Enhanced three-dimensional reconstruction of surfaces using multicolor gratings. — Bernard S. Gilbert and Joel H. Blatt; **39** (1), 52-60 (2000).
Gilo, Mordechai — See Klibanov, Lev, **39** (4), 989-92 (2000).
Gleichman, Kurt W. — See Marron, Joseph C., **39** (1), 47-51 (2000).
Golan, Rotem — See Cohen, Ira, **39** (1), 254-9 (2000).
Gómez-Rosas, Gilberto — See Hurtado-Ramos, Juan B., **39** (2), 558-64 (2000).

Gonsalves, Robert A. — See Dionne, Charles E., **39** (9), 2392-6 (2000).
Gontcharov, Alexander V. — See Puryayev, Daniil T., **39** (6), 1692-6 (2000).
González, Juan C. — See Mohedano, Rubén, **39** (10), 2740-7 (2000).
Gopal, Vishnu — See Dhar, Vikram, **39** (8), 2022-30 (2000).
Gore, David B. — See Martínez-Galarce, Dennis S., **39** (4), 1063-79 (2000).
Gorsich, David J. — See Karlsen, Robert E., **39** (3), 704-11 (2000).
Gouton, Pierre — Ridge-line optimal detector. — Pierre Gouton, Hayet Laggoune, Remi Kouassi, and Michel Paindavoine; **39** (6), 1602-11 (2000).
Gramer, Mark E. — See Hubbs, John E., **39** (10), 2660-71 (2000).
Granger, G. — See Tonda-Goldstein, Sylvie, **39** (12), 3294-300 (2000).
Greenberg, Shlomo — NLEBS: automatic target detection using a unique nonlinear-enhancement-based system in IR images. — Shlomo Greenberg, Raanan Yehezkel, Yaniv Gurevich, and Hugo Guterman; **39** (5), 1369-76 (2000).
Greer, Lawrence C., III — See Tuma, Margaret L., **39** (2), 498-504 (2000).
Gregory, D. A. — See Riasati, Vahid R., **39** (5), 1218-22 (2000).
Grimalsky, Vladimir V. — See Sarkisov, Sergey S., **39** (3), 616-23 (2000).
Gryczynski, Ignacy — See Gryczynski, Zygmunt, **39** (9), 2351-8 (2000).
Gryczynski, Zygmunt — Simple apparatus for polarization sensing of analytes. — Zygmunt Gryczynski, Ignacy Gryczynski, and Joseph R. Lakowicz; **39** (9), 2351-8 (2000).
Gu, Liqun — See Zhang, Tianhao, **39** (2), 527-34 (2000).
Gu, Ruowei — See Takeda, Mitsuo, **39** (1), 61-8 (2000).
Guaita, Paolo — See Melloni, Andrea, **39** (11), 3068-75 (2000).
Gualdrón, Oscar — See Guerrero-Bermúdez, Jáder, **39** (10), 2828-31 (2000).
Guan, Jiuhong — See Wang, Zhaoqi, **39** (10), 2595-600 (2000).
Guan, Ling — See Yap, Kim Hui, **39** (7), 1877-90 (2000).
Guérin, S. — See Boeuf, N., **39** (4), 1016-24 (2000).
Guerrero-Bermúdez, Jáder — Object recognition using three-dimensional correlation of range images. — Jáder Guerrero-Bermúdez, Jaime Meneses, and Oscar Gualdrón; **39** (10), 2828-31 (2000).
Guichet, Christophe — See Flaissier, Marc-Olivier, **39** (5), 1364-8 (2000).
Guo, Hui — See Li, Yan, **39** (11), 3039-43 (2000).
Guo, Yongkang — See Du, Jinglei, **39** (3), 771-5 (2000).
Guo, Yunan — Compact focus heads for high-power Nd:YAG laser processing. — Yunan Guo and Dave Farson; **39** (9), 2345-50 (2000).
Gurdev, Ljuan L. — See Stoyanov, Dimitar V., **39** (6), 1556-67 (2000).
Gurevich, Yaniv — See Greenberg, Shlomo, **39** (5), 1369-76 (2000).
Gusmeroli, Andrea — See Melloni, Andrea, **39** (11), 3068-75 (2000).
Guterman, Hugo — See Greenberg, Shlomo, **39** (5), 1369-76 (2000).
Guttmann, Joachim — See Moisel, Jörg, **39** (3), 673-9 (2000).

H

Ha, Yeong-Ho — See Song, Kun-Woen, **39** (8), 2036-45 (2000).
Haapamaa, Jouko — See Karioja, Pentti, **39** (4), 1032-7 (2000).
Hahn,, Sung Hong — See Ryu, Tae Uk, **39** (12), 3207-13 (2000).
Hailey, Charles J. — See Jimenez-Garate, Mario A., **39** (11), 2982-94 (2000).
Halama, Gary E. — See Refaat, Tamer F., **39** (10), 2642-50 (2000).
Halldórsson, Thorsteinn — See Wang, Lingli, **39** (6), 1659-64 (2000).
Hammar, Mattias — See Streubel, Klaus, **39** (2), 488-97 (2000).
Han, Kyu-Phil — See Song, Kun-Woen, **39** (8), 2036-45 (2000).
Han, Sang-Kook — See Lee, Seung-Woo, **39** (12), 3191-5 (2000).
— See Lee, Min-Ho, **39** (12), 3255-9 (2000).
Han, Sung-Hyun — Target position extraction based on instantaneous frequency estimation in a fixed-reticle seeker. — Sung-Hyun Han, Hyun-Ki Hong, Surng-Gabb Jahng, Dong-Sun Seo, and Jong-Soo Choi; **39** (9), 2568-73 (2000).
Han, Yanmei — See Li, Yan, **39** (11), 3039-43 (2000).
Hanson, Frank — Coherent laser radar performance in littoral environments—a statistical analysis based on weather observations. — Frank Hanson; **39** (11), 3044-52 (2000).
Hansson, Göran — Solid state multiple-beam laser with tunable wavelength difference between beams. — Göran Hansson; **39** (10), 2700-4 (2000).
Hansson, Peter — Topography and reflectance analysis of paper surfaces using a photometric stereo method. — Peter Hansson and Per-Åke Johansson; **39** (9), 2555-61 (2000).
Haque, Rezaul — Extraction of planetary wave information from signals collected by a Bomem interferometer. — Rezaul Haque and Patrick J. Espy; **39** (6), 1527-35 (2000).
Hardin, Perry J. — Neural networks versus nonparametric neighbor-based classifiers for semisupervised classification of Landsat Thematic Mapper imagery. — Perry J. Hardin; **39** (7), 1898-908 (2000).
Hariharan, Parameswaran — Phase-shifting interferometry: minimization of systematic errors. — Parameswaran Hariharan; **39** (4), 967-9 (2000).
Harvey, James E. — See Thompson, Patrick L., **39** (6), 1677-91 (2000).
Hazel, Geoffrey G. — See Stellman, Christopher M., **39** (7), 1928-35 (2000).
He, Qingsheng — See Feng, Wenyi, **39** (9), 2444-50 (2000).
He, Rong — Skeletonization of broken handwritten characters. — Rong He and Hong Yan; **39** (11), 2882-93 (2000).
He, Xiaoyan — See Lu, Minfu, **39** (1), 137-42 (2000).
Hepp, Markus — See Presting, Hartmut, **39** (10), 2624-41 (2000).
Hernández, Maikel — See Mohedano, Rubén, **39** (10), 2740-7 (2000).
Herzig, H. P. — See Traut, S., **39** (1), 290-8 (2000).
Herzig, Hans Peter — See Schilling, Andreas, **39** (8), 2171-6 (2000).
Hettwer, Andrea — Three channel phase-shifting interferometer using polarization-optics and a diffraction grating. — Andrea Hettwer, Jochen Kranz, and Johannes Schwider; **39** (4), 960-6 (2000).
Higo, Hiroshi — See Imai, Yoh, **39** (4), 947-51 (2000).
Hirata, Nina S. T. — Iterative design of morphological binary image operators. — Nina S. T. Hirata, Edward R. Dougherty, and Junior Barrera; **39** (12), 3106-23 (2000).
Hirohashi, Kazutoshi — See Mohedano, Rubén, **39** (10), 2740-7 (2000).
Ho, K. L. — See Mao, J. S., **39** (10), 2810-20 (2000).
Ho, Y. K. — See Shu, Xiaojian, **39** (6), 1543-7 (2000).
Hodgkinson, Ian J. — See Wu, Qihong, **39** (7), 1863-8 (2000).
— Experimental realization of sculptured-thin-film polarization-discriminatory light-handedness inverters. — Ian J. Hodgkinson, Akhlesh Lakhtakia, and Qi hong Wu; **39** (10), 2831-4 (2000).
Höfling, Roland — Phase reflection—a new solution for the detection of shape defects on car body sheets. — Roland Höfling, Petra Aswendt, and Reimund Neugebauer; **39** (1), 175-82 (2000).
Holdsworth, D. W. — See Galigekere, R. R., **39** (4), 1088-97 (2000).
Honda, Hideki — See Nagata, Hirotoshi, **39** (4), 1103-5 (2000).
Hong, Hyun-Ki — See Jahng, Surng-Gabb, **39** (9), 2397-404 (2000).
— See Han, Sung-Hyun, **39** (9), 2568-73 (2000).
Hong, John H. — See Sefler, George A., **39** (1), 260-6 (2000).
Hong, Ki-Sang — See Jeon, Byoung-Ki, **39** (9), 2413-21 (2000).
Hong, Seongsik — See Kim, Sung-Ho, **39** (7), 1985-8 (2000).
Honkanen, S. — See Geraghty, D. F., **39** (2), 575-6 (2000).
Hoover, Carl W., Jr. — See Walters, Clarence P., **39** (8), 2279-84 (2000).
Hoover, Richard B. — See Martínez-Galarce, Dennis S., **39** (4), 1063-79 (2000).
Hornak, L. A. — See Dawson, J. M., **39** (12), 3239-46 (2000).
Hoskinson, Emile — See Vitkin, I. Alex, **39** (2), 353-62 (2000).
Howe, Dennis G. — See Sidorin, Yakov, **39** (3), 787-91 (2000).
Howell, Kenneth B. — See Riasati, Vahid R., **39** (5), 1156-61 (2000).
Howells, Malcolm R. — Theory and practice of elliptically bent x-ray mirrors. — Malcolm R. Howells, Daniela Cambie, Robert M. Duarte, Steven Irick, Alasdair A. MacDowell, Howard A. Padmore, Timothy R. Renner, Seungyu Rah, and Reubin Sandler; **39** (10), 2748-62 (2000).
Howley, Joseph — See Su, Zhong, **39** (9), 2472-9 (2000).
Hsieh, Chaur-Heh — See Wang, Chou-Chen, **39** (8), 2058-64 (2000).
Hu, Yu-Chen — Quadtree-segmented image coding schemes using vector quantization and block truncation coding. — Yu-Chen Hu and Chin-Chen Chang; **39** (2), 464-71 (2000).
— Predictive subcodebook search algorithm for vector quantization. — Yu-Chen Hu and Chin-Chen Chang; **39** (6), 1489-96 (2000).
Huang, Hongxin — See Tsai, Minghong, **39** (4), 970-7 (2000).
Huang, Ling-Shiou — See Tai, Shen-Chuan, **39** (5), 1338-43 (2000).
Huang, Shih-Chu — Control method to maintain the maximum extinction ratio of output optical pulses from an intensity modulator. — Shih-Chu Huang, Jiunn-Song Tsay, and Wuu-Wen Lin; **39** (8), 2214-9 (2000).
Huang, W. C. — See Qiu, Y. S., **39** (4), 1044-6 (2000).
Huang, Yu-Chun — See Hwang, Wen-Jyi, **39** (7), 1994-2002 (2000).
Hubbs, John E. — Nonlinear response of quantum well infrared photodetectors under low-background and low-temperature conditions. — John E. Hubbs, Douglas C. Arrington, Mark E. Gramer, and Gary A. Dole; **39** (10), 2660-71 (2000).
Huber, Hans-Peter — See Moisel, Jörg, **39** (3), 673-9 (2000).
Hughes, Malcolm K. — See Conner, W. Steven, **39** (2), 453-63 (2000).
Hugo, Ronald J. — See Eaton, Frank D., **39** (9), 2517-26 (2000).
Huh, Shin — See Lee, Chulhee, **39** (4), 924-35 (2000).
Huignard, Jean-Pierre — See Tonda-Goldstein, Sylvie, **39** (12), 3294-300 (2000).
Hung, Y. Y. — See Shang, H. M., **39** (1), 23-31 (2000).
— Practical three-dimensional computer vision techniques for full-field surface measurement. — Y. Y. Hung, L. Lin, H. M. Shang, and B. G. Park; **39** (1), 143-9 (2000).
Huntley, J. M. — See Coggrave, C. R., **39** (1), 91-8 (2000).
Huo, Yujing — See Que, Wenxiu, **39** (10), 2804-9 (2000).
Hurtado-Ramos, Juan B. — Scattering loss measurements of evaporated slab waveguides of SiO_2 and NdF_3 using a prism coupler and angle-limited integrated scattering. — Juan B. Hurtado-Ramos, Orestes N. Stavroudis, Haiming Wang, and Gilberto Gómez-Rosas; **39** (2), 558-64 (2000).
Hussain, Ahsen — See Jimenez-Garate, Mario A., **39** (11), 2982-94 (2000).
Hwang, Wen-Jyi — Multistage motion vector quantization for video coding. — Wen-Jyi Hwang and Yu-Chun Huang; **39** (7), 1994-2002 (2000).

I

Iakovlev, Vladimir P. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Ibarra, Juan G. — Combined IR imaging-neural network method for the estimation of internal temperature in cooked chicken meat. — Juan G. Ibarra, Yang Tao, and Hongwei Xin; **39** (11), 3032-8 (2000).
Iemmi, Claudio — See Márquez, Andrés, **39** (12), 3301-7 (2000).
Iftekharuddin, Khan M. — Orthogonal wavelets in nonlinear speckle reduction for improved target recognition. — Khan M. Iftekharuddin; **39** (5), 1211-7 (2000).
Im, Yong-Seok — Experimental nonmechanical image rotation to 20 angles using an acousto-optic dove prism. — Yong-Seok Im, Eung Gi Paek, Xiao Tang, Joon Y. Choe, and Tae K. Oh; **39** (11), 2909-14 (2000).
Imai, Yoh — Measurements of velocity distribution along depth using low coherence interferometry. — Yoh Imai, Kazuhiro Tanaka, and Hiroshi Higo; **39** (4), 947-51 (2000).
Inberg, A. — See Dekel, B., **39** (4), 941-6 (2000).
— Theoretical model and experimental studies of infrared radiation propagation in hollow plastic and glass waveguides. — A. Inberg, M. Ben-David, M. Oksman, A. Katzir, and N. Croitoru; **39** (5), 1316-20 (2000).
— See Dekel, B., **39** (5), 1384-90 (2000).
Iodice, Mario — Simple and low-cost technique for wavelength division multiplexing channel monitoring. — Mario Iodice, Giuseppe Cocorullo, Francesco G. Della Corte, and Ivo Rendina; **39** (6), 1704-11 (2000).
Irick, Steven — See Howells, Malcolm R., **39** (10), 2748-62 (2000).
Irvine-Halliday, Dave — Beat-length measurement of high-birefringence polarization-maintaining optical fiber using the dc Faraday magneto-optic effect. — Dave Irvine-Halliday, Muhammad Raziullah Khan, and Peng-Gang Zhang; **39** (5), 1310-5 (2000).
Itoh, Masahide — See Tsai, Minghong, **39** (4), 970-7 (2000).

J

Jääskeläinen, Anssi J. — Estimation of the refractive index of plastic pigments by Wiener bounds. — Anssi J. Jääskeläinen, Kai-Erik Peiponen, Jukka Räty, Unto Tapper, O. Richard, E. I. Kauppinen, and Kari Lumme; **39** (11), 2959-63 (2000).
Jabbour, G. E. — See Geraghty, D. F., **39** (2), 575-6 (2000).
Jackel, Steven — Adaptive compensation of lower order thermal aberrations in concave-convex power oscillators under variable pump conditions. — Steven Jackel and Inon Moshe; **39** (9), 2330-7 (2000).
Jacobs, Alan — See Su, Zhong, **39** (9), 2472-9 (2000).
Jacobs, Jennifer — See Su, Zhong, **39** (9), 2472-9 (2000).
Jacquet, Joël — See Streubel, Klaus, **39** (2), 488-97 (2000).
Jaeger, G. — See Boeuf, N., **39** (4), 1016-24 (2000).
Jahng, Surng-Gabb — New infrared counter-countermeasure technique using an iterative self-organizing data analysis algorithm for the rosette scanning infrared seeker. — Surng-Gabb Jahng, Hyun-Ki Hong, Dong-Sun Seo, and Jong-Soo Choi; **39** (9), 2397-404 (2000).
— See Han, Sung-Hyun, **39** (9), 2568-73 (2000).
— See Oh, Jeong-Su, **39** (10), 2797-803 (2000).
Jang, Jeong-Hun — See Jeon, Byoung-Ki, **39** (9), 2413-21 (2000).

Jang, Ju-Seog — See Shin, Dong-Hak, **39** (9), 2431-8 (2000).
— Holographic data storage by combined use of peristrophic, angular, and spatial multiplexing. — Ju-Seog Jang, Dong-Hak Shin, and Youn-Sup Park; **39** (11), 2975-81 (2000).
Jaros, Milan — See Presting, Hartmut, **39** (10), 2624-41 (2000).
Javadpour, Zohreh — Connectionist model of the generalized Hough transform for optical implementation. — Zohreh Javadpour and John G. Keating; **39** (6), 1717-22 (2000).
Javidi, Bahram — See Nomura, Takanori, **39** (8), 2031-5 (2000).
— See Chan, Francis, **39** (8), 2092-100 (2000).
— Polarization encoding for optical security systems. — Bahram Javidi and Takanori Nomura; **39** (9), 2439-43 (2000).
Jenkins, David G. — See Cassarly, William J., **39** (7), 1830-9 (2000).
Jensen, Mike L. — See Eaton, Frank D., **39** (9), 2517-26 (2000).
Jeon, Byoung-Ki — Map-based road detection in spaceborne synthetic aperture radar images based on curvilinear structure extraction. — Byoung-Ki Jeon, Jeong-Hun Jang, and Ki-Sang Hong; **39** (9), 2413-21 (2000).
Jeong, Yeonsik — Fast discrete cosine transform structure suitable for implementation with integer computation. — Yeonsik Jeong and Imgeun Lee; **39** (10), 2672-6 (2000).
Ji, June Keun — Nonuniformity correction scheme for an infrared camera including the background effect due to camera temperature variation. — June Keun Ji, Jae Ryong Yoon, and Kyuman Cho; **39** (4), 936-40 (2000).
Jia, Zhenhong — Study on photobleaching of PMMA/DR1 film by *z*-scan measurement. — Zhenhong Jia, Qu Li, and Jun Zhou; **39** (11), 2956-8 (2000).
Jiang, Hong — Sensitivity enhanced roll angle measurement. — Hong Jiang and Chunyong Yin; **39** (2), 516-9 (2000).
Jiang, Nianhua — See Tang, Suning, **39** (3), 643-51 (2000).
Jiang, Yunqing — See Shu, Xiaojian, **39** (6), 1543-7 (2000).
Jimenez-Garate, Mario A. — Fabrication, performance, and figure metrology of epoxy-replicated aluminum foils for hard x-ray focusing multilayer-coated segmented conical optics. — Mario A. Jimenez-Garate, William W. Craig, Charles J. Hailey, Finn E. Christensen, and Ahsen Hussain; **39** (11), 2982-94 (2000).
Jin, Guofan — See Feng, Wenyi, **39** (9), 2444-50 (2000).
Jin, Lianhua — Shadow moiré profilometry using the phase-shifting method. — Lianhua Jin, Yutaka Kodera, Toru Yoshizawa, and Yukitoshi Otani; **39** (8), 2119-23 (2000).
Joanne, B. — See Truchetet, F., **39** (2), 409-14 (2000).
Johansson, Per-Åke — See Hansson, Peter, **39** (9), 2555-61 (2000).
Johnson, Matthew S. — See Andersson, Åke, **39** (12), 3099-105 (2000).
Jones, G. R. — See Stergioulas, L. K., **39** (7), 1965-71 (2000).
Jones, Grinnell, III — See Bhanu, Bir, **39** (3), 712-23 (2000).
Jorge, P. A. S. — Analysis of the flyback effects on the serrodyne interferometric demodulation of fiber optic Bragg grating sensors. — P. A. S. Jorge, L. A. Ferreira, and J. L. Santos; **39** (5), 1399-404 (2000).
Jou, Jau-Ji — See Liu, Cheng-Kuang, **39** (6), 1548-55 (2000).
Jumper, Eric J. — See Fitzgerald, Edward J., **39** (12), 3285-93 (2000).
Jun, Jinwoo — See Kim, Hoseong, **39** (12), 3281-4 (2000).
Jurva, Risto — See Karioja, Pentti, **39** (4), 1032-7 (2000).
Jutamulia, Suganda — See Song, Feijun, **39** (5), 1190-3 (2000).

K

Kaiser, Jozef — See Samek, Ota, **39** (8), 2248-62 (2000).
Kam, C. H. — See Que, Wenxiu, **39** (10), 2804-9 (2000).
Kang, Hyun-Soo — Reliable watermark detection method based on analysis of correlation. — Hyun-Soo Kang, Jae Gark Choi, Si-Woong Lee, and Sun-Jae Cho; **39** (12), 3308-16 (2000).
Kang, Moon Gi — See Park, Sung Cheol, **39** (12), 3124-37 (2000).
Kang, Shinill — Birefringence distribution in magneto-optical disk substrate fabricated by injection compression molding. — Shinill Kang, Jong Sung Kim, and Hyun Kim; **39** (3), 689-94 (2000).
Kankelborg, Charles C. — See Martinez-Galarce, Dennis S., **39** (4), 1063-79 (2000).
Kapon, E. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Karim, Mohammad A. — See Alam, Mohammad S., **39** (5), 1119-21 (2000).
— See Zhang, Shuqun, **39** (5), 1184-9 (2000).
— See Chen, Zikuan, **39** (5), 1194-202 (2000).
— See Chen, Zikuan, **39** (9), 2422-30 (2000).
Karioja, Pentti — All-optical fiber optic interface for sensors and actuators. — Pentti Karioja, Risto Jurva, Kimmo Keränen, Kari Tukkiniemi, Jouko Haapamaa, Ari Tervonen, and Marja Englund; **39** (4), 1032-7 (2000).
Karlsen, Robert E. — Target classification via support vector machines. — Robert E. Karlsen, David J. Gorsich, and Grant R. Gerhart; **39** (3), 704-11 (2000).
Kasztelanic, Rafal — Shift-invariant optoelectronic associative memory by using a cascade of correlators. — Rafal Kasztelanic, Juan Campos, and Katarzyna Chalasinska-Macukow; **39** (4), 993-1001 (2000).
Kato, Masaaki — See Tei, Kazuyoku, **39** (1), 320-2 (2000).
Katzir, A. — See Dekel, B., **39** (4), 941-6 (2000).
— See Inberg, A., **39** (5), 1316-20 (2000).
— See Dekel, B., **39** (5), 1384-90 (2000).
Kaufmann, G. H. — See Martínez-Celorio, R. A., **39** (3), 751-7 (2000).
Kaufmann, Guillermo H. — See Fernández, Antonio, **39** (8), 2106-13 (2000).
Kauppinen, E. I. — See Jääskeläinen, Anssi J., **39** (11), 2959-63 (2000).
Kawakita, Masahiro — See Kikuchi, Hiroshi, **39** (3), 656-69 (2000).
Keating, John G. — See Javadpour, Zohreh, **39** (6), 1717-22 (2000).
Kempfer, Ulrich — Measurement of atmospheric ozone by differential absorption of solar radiation using a compact optical spectrometer. — Ulrich Kempfer and Herbert Schneckenburger; **39** (7), 1989-93 (2000).
Kempner, Elad — See Stern, Adrian, **39** (9), 2451-7 (2000).
Keränen, Kimmo — See Karioja, Pentti, **39** (4), 1032-7 (2000).
Ketter, Terence A. — See Lee, Chulhee, **39** (4), 924-35 (2000).
Khazanov, Efim A. — See Palashov, Oleg V., **39** (6), 1536-42 (2000).
Khoury, J. — Modification algorithms for improving the performance of holographically stored multiplexed correlation filters. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1122-32 (2000).
— Engineering aspects of the two-beam coupling correlator. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1177-83 (2000).
Khoury, Jehad — Heteroassociative correlation filter using cross-correlation enhancement. — Jehad Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1142-8 (2000).
Kibbel, Horst — See Presting, Hartmut, **39** (10), 2624-41 (2000).
Kiiveri, Pauli — Design and fabrication of erbium-doped fibers for optical amplifiers. — Pauli Kiiveri and Simo Tammela; **39** (7), 1943-50 (2000).
Kikuchi, Hiroshi — Design and fabrication of a projection display using optically addressed polymer-dispersed liquid crystal light valves. — Hiroshi Kikuchi, Takanori Fujii, Masahiro Kawakita, Hideo Fujikake, and Kuniharu Takizawa; **39** (3), 656-69 (2000).
Kim, D. Y. — See Park, M. S., **39** (4), 866-71 (2000).
Kim, Eui Jung — See Ryu, Tae Uk, **39** (12), 3207-13 (2000).
Kim, Eun-Seok — Analysis of polarization characteristics of reflection-type photopolymer for stabilization. — Eun-Seok Kim and Nam Kim; **39** (9), 2506-10 (2000).
Kim, Eunah — Chromium aluminum oxide films for ArF line high transmittance attenuated phase shifting mask application. — Eunah Kim, Seong-yong Moon, Yong-hoon Kim, Hee-sun Yoon, and Kwangsoo No; **39** (11), 2947-55 (2000).
Kim, Hoseong — Fiber optic voltage sensor based on the photoelastic effect in a single-mode optical fiber. — Hoseong Kim and Jinwoo Jun; **39** (12), 3281-4 (2000).
Kim, Hyun — See Kang, Shinill, **39** (3), 689-94 (2000).
Kim, Jong Sung — See Kang, Shinill, **39** (3), 689-94 (2000).
Kim, Kyeong-Man — See Song, Kun-Woen, **39** (8), 2036-45 (2000).
Kim, Nam — See Kim, Eun-Seok, **39** (9), 2506-10 (2000).
Kim, Seung-Woo — See Park, Min-Cheol, **39** (4), 952-9 (2000).
Kim, Sok Won — See Ryu, Tae Uk, **39** (12), 3207-13 (2000).
Kim, Sung-Ho — Determination of ammonia in environmental samples using the diode laser/fiber optic colorimetric spectrometer. — Sung-Ho Kim, Gill Sang Byun, and Seongsik Hong; **39** (7), 1985-8 (2000).
Kim, Yong-hoon — See Kim, Eunah, **39** (11), 2947-55 (2000).
Kiyono, Satoshi — Self-calibration of a scanning white light interference microscope. — Satoshi Kiyono, Wei Gao, Shizhou Zhang, and Toru Aramaki; **39** (10), 2720-5 (2000).
Klibanov, Lev — Diamond-like carbon thin films as antireflective and protective coatings of GaAs elements and devices. — Lev Klibanov, Nathan Croitoru, Ady Seidman, Mordechai Gilo, and Reuben Dahan; **39** (4), 989-92 (2000).
Knapp, David J. — See Sparrold, Scott W., **39** (7), 1822-9 (2000).
Kober, Vitaly — Single-output multichannel pattern recognition using projection preprocessing. — Vitaly Kober and Tae S. Choi; **39** (8), 2153-62 (2000).
Kocsányi, László — See Domján, László, **39** (11), 2867-75 (2000).
Kodera, Yutaka — See Jin, Lianhua, **39** (8), 2119-23 (2000).
Kohler, Sophie — See Geveaux, Pierre, **39** (12), 3165-75 (2000).
Kohno, Tsuguo — Radial shearing interferometer for in-process measurement of diamond turning. — Tsuguo Kohno, Daiji Matsumoto, Takanori Yazawa, and Yutaka Uda; **39** (10), 2696-9 (2000).
Kolarov, George V. — See Stoyanov, Dimitar V., **39** (6), 1556-67 (2000).
Kollias, Stefanos D. — See Stephanakis, Ioannis M., **39** (5), 1354-63 (2000).
Konle, Johannes — See Presting, Hartmut, **39** (10), 2624-41 (2000).
Kopeika, Norman S. — See Yitzhaky, Yitzhak, **39** (8), 2083-91 (2000).
— See Stern, Adrian, **39** (9), 2451-7 (2000).
Kornis, János — See Németh, Attila, **39** (12), 3196-200 (2000).
Kostovic, Jadran — See Bohnert, Klaus, **39** (11), 3060-7 (2000).
Kouassi, Remi — See Gouton, Pierre, **39** (6), 1602-11 (2000).
Kowarschik, Richard — Adaptive optical three-dimensional measurement with structured light. — Richard Kowarschik, Peter Kühmstedt, Jörg Gerber, Wolfgang Schreiber, and Gunther Notni; **39** (1), 150-8 (2000).
Kozaitis, Samuel P. — Circular optimal trade-off and distance-classifier correlation filters. — Samuel P. Kozaitis and Sila Thangwaritorn; **39** (5), 1162-8 (2000).
— See Lee, Yunwoo, **39** (9), 2405-12 (2000).
Kranz, Jochen — See Hettwer, Andrea, **39** (4), 960-6 (2000).
Krapels, Keith — See Driggers, Ronald G., **39** (9), 2458-62 (2000).
Krasowski, Michael J. — See Tuma, Margaret L., **39** (2), 498-504 (2000).
Krile, Thomas F. — See Bablumian, Arkady S., **39** (11), 2964-74 (2000).
Krishnaswamy, Sridhar — See Fomitchov, Pavel A., **39** (7), 1972-84 (2000).
Krumpholz, Oskar — See Moisel, Jörg, **39** (3), 673-9 (2000).
Krymski, Kirill M. — See Artioukov, Igor A., **39** (8), 2163-70 (2000).
Krzyžánek, Vladislav — Analysis of continuously distorted quasi-periodic images: two-dimensional reconstruction of *S* layers of cyanobacteria. — Vladislav Krzyžánek; **39** (4), 872-8 (2000).
Kudo, Jun-ichi — See Tanikawa, Kunihiro, **39** (10), 2781-8 (2000).
Kühmstedt, Peter — See Kowarschik, Richard, **39** (1), 150-8 (2000).
Kuhn, Klaus-Peter — See Moisel, Jörg, **39** (3), 673-9 (2000).
Kukhlevsky, Sergei V. — See Samek, Ota, **39** (8), 2248-62 (2000).
Kumar, Ajay — Fabric defect segmentation using multichannel blob detectors. — Ajay Kumar and Grantham Pang; **39** (12), 3176-90 (2000).
Kuo, I-Sheng — See Tai, Shen-Chuan, **39** (9), 2372-80 (2000).
Kuo, S. Didi — Synthetic image generation of chemical plumes for hyperspectral applications. — S. Didi Kuo, John R. Schott, and Chia Y. Chang; **39** (4), 1047-56 (2000).
Kwon, Oh-Kyu — Nonparametric hierarchical Hausdorff distance matching algorithm. — Oh-Kyu Kwon, Dong-Gyu Sim, and Rae-Hong Park; **39** (7), 1917-27 (2000).

L

LaBounty, Christopher — Monolithic integration of thin-film coolers with optoelectronic devices. — Christopher LaBounty, Ali Shakouri, Patrick Abraham, and John E. Bowers; **39** (11), 2847-52 (2000).
Laczik, Zsolt John — Quantitative Makyoh topography. — Zsolt John Laczik; **39** (9), 2562-7 (2000).
Lafond, Christophe — Primary photochemical process in films of dichromated gelatin: a quantitative approach. — Christophe Lafond, Christine Pizzocaro, Roger A. Lessard, and Michèle Bolte; **39** (3), 610-5 (2000).
Lage, Armindo S. — See Baptista, José M., **39** (6), 1636-44 (2000).
Laggoune, Hayet — See Gouton, Pierre, **39** (6), 1602-11 (2000).
Lai, Fu-Shun — See Liu, Cheng-Kuang, **39** (6), 1548-55 (2000).
Lai, Hsin-Yi — See Lo, Yu-Lung, **39** (3), 832-7 (2000).
Lakhtakia, Akhlesh — See Wu, Qihong, **39** (7), 1863-8 (2000).
— See Hodgkinson, Ian J., **39** (10), 2831-4 (2000).
Lakowicz, Joseph R. — See Gryczynski, Zygmunt, **39** (9), 2351-8 (2000).
Laligant, O. — See Truchetet, F., **39** (2), 409-14 (2000).
Lalor, Michael J. — See Lilley, Francis, **39** (1), 187-95 (2000).
— See Zhang, Hong, **39** (7), 1958-64 (2000).
Lam, Y. L. — See Que, Wenxiu, **39** (10), 2804-9 (2000).

Lanterman, Aaron D. — Bayesian inference of thermodynamic state incorporating Schwarz-Rissanen complexity for infrared target recognition. — Aaron D. Lanterman; **39** (5), 1282-92 (2000).
Laurin, D. — See Beraldin, J.-A., **39** (1), 196-211 (2000).
Lauzon, Daniel — See Wang, Demin, **39** (11), 2876-81 (2000).
Lee, Chien-Chung — In-service cable-monitoring technique for hybrid fiber/coaxial networks based on frequency domain analysis incorporated with optical time-domain reflectometer and fiber benders. — Chien-Chung Lee and Sien Chi; **39** (2), 374-8 (2000).
Lee, Ching-Ting — See Lu, Hai-Han, **39** (10), 2677-80 (2000).
Lee, Chulhee — Automated segmentation of the corpus callosum in midsagittal brain magnetic resonance images. — Chulhee Lee, Shin Huh, Terence A. Ketter, and Michael Unser; **39** (4), 924-35 (2000).
Lee, H. C. — See Chrzanowski, K., **39** (5), 1413-7 (2000).
Lee, Imgeun — See Jeong, Yeonsik, **39** (10), 2672-6 (2000).
Lee, Jun Ho — Adaptive secondary mirror demonstrator: construction and preliminary evaluation. — Jun Ho Lee, David D. Walker, and A. Peter Doel; **39** (4), 1057-62 (2000).
Lee, Max K. — See Rogers, Stanley, **39** (10), 2763-74 (2000).
Lee, Min-Ho — Wavelength-converting optical space switch using a semiconductor-optical-amplifier-based Mach-Zehnder interferometer. — Min-Ho Lee, Si-Mon Shin, and Sang-Kook Han; **39** (12), 3255-9 (2000).
Lee, Muno — Temperature-induced transient noise of pyroelectric thermal detector. — Muno Lee and Seongho Bae; **39** (11), 3076-83 (2000).
Lee, Seung-Woo — Modeling and analysis of optical interconnect systems using equivalent circuit models. — Seung-Woo Lee, Eun-Chang Choi, Sang-Kook Han, and Woo-Young Choi; **39** (12), 3191-5 (2000).
Lee, Si-Woong — See Kang, Hyun-Soo, **39** (12), 3308-16 (2000).
Lee, Tzong-Sheng — Feasibility study on low-resolution uncooled thermal imagers for home-security applications. — Tzong-Sheng Lee and Jin-Shown Shie; **39** (6), 1431-40 (2000).
Lee, Yunwoo — Multiresolution gradient-based edge detection in noisy images using wavelet domain filters. — Yunwoo Lee and Samuel P. Kozaitis; **39** (9), 2405-12 (2000).
Leike, Ines — See Ouisse, Adelina, **39** (12), 3220-31 (2000).
Lerner, Scott A. — Design approach and comparison of projection cameras for EUV lithography. — Scott A. Lerner, Jose M. Sasian, and Michael R. Descour; **39** (3), 792-802 (2000).
— Use of implicitly defined optical surfaces for the design of imaging and illumination systems. — Scott A. Lerner and Jose M. Sasian; **39** (7), 1796-801 (2000).
Leroux, Pierre — See Ziger, David, **39** (7), 1951-7 (2000).
Lessard, Roger, Editor (2000) — An Exciting New Addition to Your Journal. — Roger Lessard, Editor (2000), and Donald C. O'Shea, Editor (2001); **39** (8), 2013 (2000).
Lessard, Roger A., Editor — Y2K is finally here! What will be our next fear, our future? — Roger A. Lessard, Editor; **39** (1), 5-6 (2000).
— Could Photonics Kill Optics? — Roger A. Lessard, Editor; **39** (3), 585 (2000).
— Why are so few Communications published in *OE*? — Roger A. Lessard, Editor; **39** (4), 857 (2000).
— Is referencing an art or an obligation? — Roger A. Lessard, Editor; **39** (5), 1117 (2000).
— Education and Training in Optics and Photonics. — Roger A. Lessard, Editor; **39** (6), 1425 (2000).
— Could Photonics Kill Optics, Part II? — Roger A. Lessard, Editor; **39** (7), 1733 (2000).
— Why do we use keywords? — Roger A. Lessard, Editor; **39** (9), 2317-8 (2000).
— Are we really afraid of basic optics? — Roger A. Lessard, Editor; **39** (11), 2845 (2000).
Lessard, Roger A., Editor — What kind of future are we looking for? — Roger A. Lessard, Editor ; **39** (10), 2593 (2000).
Lessard, Roger A. — See Lafond, Christophe, **39** (3), 610-5 (2000).
Levy, Y. — See Yitzhaky, Yitzhak, **39** (8), 2083-91 (2000).
Li, Bulang — See Tang, Suning, **39** (3), 643-51 (2000).
Li, Chun Hung — Probabilistic nonlinear diffusion image filter. — Chun Hung Li and Peter K. S. Tam; **39** (9), 2381-6 (2000).
Li, Chunfei — Excited-state four-wave mixing for nonresonant holographic storage in azo-dye-doped polymers. — Chunfei Li and Xinxian Bao; **39** (3), 628-32 (2000).
Li, Dacheng — See Wang, Ming, **39** (10), 2726-33 (2000).
Li, E. B. — See Wang, K. F., **39** (8), 2124-8 (2000).
Li, H. — See Qiu, Y. S., **39** (4), 1044-6 (2000).
Li, Qu — See Jia, Zhenhong, **39** (11), 2956-8 (2000).
Li, Xide — Wavelet transform for detection of partial fringe patterns induced by defects in nondestructive testing of holographic interferometry and electronic speckle pattern interferometry. — Xide Li; **39** (10), 2821-7 (2000).
Li, Yan — Displacement sensing HeNe laser with λ/8 accuracy and self-calibration. — Yan Li, Shulian Zhang, Yanmei Han, Jie Fu, Hui Guo, and Jiaming Ou; **39** (11), 3039-43 (2000).
Li, Yao — Information Optics Using Polymeric Materials. — Yao Li; **39** (3), 587-8 (2000).
Li, Yudong — See Zhang, Tianhao, **39** (2), 527-34 (2000).
Li, Zhengmin — See Liu, Jingfeng, **39** (2), 396-400 (2000).
Liang, Rongguang — See Tesar, John, **39** (7), 1845-9 (2000).
Liao, Xuejun — Signal reconstruction from accumulation of bispectral radial slices. — Xuejun Liao and Zheng Bao; **39** (8), 2065-74 (2000).
Lilley, Francis — Robust fringe analysis system for human body shape measurement. — Francis Lilley, Michael J. Lalor, and David R. Burton; **39** (1), 187-95 (2000).
Lin, L. — See Hung, Y. Y., **39** (1), 143-9 (2000).
Lin, Sheng — Evaluating fabric fuzziness using wavelet transforms. — Sheng Lin and Bugao Xu; **39** (9), 2387-91 (2000).
Lin, Wuu-Wen — See Huang, Shih-Chu, **39** (8), 2214-9 (2000).
Lin, Xin — Multilayer neural network with a fuzzy controlled learning method for optical pattern training. — Xin Lin and Masahiko Mori; **39** (10), 2734-9 (2000).
Lindlein, Norbert — Expansion of the dynamic range of a Shack-Hartmann sensor by using astigmatic microlenses. — Norbert Lindlein, Johannes Pfund, and Johannes Schwider; **39** (8), 2220-5 (2000).
Lindström, Tomas — Total integrated scattering from transparent substrates in the infrared region: validity of scalar theory. — Tomas Lindström and Daniel Rönnow; **39** (2), 478-87 (2000).
Lion, Yves F. — See Tilkens, Bernard G., **39** (2), 363-73 (2000).
Liou, Jiann-Horng — See Cheng, Yi-Chang, **39** (1), 311-4 (2000).
Lipovskii, Andrey A. — See Sifuentes, Claudia, **39** (8), 2182-6 (2000).
Liška, Mirosiav — See Samek, Ota, **39** (8), 2248-62 (2000).
Liu, Cheng-Kuang — Analysis of nonlinear response in erbium-doped fiber amplifiers. — Cheng-Kuang Liu, Fu-Shun Lai, and Jau-Ji Jou; **39** (6), 1548-55 (2000).
Liu, Hua-Kuang — See Cai, Luzhong, **39** (2), 401-8 (2000).
Liu, Jih-Ming — See Chang, Chein-I, **39** (5), 1275-81 (2000).
Liu, Jingfeng — Space-invariant patches in diffraction-limited imaging. — Jingfeng Liu, Veerappa Boopathi, Tow Chong Chong, Yihong Wu, and Zhengmin Li; **39** (2), 396-400 (2000).
Liu, Sheng — See Lu, Minfu, **39** (1), 137-42 (2000).
Lo, Chien-Shun — See Chang, Chein-I, **39** (5), 1275-81 (2000).
— See Yang, Ching-Wen, **39** (5), 1293-303 (2000).
Lo, Yu-Lung — Study on drag forces of the molding flow in IC packaging using optical fiber sensors. — Yu-Lung Lo, Hsin-Yi Lai, and Ming-Hong Tsai; **39** (3), 832-7 (2000).
Lohmann, Adolf W. — See Wang, Dayong, **39** (11), 3014-24 (2000).
López-Amo, Manuel — See Bariáin, Cándido, **39** (8), 2241-7 (2000).
López-Hernández, Francisco J. — Ray-tracing algorithms for fast calculation of the channel impulse response on diffuse IR wireless indoor channels. — Francisco J. López-Hernández, Rafael Pérez-Jiménez, and Asunción Santamaría; **39** (10), 2775-80 (2000).
López-Ramírez, Juan Manuel — New simple geometrical test for aspheric lenses and mirrors. — Juan Manuel López-Ramírez, Daniel Malacara-Doblado, and Daniel Malacara-Hernández; **39** (8), 2143-8 (2000).
Lostec, J. — See Chanclou, P., **39** (2), 387-92 (2000).
Lu, Hai-Han — Novel measurement method for fiber optical cable television echo rating baseband parameter at subscriber. — Hai-Han Lu and Ching-Ting Lee; **39** (10), 2677-80 (2000).
Lu, Minfu — Powerful frequency domain algorithm for frequency identification for projected grating phase analysis and its applications. — Minfu Lu, Xiaoyan He, and Sheng Liu; **39** (1), 137-42 (2000).
Lu, T. S. — See Qiu, Y. S., **39** (4), 1044-6 (2000).
Lu, Yu — See Yin, Shizhuo, **39** (3), 670-2 (2000).
Lui, Junfang — See Zhang, Guangjun, **39** (8), 2235-40 (2000).
Lumme, Kari — See Jääskeläinen, Anssi J., **39** (11), 2959-63 (2000).
Luo, Gang — Method for the deviation inspection of integrated circuit chip pin based on Harr wavelet transform. — Gang Luo, Hui Fang, Zhiliang Fang, and Guoguang Mu; **39** (6), 1712-6 (2000).
Luo, Huitao — See Zhang, Yu Jin, **39** (6), 1450-6 (2000).
Luo, J. — Development of nonimaging optics for particle counters. — J. Luo, A. Trampe, and H. Fissan; **39** (4), 1009-15 (2000).
Luo, W. D. — See Shang, H. M., **39** (1), 23-31 (2000).
Luo, Xiangang — See Zhou, Chongxi, **39** (11), 2943-6 (2000).
Lyon, Douglas A. — See Ditto, Tom, **39** (1), 69-78 (2000).

M

Ma, Dye-Jyun — See Chang, Chein-I, **39** (5), 1275-81 (2000).
— See Yang, Ching-Wen, **39** (5), 1293-303 (2000).
Ma, Jian — See Sefler, George A., **39** (1), 260-6 (2000).
Ma, Li — See Wang, Ming, **39** (10), 2726-33 (2000).
MacDowell, Alasdair A. — See Howells, Malcolm R., **39** (10), 2748-62 (2000).
MacFarlane, D. L. — See Penciu, Cristian, **39** (2), 565-71 (2000).
MacLean, S. G. — See Beraldin, J.-A., **39** (1), 196-211 (2000).
Madamopoulos, Nicholas — All-fiber connectorized compact fiber optic delay-line modules using three-dimensional polarization optics. — Nicholas Madamopoulos and Nabeel A. Riza; **39** (9), 2338-44 (2000).
Mahalanobis, Abhijit — See Alkanhal, Mohamed, **39** (5), 1133-41 (2000).
Mahmoodi, Ali — Thermal modeling of desert background in the far-infrared spectral region. — Ali Mahmoodi, Abdolreza Nabavi, and Mehdi N. Fesha[illegible] (9), 2545-54 (2000).
Majles Ara, M. H. — Parametric study of photorefractive beam coupling in $BaTiO_3$ at multiple wavelengths. — M. H. Majles Ara, C. Vijayan, N. Krishna Mohan, and R. S. Sirohi; **39** (2), 535-40 (2000).
Malacara-Doblado, Daniel — See López-Ramírez, Juan Manuel, **39** (8), 2143-8 (2000).
Malacara-Hernández, Daniel — See López-Ramírez, Juan Manuel, **39** (8), 2143-8 (2000).
Mallory, Gregory J. W. — Origins Testbed: capturing the dynamics and control of future space-based telescopes. — Gregory J. W. Mallory, Alvar Saenz-Otero, and David W. Miller; **39** (6), 1665-76 (2000).
Maltz, Masha — Decision modeling for a target acquisition task. — Masha Maltz; **39** (9), 2581-4 (2000).
Mangaiyarkarasi, D. — Eosin dye soaked gelatin as a recording medium. — D. Mangaiyarkarasi, P. K. Palanisamy, and Rajpal S. Sirohi; **39** (8), 2138-42 (2000).
Manhart, Paul K. — See Sparrold, Scott W., **39** (7), 1822-9 (2000).
Mann, Seth E. — See Tada, Haruna, **39** (8), 2296-304 (2000).
Mansuripur, Masud — See Tesar, John, **39** (7), 1845-9 (2000).
Mao, J. S. — New method for designing two-channel causal stable IIR perfect reconstruction filter banks and wavelet bases. — J. S. Mao, S. C. Chan, and K. L. Ho; **39** (10), 2810-20 (2000).
Mao, Wenwei — Analysis of Slyusarev optical wedge distortion. — Wenwei Mao and Boxiong Wang; **39** (6), 1722-4 (2000).
Marchette, David — See Qi, Hairong, **39** (5), 1267-74 (2000).
Marcou, Jacques — See Attia, Rabah, **39** (1), 299-303 (2000).
Marom, Emanuel — See Zalevsky, Zeev, **39** (7), 1936-42 (2000).
Márquez, Andrés — Production of computer-generated phase holograms using graphic devices: application to correlation filters. — Andrés Márquez, Juan Campos, Maria J. Yzuel, Inmaculada Pascual, Antonio Fimia, and Augusto Beléndez; **39** (6), 1612-9 (2000).
— Characterization of edge effects in twisted nematic liquid crystal displays. — Andrés Márquez, Juan Campos, María J. Yzuel, Ignacio Moreno, Jeffrey A. Davis, Claudio Iemmi, Alfonso Moreno, and Arnau Robert; **39** (12), 3301-7 (2000).
Marron, Joseph C. — Three-dimensional imaging using a tunable laser source. — Joseph C. Marron and Kurt W. Gleichman; **39** (1), 47-51 (2000).
Marti-Carrera, Felix Ignacio — See Chen, Antao, **39** (6), 1507-16 (2000).
Martinček, Ivan — See Turek, Ivan, **39** (5), 1304-9 (2000).
Martinelli, Mario — See Melloni, Andrea, **39** (11), 3068-75 (2000).
Martinez, Carlos C. — See Alanís, Elvio E., **39** (3), 744-50 (2000).
Martinez-Celorio, R. A. — Extension of the displacement measurement range for electronic speckle-shearing pattern interferometry using carrier fringes and a temporal-phase-unwrapping method. — R. A. Martínez-Celorio, A. Dávila, G. H. Kaufmann, and G. Mendiola; **39** (3), 751-7 (2000).
Martinez-Galarce, Dennis S. — High resolution imaging with multilayer telescopes: resolution performance of the MSSTA II telescopes. — Dennis S. Martínez-Galarce, Arthur B. C. Walker, II, David B. Gore, Charles C. Kankelborg, Richard B. Hoover, T. W. Barbee, Jr., and P. F. X. Boerner; **39** (4), 1063-79 (2000).
Martinez-Ponce, Geminiano — See Camacho P., Alma A., **39** (8), 2149-52 (2000).
Martinu, Ludvik — See Bergeron, Adam, **39** (3), 825-31 (2000).
Maruyama, Yoichiro — See Tei, Kazuyoku, **39** (1), 320-2 (2000).
Marzouk, Marzouk — See Chen, Peter C., **39** (9), 2320-9 (2000).

Mas, David — From Fresnel patterns to fractional Fourier transform through geometrical optics. — David Mas, Carlos Ferreira, Javier Garcia, and Luis M. Bernardo; **39** (6), 1427-30 (2000).
Matias, Ignacio R. — See Bariáin, Cándido, **39** (8), 2241-7 (2000).
Matoba, Tohru — See Tei, Kazuyoku, **39** (1), 320-2 (2000).
Matsumoto, Daiji — See Kohno, Tsuguo, **39** (10), 2696-9 (2000).
Matsuoka, Fumiaki — See Tei, Kazuyoku, **39** (1), 320-2 (2000).
Matyszkiel, Robert — See Chrzanowski, Krzysztof, **39** (9), 2535-44 (2000).
McCrae, Kimberley A. — See Eaton, Frank D., **39** (9), 2517-26 (2000).
McFarland, Michael J. — See Eldada, Louay, **39** (3), 596-609 (2000).
McKay, Jack A. — High-performance Fabry-Perot etalon mount for spaceflight. — Jack A. McKay and David Rees; **39** (1), 315-9 (2000).
McKerns, Michael M. — See Mouroulis, Pantazis, **39** (3), 808-16 (2000).
McMackin, Lenore — See Pierson, Robert E., **39** (3), 838-46 (2000).
Mears, R. J. — See Cohen, Adam D., **39** (3), 633-42 (2000).
Meinel, Aden B. — Inflatable membrane mirrors for optical passband imagery. — Aden B. Meinel and Marjorie P. Meinel; **39** (2), 541-50 (2000).
Meinel, Marjorie P. — See Meinel, Aden B., **39** (2), 541-50 (2000).
Melloni, Andrea — Pultruded fiber optic ribbon sensor for applications in severe environments. — Andrea Melloni, Andrea Gusmeroli, Mario Martinelli, and Paolo Guaita; **39** (11), 3068-75 (2000).
Mendiola, G. — See Martínez-Celorio, R. A., **39** (3), 751-7 (2000).
Mendlovic, David — See Zalevsky, Zeev, **39** (7), 1936-42 (2000).
— See Zalevsky, Zeev, **39** (10), 2609-17 (2000).
Meneses, Jaime — See Guerrero-Bermúdez, Jáder, **39** (10), 2828-31 (2000).
Mermelstein, Marc D. — Spectral and radiometric calibration of midwave and longwave infrared cameras. — Marc D. Mermelstein, Keith A. Snail, and Richard G. Priest; **39** (2), 347-52 (2000).
Mermelstein, Michael S. — Video-rate surface profiling with acousto-optic accordion fringe interferometry. — Michael S. Mermelstein, Daniel L. Feldkhun, and Lyle G. Shirley; **39** (1), 106-13 (2000).
Merz, Roman — See Schilling, Andreas, **39** (8), 2171-6 (2000).
Miao, Jianmin — See Xu, Lei, **39** (12), 3214-9 (2000).
Miaoulis, Ioannis N. — See Tada, Haruna, **39** (8), 2296-304 (2000).
Michalowicz, Joseph V. — See Stellman, Christopher M., **39** (7), 1928-35 (2000).
Migdall, A. — See Boeuf, N., **39** (4), 1016-24 (2000).
Millán, María S. — See Corbalán, Montse, **39** (6), 1470-6 (2000).
— See Abril, Héctor C., **39** (6), 1477-88 (2000).
Miller, David W. — See Mallory, Gregory J. W., **39** (6), 1665-76 (2000).
Mills, James P. — See Sparrold, Scott W., **39** (7), 1822-9 (2000).
Miñano, Juan C. — See Mohedano, Rubén, **39** (10), 2740-7 (2000).
Miravet, Carlos — See Coiras, Enrique, **39** (1), 282-9 (2000).
— See Nestares, Oscar, **39** (6), 1457-69 (2000).
Mitchell, Phillip E. — Document page segmentation based on pattern spread analysis. — Phillip E. Mitchell and Hong Yan; **39** (3), 724-34 (2000).
Mitchell, Thomas A. — See Sparrold, Scott W., **39** (7), 1822-9 (2000).
Miteran, Johel — See Geveaux, Pierre, **39** (12), 3165-75 (2000).
Miteran, Johel — See Yang, Fan, **39** (11), 2894-9 (2000).
Miyamoto, Yoko — See Takeda, Mitsuo, **39** (1), 61-8 (2000).
Mogg, Sebastian — See Streubel, Klaus, **39** (2), 488-97 (2000).
Mohan, N. Krishna — See Majles Ara, M. H., **39** (2), 535-40 (2000).
Mohedano, Rubén — Ultracompact nonimaging devices for optical wireless communications. — Rubén Mohedano, Juan C. Miñano, Pablo Benítez, José L. Alvarez, Maikel Hernández, Juan C. González, Kazutoshi Hirohashi, and Satoru Toguchi; **39** (10), 2740-7 (2000).
Moisel, Jörg — Optical backplanes with integrated polymer waveguides. — Jörg Moisel, Joachim Guttmann, Hans-Peter Huber, Oskar Krumpholz, Manfred Rode, Richard Bogenberger, and Klaus-Peter Kuhn; **39** (3), 673-9 (2000).
Moon, Seong-yong — See Kim, Eunah, **39** (11), 2947-55 (2000).
Moreno, Alfonso — See Márquez, Andrés, **39** (12), 3301-7 (2000).
Moreno, Ignacio — See Márquez, Andrés, **39** (12), 3301-7 (2000).
Mori, Masahiko — See Lin, Xin, **39** (10), 2734-9 (2000).
Morlanes, Tomás — See Crespo, Daniel, **39** (3), 817-24 (2000).
Moshe, Inon — See Jackel, Steven, **39** (9), 2330-7 (2000).
Mourat, Grégory — Distance measurement using the self-mixing effect in a three-electrode distributed Bragg reflector laser diode. — Grégory Mourat, Noël Servagent, and Thierry Bosch; **39** (3), 738-43 (2000).
Mouroulis, Pantazis — Pushbroom imaging spectrometer with high spectroscopic data fidelity: experimental demonstration. — Pantazis Mouroulis and Michael M. McKerns; **39** (3), 808-16 (2000).
Moussa, H. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Mroczka, Janusz — Plane-wave and Gaussian-beam scattering on an infinite cylinder. — Janusz Mroczka and Dariusz Wysoczański; **39** (3), 763-70 (2000).
— See Borkowski, Józef, **39** (6), 1576-86 (2000).
Mu, Guoguang — See Luo, Gang, **39** (6), 1712-6 (2000).
— See Wang, Zhaoqi, **39** (10), 2595-600 (2000).
Muller, A. — See Boeuf, N., **39** (4), 1016-24 (2000).
Muñoz-Rodriguez, J. Apolinar — Direct object shape detection based on skeleton extraction of a light line. — J. Apolinar Muñoz-Rodriguez, Ramón Rodriguez-Vera, and Manuel Servin; **39** (9), 2463-71 (2000).
Munro, Martin — See Conner, W. Steven, **39** (2), 453-63 (2000).
Murakami, Yasuji — See Takaya, Masaaki, **39** (4), 1025-31 (2000).
Myler, Harley R. — See Voicu, Liviu I., **39** (9), 2359-71 (2000).

N

Nabavi, Abdolreza — See Mahmoodi, Ali, **39** (9), 2545-54 (2000).
Nagasawa, Shinji — See Takaya, Masaaki, **39** (4), 1025-31 (2000).
Nagata, Hirotoshi — Initial bias dependency in dc drift of z-cut $LiNbO_3$ optical intensity modulators. — Hirotoshi Nagata, Hideki Honda, and Katsuya Akizuki; **39** (4), 1103-5 (2000).
Najafi, S. I. — See Shooshtari, A., **39** (3), 735-7 (2000).
Nam, Jae-Yeal — See Song, Kun-Woen, **39** (8), 2036-45 (2000).
Narayanamurthy, C. S. — See Anand, Arun, **39** (11), 3084-8 (2000).
Nascov, Victor — See Dobroiu, Adrian, **39** (12), 3201-6 (2000).
Navarro, Rafael — See Nestares, Oscar, **39** (6), 1457-69 (2000).
Nelander, Bengt — See Andersson, Åke, **39** (12), 3099-105 (2000).
Németh, Attila — Fringe compensation measurement in holographic interferometry using phase-shifted interferograms. — Attila Németh, János Kornis, and Zoltán Füzessy; **39** (12), 3196-200 (2000).
Nemoto, Shojiro — See Pu, Jixiong, **39** (3), 803-7 (2000).
Nestares, Oscar — Automatic enhancement of noisy image sequences through local spatiotemporal spectrum analysis. — Oscar Nestares, Carlos Miravet, Javier Santamaria, and Rafael Navarro; **39** (6), 1457-69 (2000).
Neugebauer, Reimund — See Höfling, Roland, **39** (1), 175-82 (2000).
Ngoi, Bryan K. A. — Noncontact homodyne scanning laser vibrometer for dynamic measurement. — Bryan K. A. Ngoi and K. Venkatakrishnan; **39** (2), 510-5 (2000).
— Scanning laser vibrometer for dynamic study of small features. — Bryan K. A. Ngoi and K. Venkatakrishnan; **39** (11), 2995-3000 (2000).
Ngoi, Bryan Kok Ann — See Yongqi, Fu, **39** (11), 3008-13 (2000).
Ni, Guoqiang — See Pu, Tian, **39** (8), 2075-82 (2000).
Nieuwoudt, Christoph — Relative performance of correlation-based and neural-network-based classifiers of aircraft using synthetic radar range profiles. — Christoph Nieuwoudt and Elizabeth C. Botha; **39** (5), 1245-51 (2000).
Nilsson, Bengt — Simultaneous measurement of shape and deformation using digital light-in-flight recording by holography. — Bengt Nilsson and Torgny E. Carlsson; **39** (1), 244-53 (2000).
Niwa, Yosito — See Tei, Kazuyoku, **39** (1), 320-2 (2000).
No, Kwangsoo — See Kim, Eunah, **39** (11), 2947-55 (2000).
Nomura, Takanori — Optical encryption using a joint transform correlator architecture. — Takanori Nomura and Bahram Javidi; **39** (8), 2031-5 (2000).
— See Javidi, Bahram, **39** (9), 2439-43 (2000).
North, Walter P. T. — See Zhang, Xianzhu, **39** (1), 183-6 (2000).
Notni, Gunther — See Kowarschik, Richard, **39** (1), 150-8 (2000).
— See Schreiber, Wolfgang, **39** (1), 159-69 (2000).

O

Oberle, Lawrence G. — See Tuma, Margaret L., **39** (2), 498-504 (2000).
Oh, Jeong-Su — Novel adaptive digital signal processing algorithm for a stationary reticle seeker. — Jeong-Su Oh, Kyung-Soo Doo, Surng-Gabb Jahng, Dong-Sun Seo, and Jong-Soo Choi; **39** (10), 2797-803 (2000).
Oh, Tae K. — See Im, Yong-Seok, **39** (11), 2909-14 (2000).
Okamura, Toshihiro — See Tanikawa, Kunihiro, **39** (10), 2781-8 (2000).
Oksman, M. — See Inberg, A., **39** (5), 1316-20 (2000).
Olson, David F. — See Pierson, Robert E., **39** (3), 838-46 (2000).
Onoye, Takao — See Fan, Jianping, **39** (2), 438-52 (2000).
O'Shea, Donald C., Editor (2001) — See Lessard, Roger, Editor (2000), **39** (8), 2013 (2000).
O'Shea, Donald C. — 1999 in Review. — Donald C. O'Shea; **39** (2), 333-4 (2000).
Ossmann, Christian — See Schilling, Andreas, **39** (8), 2171-6 (2000).
Osten, Wolfgang — See Wagner, Christophe, **39** (1), 79-85 (2000).
— Application of optical shape measurement for the nondestructive evaluation of complex objects. — Wolfgang Osten; **39** (1), 232-43 (2000).
Otani, Yukitoshi — See Jin, Lianhua, **39** (8), 2119-23 (2000).
Ou, Jiaming — See Li, Yan, **39** (11), 3039-43 (2000).
Ouisse, Adelina — Telescope arrays in coherent lidar wind measurement. — Adelina Ouisse, Ines Leike, and Christian Werner; **39** (12), 3220-31 (2000).
Owen, Robert B. — In-line digital holographic sensor for monitoring and characterizing marine particulates. — Robert B. Owen and Alex A. Zozulya; **39** (8), 2187-97 (2000).
Özdemir, Şahin Kaya — Noninvasive blood flow measurement using speckle signals from a self-mixing laser diode: *in vitro* and *in vivo* experiments. — Şahin Kaya Özdemir, Shigenobu Shinohara, Sotetsu Takamiya, and Hirofumi Yoshida; **39** (9), 2574-80 (2000).

P

Pace, Phillip E. — Fiber-lattice accumulator design considerations for optical $\Sigma\Delta$ analog-to-digital converters. — Phillip E. Pace, S. A. Bewley, and John P. Powers; **39** (6), 1517-26 (2000).
Padmore, Howard A. — See Howells, Malcolm R., **39** (10), 2748-62 (2000).
Paek, Eung Gi — See Im, Yong-Seok, **39** (11), 2909-14 (2000).
Paindavoine, Michel — See Gouton, Pierre, **39** (6), 1602-11 (2000).
— See Yang, Fan, **39** (11), 2894-9 (2000).
Palanisamy, P. K. — See Mangaiyarkarasi, D., **39** (8), 2138-42 (2000).
Palashov, Oleg V. — Nd:YAG laser with a stimulated Brillouin scattering mirror and variable pulse duration. — Oleg V. Palashov, Efim A. Khazanov, and Nikolay F. Andreev; **39** (6), 1536-42 (2000).
Pan, Luting — See Chan, Francis, **39** (8), 2092-100 (2000).
Pang, Grantham — See Kumar, Ajay, **39** (12), 3176-90 (2000).
Papliński, Andrew P. — See Shnaider, Mikhail, **39** (5), 1327-37 (2000).
Park, B. G. — See Hung, Y. Y., **39** (1), 143-9 (2000).
Park, Hyun Sang — Morphological image segmentation for realistic image representation preserving semantic object shapes. — Hyun Sang Park and Jong Beom Ra; **39** (7), 1909-16 (2000).
Park, M. S. — Motion stereo based on Fourier local phase adaptive matching. — M. S. Park, D. Y. Kim, K. S. Roh, and T. S. Choi; **39** (4), 866-71 (2000).
Park, Min-Cheol — Direct quadratic polynomial fitting for fringe peak detection of white light scanning interferograms. — Min-Cheol Park and Seung-Woo Kim; **39** (4), 952-9 (2000).
Park, Rae-Hong — See Kwon, Oh-Kyu, **39** (7), 1917-27 (2000).
— Comments on "Robust control of the multiple mirror telescope adaptive secondary mirror". — Rae-Hong Park; **39** (12), 3321-2 (2000).
Park, Sung Cheol — Noise-adaptive edge-preserving image restoration algorithm. — Sung Cheol Park and Moon Gi Kang; **39** (12), 3124-37 (2000).
Park, Youn-Sup — See Jang, Ju-Seog, **39** (11), 2975-81 (2000).
Parmiggiani, Flavio — See Baraldi, Andrea, **39** (4), 907-23 (2000).
Parsons, Bruce — See Zhang, Tianhao, **39** (2), 527-34 (2000).
Pascual, Inmaculada — See Márquez, Andrés, **39** (6), 1612-9 (2000).
Paul, Prashanta — See Ghosh, Anjan Kumar, **39** (5), 1405-12 (2000).
Pavy, D. — See Chanclou, P., **39** (2), 387-92 (2000).
Pe'er, Avi — See Wang, Dayong, **39** (11), 3014-24 (2000).
Pei, Xiandeng — See Zhang, Xinyu, **39** (11), 3001-7 (2000).
Peiponen, Kai-Erik — See Jääskeläinen, Anssi J., **39** (11), 2959-63 (2000).
Penciu, Cristian — Fabrication and characterization of a volumetric three-dimensional display using ion-exchanged integrated waveguides. — Cristian Penciu and D. L. MacFarlane; **39** (2), 565-71 (2000).

Peng, Gang Ding — See Xiong, Zhengjun, **39** (3), 624-7 (2000).
Peng, Xindong — Design of high finesse, wideband Fabry-Pérot filter based on chirped fiber Bragg grating by numerical method. — Xindong Peng and Chandra Roychoudhuri; **39** (7), 1858-62 (2000).
Pequignot, Pascal — See Bohnert, Klaus, **39** (11), 3060-7 (2000).
Pérez-Jiménez, Rafael — See López-Hernández, Francisco J., **39** (10), 2775-80 (2000).
Pérez-López, Carlos — See Fernández, Antonio, **39** (8), 2106-13 (2000).
Pérot, F. — See Truchetet, F., **39** (2), 409-14 (2000).
Perregrini, Luca — See Bozzi, Maurizio, **39** (8), 2263-9 (2000).
Pétursson, Pálmi — See Wang, Lingli, **39** (6), 1659-64 (2000).
Peyghambarian, N. — See Geraghty, D. F., **39** (2), 575-6 (2000).
Pfund, Johannes — See Lindlein, Norbert, **39** (8), 2220-5 (2000).
Phillips, Ronald L. — See Andrews, Larry C., **39** (12), 3272-80 (2000).
Piazzola, Jacques — Extension of the Navy aerosol model to coastal areas. — Jacques Piazzola, Alexander M. J. van Eijk, and Gerrit De Leeuw; **39** (6), 1620-31 (2000).
Pierson, Robert E. — Comparison of reconstruction-algorithm performance for optical-phase tomography of a heated air flow. — Robert E. Pierson, David F. Olson, Ellen Y. Chen, and Lenore McMackin; **39** (3), 838-46 (2000).
Ping, Ziliang — Fourier-Mellin descriptor and interpolated feature space trajectories for three-dimensional object recognition. — Ziliang Ping, Yunlong Sheng, Sylvain Deschênes, and Henri H. Arsenault; **39** (5), 1260-6 (2000).
Pizzocaro, Christine — See Lafond, Christophe, **39** (3), 610-5 (2000).
Plais, A. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Plotnikov, Yuri A. — Means of eliminating background effects for defect detection and visualization in infrared thermography. — Yuri A. Plotnikov, Nik Rajic, and William P. Winfree; **39** (4), 879-84 (2000).
Poitras, Daniel — See Bergeron, Adam, **39** (3), 825-31 (2000).
Powers, John P. — See Pace, Phillip E., **39** (6), 1517-26 (2000).
Prather, Dennis W. — Combined scalar-vector method for the analysis of diffractive optical elements. — Dennis W. Prather and Shouyuan Shi; **39** (7), 1850-7 (2000).
Predina, Joe — See Alam, Mohammad S., **39** (12), 3264-71 (2000).
Presting, Hartmut — Novel mid-infrared silicon/germanium detector concepts. — Hartmut Presting, Johannes Konle, Markus Hepp, Horst Kibbel, Klaus Thonke, Rolf Sauer, Elizabeth Corbin, and Milan Jaros; **39** (10), 2624-41 (2000).
Priest, Richard G. — See Mermelstein, Marc D., **39** (2), 347-52 (2000).
Principe, Jose C. — See Zhao, Qun, **39** (5), 1230-44 (2000).
Pryputniewicz, Ryszard J. — See Brown, Gordon C., **39** (1), 127-36 (2000).
— See Furlong, Cosme, **39** (1), 216-23 (2000).
Pu, Jixiong — Lens axicons illuminated by Gaussian beams for generation of uniform-axial intensity Bessel fields. — Jixiong Pu, Huihua Zhang, and Shojiro Nemoto; **39** (3), 803-7 (2000).
Pu, Tian — Contrast-based image fusion using the discrete wavelet transform. — Tian Pu and Guoqiang Ni; **39** (8), 2075-82 (2000).
Puryayev, Daniil T. — Compact two-mirror schemes for telescopes with a fast spherical primary. — Daniil T. Puryayev and Alexander V. Gontcharov; **39** (6), 1692-6 (2000).

Q

Qi, Hairong — Efficient approach to segment man-made targets from unmanned aerial vehicle imagery. — Hairong Qi, Wesley E. Snyder, and David Marchette; **39** (5), 1267-74 (2000).
Qian, Shinan — Precision calibration and systematic error reduction in the long trace profiler. — Shinan Qian, Giovanni Sostero, and Peter Z. Takacs; **39** (1), 304-10 (2000).
Qiu, Chuankai — See Du, Jinglei, **39** (3), 771-5 (2000).
Qiu, Y. S. — Incoherent-to-coherent conversion using an induced self-pumped phase conjugator or a mutually pumped phase conjugator. — Y. S. Qiu, W. C. Huang, Z. Q. Zheng, T. S. Lu, and H. Li; **39** (4), 1044-6 (2000).
Quan, Chenggen — See Wang, S. H., **39** (6), 1597-601 (2000).
Que, Wenxiu — Second-harmonic generation using an *a* axis Nd:MgO:$LiNbO_3$ single crystal fiber with Mg-ion indiffused cladding. — Wenxiu Que, Y. Zhou, Y. L. Lam, Y. C. Chan, C. H. Kam, Yujing Huo, and Xi Yao; **39** (10), 2804-9 (2000).

R

Ra, Jong Beom — See Park, Hyun Sang, **39** (7), 1909-16 (2000).
Rabal, Héctor J. — See Romero, Graciela G., **39** (6), 1652-8 (2000).
Rah, Seungyu — See Howells, Malcolm R., **39** (10), 2748-62 (2000).
Raj, R. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Rajic, Nik — See Plotnikov, Yuri A., **39** (4), 879-84 (2000).
Rao, K. Narasimha — See Rao, S. Madhusudana, **39** (6), 1573-5 (2000).
Rao, S. Madhusudana — Method for measurement of the angles of a 45-deg deflecting (half penta) prism. — S. Madhusudana Rao and K. Narasimha Rao; **39** (6), 1573-5 (2000).
Rapp, S. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Rasigni, Georges — See Flaissier, Marc-Olivier, **39** (5), 1364-8 (2000).
Rasigni, Monique — See Flaissier, Marc-Olivier, **39** (5), 1364-8 (2000).
Ratches, James A. — See Walters, Clarence P., **39** (8), 2279-84 (2000).
Ratnam, Mani Maran — Edge detection in a homogeneous background using the phase-shift fringe projection method. — Mani Maran Ratnam; **39** (10), 2618-23 (2000).
Räty, Jukka — See Jääskeläinen, Anssi J., **39** (11), 2959-63 (2000).
Rayces, Juan L. — Optical design procedure for duplicating wavefront errors of an optical instrument. — Juan L. Rayces and Martha Rosete-Aguilar; **39** (7), 1768-75 (2000).
Raziullah Khan, Muhammad — See Irvine-Halliday, Dave, **39** (5), 1310-5 (2000).
Rebordão, José Manuel — See Setas, Miguel N., **39** (6), 1497-506 (2000).
Rees, David — See McKay, Jack A., **39** (1), 315-9 (2000).
Refaat, Tamer F. — Comparison between super low ionization ratio and reach through avalanche photodiode structures. — Tamer F. Refaat, Gary E. Halama, and Russell J. DeYoung; **39** (10), 2642-50 (2000).
Reich, Carsten — 3-D shape measurement of complex objects by combining photogrammetry and fringe projection. — Carsten Reich, Reinhold Ritter, and Jan Thesing; **39** (1), 224-31 (2000).
Ren, Hsuan — See Chang, Chein-I, **39** (5), 1275-81 (2000).
— Target-constrained interference-minimized approach to subpixel target detection for hyperspectral images. — Hsuan Ren and Chein-I Chang.; **39** (12), 3138-45 (2000).
Rendina, Ivo — See Iodice, Mario, **39** (6), 1704-11 (2000).
Renner, Marc — See Bueno, Marie-Ange, **39** (6), 1697-703 (2000).
Renner, Timothy R. — See Howells, Malcolm R., **39** (10), 2748-62 (2000).
Renotte, Yvon L. — See Tilkens, Bernard G., **39** (2), 363-73 (2000).
Riasati, Vahid R. — Rotation-invariant synthetic discriminant function filter for pattern recognition. — Vahid R. Riasati, Partha P. Banerjee, Mustafa A. G. Abushagur, and Kenneth B. Howell; **39** (5), 1156-61 (2000).
— Data reduction via the wavelet transform for the synthesis of the projection-slice filter. — Vahid R. Riasati, Hanying Zhou, Tien-Hsin Chao, and D. A. Gregory; **39** (5), 1218-22 (2000).
Richard, O. — See Jääskeläinen, Anssi J., **39** (11), 2959-63 (2000).
Richter, Péter — See Domján, László, **39** (11), 2867-75 (2000).
Rioux, M. — See Beraldin, J.-A., **39** (1), 196-211 (2000).
Riser, Andrew P. — See Cassarly, William J., **39** (7), 1830-9 (2000).
Ritter, Reinhold — See Reich, Carsten, **39** (1), 224-31 (2000).
Rivlin, Ehud — See Zalevsky, Zeev, **39** (10), 2609-17 (2000).
Riza, Nabeel A. — Small-tilt micromirror-device-based multiwavelength three-dimensional 2×2 fiber optic switch structures. — Nabeel A. Riza and Sarun Sumriddetchkajorn; **39** (2), 379-86 (2000).
— See Madamopoulos, Nicholas, **39** (9), 2338-44 (2000).
Robert, Arnau — See Márquez, Andrés, **39** (12), 3301-7 (2000).
Rode, Manfred — See Moisel, Jörg, **39** (3), 673-9 (2000).
Rodgers, J. Michael — Tolerance analysis of null lenses using an end-use system performance criterion. — J. Michael Rodgers; **39** (7), 1812-5 (2000).
Rodriguez-Sanchez, Rosa — See Fdez-Vidal, Xose R., **39** (2), 415-29 (2000).
Rodriguez-Vera, Ramón — See Muñoz-Rodriguez, J. Apolinar, **39** (9), 2463-71 (2000).
Rogers, John R. — Techniques and tools for obtaining symmetrical performance from tilted-component systems. — John R. Rogers; **39** (7), 1776-87 (2000).
Rogers, Stanley — Adaptive optics systems implemented using two-dimensional phase retrieval and a microelectromechanical deformable mirror. — Stanley Rogers, Frank Scarpino, Tommy Williamson, Max K. Lee, Jason Baumbach, William D. Cowan, and Donald R. Wiff; **39** (10), 2763-74 (2000).
Roh, K. S. — See Park, M. S., **39** (4), 866-71 (2000).
Rolland, Jannick P. — Wide-angle, off-axis, see-through head-mounted display. — Jannick P. Rolland; **39** (7), 1760-7 (2000).
Romeo, R. C. — See Chen, Peter C., **39** (9), 2320-9 (2000).
Romero, Graciela G. — See Alanís, Elvio E., **39** (3), 744-50 (2000).
— Statistics of the dynamic speckle produced by a rotating diffuser and its application to the assessment of paint drying. — Graciela G. Romero, Elvio E. Alanís, and Héctor J. Rabal; **39** (6), 1652-8 (2000).
Rönnow, Daniel — See Lindström, Tomas, **39** (2), 478-87 (2000).
Rosete-Aguilar, Martha — See Rayces, Juan L., **39** (7), 1768-75 (2000).
Roszkowski, S. H. — See Blackman, S. S., **39** (5), 1391-8 (2000).
Rotman, S. R. — See Aviram, G., **39** (4), 885-96 (2000).
Rotman, Stanley — See Zalevsky, Zeev, **39** (10), 2609-17 (2000).
Rotman, Stanley R. — See Cohen, Ira, **39** (1), 254-9 (2000).
— See Aviram, Guy, **39** (8), 2285-95 (2000).
Roychoudhuri, Chandra — See Peng, Xindong, **39** (7), 1858-62 (2000).
Rudra, A. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Ryu, Tae Uk — Optical, mechanical and thermal properties of MgF_2-ZnS and MgF_2-Ta_2O_5 composite thin films deposited by coevaporation. — Tae Uk Ryu, Sung Hong Hahn,, Sok Won Kim, and Eui Jung Kim; **39** (12), 3207-13 (2000).

S

Saenz-Otero, Alvar — See Mallory, Gregory J. W., **39** (6), 1665-76 (2000).
Safavi-Naeini, S. — See Shooshtari, A., **39** (3), 735-7 (2000).
Sagnes, I. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Saito, Mitsunori — See Tanaka, Satoshi, **39** (5), 1377-83 (2000).
Sala, Anca L. — See Sikorski, Yuri, **39** (8), 2015-21 (2000).
Salomonsson, Fredrik — See Streubel, Klaus, **39** (2), 488-97 (2000).
Samek, Ota — Application of laser-induced breakdown spectroscopy to *in situ* analysis of liquid samples. — Ota Samek, Dave C. S. Beddows, Jozef Kaiser, Sergei V. Kukhlevsky, Miroslav Liška, Helmut H. Telle, and Jim Young; **39** (8), 2248-62 (2000).
Sandler, Reubin — See Howells, Malcolm R., **39** (10), 2748-62 (2000).
Santamaría, Asunción — See López-Hernández, Francisco J., **39** (10), 2775-80 (2000).
Santamaría, Javier — See Nestares, Oscar, **39** (6), 1457-69 (2000).
Santamaría, Javier — See Coiras, Enrique, **39** (1), 282-9 (2000).
Santos, J. L. — See Jorge, P. A. S., **39** (5), 1399-404 (2000).
Santos, José L. — See Baptista, José M., **39** (6), 1636-44 (2000).
— See Ferreira, L. A., **39** (8), 2226-34 (2000).
Sapé, Ph. — See Tonda-Goldstein, Sylvie, **39** (12), 3294-300 (2000).
Sarkisov, Sergey S. — Dark spatial solitons in photopolymer films for optical interconnections. — Sergey S. Sarkisov, Michael J. Curley, Darnell E. Diggs, Aaron Wilkosz, Vladimir V. Grimalsky, and Grigory Adamovsky; **39** (3), 616-23 (2000).
Sasaki, D. M. — See Blackman, S. S., **39** (5), 1391-8 (2000).
Sasian, Jose M. — See Lerner, Scott A., **39** (3), 792-802 (2000).
— See Lerner, Scott A., **39** (7), 1796-801 (2000).
Satalino, Giuseppe — See Baraldi, Andrea, **39** (4), 907-23 (2000).
Sato, Heihachi — See Tanaka, Satoshi, **39** (5), 1377-83 (2000).
Sauer, Rolf — See Presting, Hartmut, **39** (10), 2624-41 (2000).
Scarpino, Frank — See Rogers, Stanley, **39** (10), 2763-74 (2000).
Schaaf, William — See Stellman, Christopher M., **39** (7), 1928-35 (2000).
Scharf, Toralf — See Bouvier, Manuel, **39** (8), 2129-37 (2000).
Schiavone, Patrick — See Schiltz, André, **39** (3), 776-86 (2000).
Schilling, Andreas — Surface profiles of reflow microlenses under the influence of surface tension and gravity. — Andreas Schilling, Roman Merz, Christian Ossmann, and Hans Peter Herzig; **39** (8), 2171-6 (2000).
Schiltz, André — Concept of two-dimensional swing curves for critical dimension prediction and optimization of resist/antireflective coating bilayers in topographic situations. — André Schiltz and Patrick Schiavone; **39** (3), 776-86 (2000).
Schneckenburger, Herbert — See Kempfer, Ulrich, **39** (7), 1989-93 (2000).
Schott, John R. — See Kuo, S. Didi, **39** (4), 1047-56 (2000).
Schowengerdt, Robert A. — See Conner, W. Steven, **39** (2), 453-63 (2000).
Schreiber, Wolfgang — See Kowarschik, Richard, **39** (1), 150-8 (2000).
— Theory and arrangements of self-calibrating whole-body three-dimensional measurement systems using fringe projection technique. — Wolfgang Schreiber and Gunther Notni; **39** (1), 159-69 (2000).
Schreier, Hubert W. — Systematic errors in digital image correlation caused by intensity interpolation. — Hubert W. Schreier, Joachim R. Braasch, and Michael A. Sutton; **39** (11), 2915-21 (2000).

Schuler, Julien — See Voicu, Liviu I., **39** (9), 2359-71 (2000).
Schwider, Johannes — See Hettwer, Andrea, **39** (4), 960-6 (2000).
— See Lindlein, Norbert, **39** (8), 2220-5 (2000).
Sciammarella, C. A. — Computer-assisted holographic moiré contouring. — C. A. Sciammarella; **39** (1), 99-105 (2000).
Scott, Brian F. — See Budgett, David M., **39** (10), 2601-8 (2000).
Seebacher, Soenke — See Wagner, Christophe, **39** (1), 79-85 (2000).
Sefler, George A. — Holographic multichannel radio-frequency correlator. — George A. Sefler, Jian Ma, Tallis Y. Chang, and John H. Hong; **39** (1), 260-6 (2000).
Seidman, Ady — See Klibanov, Lev, **39** (4), 989-92 (2000).
Seo, Dong-Sun — See Jahng, Surng-Gabb, **39** (9), 2397-404 (2000).
— See Han, Sung-Hyun, **39** (9), 2568-73 (2000).
— See Oh, Jeong-Su, **39** (10), 2797-803 (2000).
Seong, Yeong Kyeong — Optimal-trade-off filters for noise robustness, peak sharpness, and light efficiency in nonoverlapping background noise. — Yeong Kyeong Seong and Tae Sun Choi; **39** (2), 472-7 (2000).
Seoul, Chang — Polymer light-emitting devices with poly(2-decyloxy-1,4-phenylene). — Chang Seoul and Won-Jun Song; **39** (3), 652-5 (2000).
Servagent, Noël — See Mourat, Grégory, **39** (3), 738-43 (2000).
Servin, Manuel — See Muñoz-Rodriguez, J. Apolinar, **39** (9), 2463-71 (2000).
— See Dávila, Abundio, **39** (9), 2487-94 (2000).
Setas, Miguel N. — Modeling anisotropic and fractal two-dimensional fields: a tool for image simulation. — Miguel N. Setas and José Manuel Rebordão; **39** (6), 1497-506 (2000).
Setoguchi, Yuzo — See Tanaka, Satoshi, **39** (5), 1377-83 (2000).
Shacklette, Lawrence W. — See Eldada, Louay, **39** (3), 596-609 (2000).
Shakouri, Ali — See LaBounty, Christopher, **39** (11), 2847-52 (2000).
Shalem, S. — See Dekel, B., **39** (4), 941-6 (2000).
— See Dekel, B., **39** (5), 1384-90 (2000).
Shang, H. M. — Surface profiling using shearography. — H. M. Shang, Y. Y. Hung, W. D. Luo, and Frank Chen; **39** (1), 23-31 (2000).
— See Hung, Y. Y., **39** (1), 143-9 (2000).
— See Wang, S. H., **39** (6), 1597-601 (2000).
Sharp, James H. — See Budgett, David M., **39** (10), 2601-8 (2000).
Sheng, Yunlong — See Ping, Ziliang, **39** (5), 1260-6 (2000).
Shi, Shouyuan — See Prather, Dennis W., **39** (7), 1850-7 (2000).
Shi, Weimin — Long wave infrared zoom projector thermal analysis and compensation. — Weimin Shi and Michael E. Couture; **39** (10), 2705-14 (2000).
Shi, Yu — Kalman-filtering-based angular velocity estimation using infrared attitude information of spacecraft. — Yu Shi and Xian-Da Zhang; **39** (2), 551-7 (2000).
Shi, Zan — See Tang, Suning, **39** (3), 680-8 (2000).
Shie, Jin-Shown — See Lee, Tzong-Sheng, **39** (6), 1431-40 (2000).
Shin, Dong-Hak — Optical implementation of the generalized Hough transform by use of multiplexed holograms. — Dong-Hak Shin and Ju-Seog Jang; **39** (9), 2431-8 (2000).
— See Jang, Ju-Seog, **39** (11), 2975-81 (2000).
Shin, Si-Mon — See Lee, Min-Ho, **39** (12), 3255-9 (2000).
Shinohara, Shigenobu — See Özdemir, Şahin Kaya, **39** (9), 2574-80 (2000).
Shirahata, Hiromichi — See Tanikawa, Kunihiro, **39** (10), 2781-8 (2000).
Shirakawa, Isao — See Fan, Jianping, **39** (2), 438-52 (2000).
Shirley, Lyle G. — See Mermelstein, Michael S., **39** (1), 106-13 (2000).
Shnaider, Mikhail — Selecting lattices for quantization of wavelet coefficients of images. — Mikhail Shnaider and Andrew P. Papliński; **39** (5), 1327-37 (2000).
Shooshtari, A. — Beam propagation method for analysis of Er-doped integrated optics devices. — A. Shooshtari, T. Touam, S. Safavi-Naeini, and S. I. Najafi; **39** (3), 735-7 (2000).
Shu, Xiaojian — Improved optical cavity quality of a waveguide free-electron laser with hole coupling by using a grating. — Xiaojian Shu, Yuanzhang Wang, Yunqing Jiang, and Y. K. Ho; **39** (6), 1543-7 (2000).
Shukrun, Avi — See Stern, Adrian, **39** (9), 2451-7 (2000).
Sidorin, Yakov — Using fiber butt coupling for light delivery to the write/read objective in optical recording. — Yakov Sidorin and Dennis G. Howe; **39** (3), 787-91 (2000).
Sifuentes, Claudia — Application of CdSe-nanocrystallite-doped glass for temperature measurements in fiber sensors. — Claudia Sifuentes, Yuri O. Barmenkov, Andrei N. Starodumov, Valery N. Filippov, and Andrey A. Lipovskii; **39** (8), 2182-6 (2000).
Sikorski, Yuri — Analysis of crosstalk between single-mode rectangular optical waveguides. — Yuri Sikorski, Robert T. Deck, Anca L. Sala, and Brian G. Bagley; **39** (8), 2015-21 (2000).
Sim, Dong-Gyu — See Kwon, Oh-Kyu, **39** (7), 1917-27 (2000).
Simmons, Mark J. H. — Comparison of laser-based drop-size measurement techniques and their application to dispersed liquid-liquid pipe flow. — Mark J. H. Simmons, Sohial H. Zaidi, and Barry J. Azzopardi; **39** (2), 505-9 (2000).
Singer, P. F. — See Blackman, S. S., **39** (5), 1391-8 (2000).
Singh, Kehar — See Unnikrishnan, G., **39** (11), 2853-9 (2000).
Sirohi, R. S. — See Majles Ara, M. H., **39** (2), 535-40 (2000).
Sirohi, Rajpal S. — See Mangaiyarkarasi, D., **39** (8), 2138-42 (2000).
Smits, Jan G. — See Fujimoto, Koji, **39** (11), 3025-31 (2000).
Snail, Keith A. — See Mermelstein, Marc D., **39** (2), 347-52 (2000).
Snyder, Wesley E. — See Qi, Hairong, **39** (5), 1267-74 (2000).
Solano, Cristina — See Camacho P., Alma A., **39** (8), 2149-52 (2000).
Song, Deqiang — Real-time measurement of spindle thermal deformation using interferometers. — Deqiang Song, Lijiang Zeng, and Chunyong Yin; **39** (8), 2114-8 (2000).
Song, Feijun — Detection of central positions of noisy rounded square function using modified Haar wavelet transform and Haar-Gaussian wavelet transform. — Feijun Song, Lei Yu, and Suganda Jutamulia; **39** (5), 1190-3 (2000).
Song, Kun-Woen — New video segmentation algorithm using a combined segmentation measure for content-based coding. — Kun-Woen Song, Kyeong-Man Kim, Kyu-Phil Han, Jae-Yeal Nam, and Yeong-Ho Ha; **39** (8), 2036-45 (2000).
Song, Mumin — See Chen, Frank, **39** (1), 10-22 (2000).
Song, Q. Wang — See Zhang, Tianhao, **39** (2), 527-34 (2000).
Song, Won-Jun — See Seoul, Chang, **39** (3), 652-5 (2000).
Sostero, Giovanni — See Qian, Shinan, **39** (1), 304-10 (2000).
Spammer, Stephanus J. — Temperature insensitive fiber optic accelerometer using a chirped Bragg grating. — Stephanus J. Spammer and Peter L. Fuhr; **39** (8), 2177-81 (2000).
Sparrold, Scott W. — Conformal dome correction with counterrotating phase plates. — Scott W. Sparrold, James P. Mills, David J. Knapp, Kenneth S. Ellis, Thomas A. Mitchell, and Paul K. Manhart; **39** (7), 1822-9 (2000).
Spina, Dan C. — See Tuma, Margaret L., **39** (2), 498-504 (2000).
Stark, C. — See Streubel, Klaus, **39** (2), 488-97 (2000).
Starodumov, Andrei N. — See Sifuentes, Claudia, **39** (8), 2182-6 (2000).
Stavroudis, Orestes N. — See Hurtado-Ramos, Juan B., **39** (2), 558-64 (2000).
Steier, William H. — See Chen, Antao, **39** (6), 1507-16 (2000).
Stellman, Christopher M. — Real-time hyperspectral detection and cuing. — Christopher M. Stellman, Geoffrey G. Hazel, Frank Bucholtz, Joseph V. Michalowicz, Alan Stocker, and William Schaaf; **39** (7), 1928-35 (2000).
Stephanakis, Ioannis M. — Wavelet-based approach to adaptive Wiener filtering of images in the presence of colored noise. — Ioannis M. Stephanakis and Stefanos D. Kollias; **39** (5), 1354-63 (2000).
Stephenson, Dave — See de Groot, Peter, **39** (1), 86-90 (2000).
Stergioulas, L. K. — Gabor representation of optical signals using a truncated von Neumann lattice and its practical implementation. — L. K. Stergioulas, A. Vourdas, and G. R. Jones; **39** (7), 1965-71 (2000).
Stern, Adrian — Restoration and resolution enhancement of a single image from a vibration-distorted image sequence. — Adrian Stern, Elad Kempner, Avi Shukrun, and Norman S. Kopeika; **39** (9), 2451-7 (2000).
Steudle, Daniela — See Tiziani, Hans J., **39** (1), 32-9 (2000).
Stewart, George — See Završnik, Miha, **39** (11), 3053-9 (2000).
Stocker, Alan — See Stellman, Christopher M., **39** (7), 1928-35 (2000).
Stone, Bryan D. — Modeling interferometers with lens design software. — Bryan D. Stone; **39** (7), 1748-59 (2000).
Stoyanov, Dimitar V. — Lidar profiling by long rectangular-like chopped laser pulses. — Dimitar V. Stoyanov, Ljuan L. Gurdev, George V. Kolarov, and Orlin I. Vankov; **39** (6), 1556-67 (2000).
Stránský, Roman — See Turek, Ivan, **39** (5), 1304-9 (2000).
Streubel, Klaus — Novel technologies for 1.55-μm vertical cavity lasers. — Klaus Streubel, Mattias Hammar, Fredrik Salomonsson, J. Bentell, Sebastian Mogg, S. Rapp, Joël Jacquet, Julian Boucart, C. Stark, A. Plais, F. Gaborit, E. Derouin, N. Bouché, A. Rudra, Alexei V. Syrbu, Vladimir P. Iakovlev, C.-A. Berseth, O. Dehaese, E. Kapon, H. Moussa, I. Sagnes, and R. Raj; **39** (2), 488-97 (2000).
Su, Chin B. — See Eom, J., **39** (6), 1587-90 (2000).
Su, Wen-Kuan — See Cheng, Yi-Chang, **39** (1), 311-4 (2000).
Su, Zhong — Lateral migration radiography application to land mine detection, confirmation and classification. — Zhong Su, Alan Jacobs, Edward T. Dugan, Joseph Howley, and Jennifer Jacobs; **39** (9), 2472-9 (2000).
Suhir, Ephraim — Effects of the CTE and Young's modulus lateral gradients on the bowing of an optical fiber: analytical and finite element modeling. — Ephraim Suhir and Joseph Vuillemin; **39** (12), 3317-21 (2000).
Sumriddetchkajorn, Sarun — See Riza, Nabeel A., **39** (2), 379-86 (2000).
Sun, Ching-Cherng — See Sun, Wen-Shing, **39** (4), 978-88 (2000).
Sun, Lin — See Tang, Suning, **39** (3), 680-8 (2000).
Sun, Shajing — See Chen, Antao, **39** (6), 1507-16 (2000).
Sun, Wen-Shing — Ophthalmic lens design with the optimization of the aspherical coefficients. — Wen-Shing Sun, Chuen-Lin Tien, Ching-Cherng Sun, Ming-Wen Chang, and Horng Chang; **39** (4), 978-88 (2000).
Sun, Yinlong — Physically based dual representation of spectral functions. — Yinlong Sun, F. David Fracchia, and Mark S. Drew; **39** (11), 2931-42 (2000).
Sun, Yung-Nien — See Weng, Tzu-Lun, **39** (11), 2922-30 (2000).
Sutton, Michael A. — See Schreier, Hubert W., **39** (11), 2915-21 (2000).
Swamy, M. N. S. — See Galigekere, R. R., **39** (4), 1088-97 (2000).
Swart, Pieter L. — Effect of surface oxyfluorination on the bonding between acrylic coated optical fiber and cementitious and polyester resin matrices. — Pieter L. Swart, Lin Tu, and Anatoli A. Chtcherbakov; **39** (4), 1038-43 (2000).
Syrbu, Alexei V. — See Streubel, Klaus, **39** (2), 488-97 (2000).

T

Tada, Haruna — Evaluating the effects of thin film patterns on the temperature distribution of silicon wafers during radiant processing. — Haruna Tada, Alexis R. Abramson, Seth E. Mann, Ioannis N. Miaoulis, and Peter Y. Wong; **39** (8), 2296-304 (2000).
Tai, Shen-Chuan — Markov system for image vector quantization coding. — Shen-Chuan Tai, Yung-Gi Wu, and Ling-Shiou Huang; **39** (5), 1338-43 (2000).
— Predictive classifier for image vector quantization. — Shen-Chuan Tai, Yung-Gi Wu, and I-Sheng Kuo; **39** (9), 2372-80 (2000).
Takacs, Peter Z. — See Qian, Shinan, **39** (1), 304-10 (2000).
Takamiya, Sotetsu — See Özdemir, Şahin Kaya, **39** (9), 2574-80 (2000).
Takaya, Masaaki — Single-mode multifiber connector using an injection molded MT type ferrule and a quick assembly technique. — Masaaki Takaya, Shinji Nagasawa, and Yasuji Murakami; **39** (4), 1025-31 (2000).
Takeda, Mitsuo — Absolute three-dimensional shape measurements using coaxial and coimage plane optical systems and Fourier fringe analysis for focus detection. — Mitsuo Takeda, Takahiro Aoki, Yoko Miyamoto, Hideyuki Tanaka, Ruowei Gu, and Zhibo Zhang; **39** (1), 61-8 (2000).
Takizawa, Kuniharu — See Kikuchi, Hiroshi, **39** (3), 656-69 (2000).
Tam, Peter K. S. — See Li, Chun Hung, **39** (9), 2381-6 (2000).
Tammela, Simo — See Kiiveri, Pauli, **39** (7), 1943-50 (2000).
Tanaka, Hideyuki — See Takeda, Mitsuo, **39** (1), 61-8 (2000).
Tanaka, Kazuhiro — See Imai, Yoh, **39** (4), 947-51 (2000).
Tanaka, Satoshi — Pigtail-type CO laser using As_2S_3 optical fiber. — Satoshi Tanaka, Yuzo Setoguchi, Mitsunori Saito, and Heihachi Sato; **39** (5), 1377-83 (2000).
Tang, Pei C. — See Budgett, David M., **39** (10), 2601-8 (2000).
Tang, Qingle — See Zhang, Xinyu, **39** (11), 3001-7 (2000).
Tang, Suning — Ultra-low-loss polymeric waveguide circuits for optical true-time delays in wideband phased-array antennas. — Suning Tang, Bulang Li, Nianhua Jiang, Dechang An, Zhenhai Fu, Linghui Wu, and Ray T. Chen; **39** (3), 643-51 (2000).
— Highly efficient linear waveguide modulator based on domain-inverted electro-optic polymers. — Suning Tang, Zan Shi, Dechang An, Lin Sun, and Ray T. Chen; **39** (3), 680-8 (2000).
Tang, Xiao — See Im, Yong-Seok, **39** (11), 2909-14 (2000).
Tanikawa, Kunihiro — Six band multispectral sensor using off-axis three-mirror reflective optics. — Kunihiro Tanikawa, Toshihiro Okamura, Jun-ichi Kudo, Hideo Wada, and Hiromichi Shirahata; **39** (10), 2781-8 (2000).
Tao, Yang — See Ibarra, Juan G., **39** (11), 3032-8 (2000).
Tapper, Unto — See Jääskeläinen, Anssi J., **39** (11), 2959-63 (2000).
Tay, C. J. — See Wang, S. H., **39** (6), 1597-601 (2000).
Tebaldi, Myrian — Optical processing by fringed speckles registered in a BSO crystal. — Myrian Tebaldi, Luciano Angel Toro, Marcelo Trivi, and Néstor Bolognini; **39** (12), 3232-8 (2000).

Tee, Clarence A. T. H. — Binary phase modulation using electrically addressed transmissive and silicon backplane spatial light modulators. — Clarence A. T. H. Tee, William A. Crossland, Timothy D. Wilkinson, and Anthony B. Davey; **39** (9), 2527-34 (2000).
Tei, Kazuyoku — High-repetition-rate 2-J Nd:YAG oscillator-amplifier system. — Kazuyoku Tei, Masaaki Kato, Fumiaki Matsuoka, Yosito Niwa, Yoichiro Maruyama, Tohru Matoba, and Takasi Arisawa; **39** (1), 320-2 (2000).
Telle, Helmut H. — See Samek, Ota, **39** (8), 2248-62 (2000).
Tervonen, Ari — See Karioja, Pentti, **39** (4), 1032-7 (2000).
Tesar, John — Using small glass catalogs. — John Tesar; **39** (7), 1816-21 (2000).
— Optical modeling combining geometrical ray tracing and physical-optics software. — John Tesar, Rongguang Liang, and Masud Mansuripur; **39** (7), 1845-9 (2000).
Thangwaritorn, Sila — See Kozaitis, Samuel P., **39** (5), 1162-8 (2000).
Thesing, Jan — See Reich, Carsten, **39** (1), 224-31 (2000).
Thibault, Simon — Astigmatic light source in optical design software. — Simon Thibault; **39** (7), 1808-11 (2000).
Thompson, Patrick L. — Systems engineering analysis of aplanatic Wolter type I x-ray telescopes. — Patrick L. Thompson and James E. Harvey; **39** (6), 1677-91 (2000).
Thompson, William T. — Differential scrubbing in a microchannel-plate intensified CCD detector. — William T. Thompson; **39** (10), 2651-9 (2000).
Thonke, Klaus — See Presting, Hartmut, **39** (10), 2624-41 (2000).
Thual, M. — See Chanclou, P., **39** (2), 387-92 (2000).
Tien, Chuen-Lin — See Sun, Wen-Shing, **39** (4), 978-88 (2000).
Tieu, A. K. — See Wang, K. F., **39** (8), 2124-8 (2000).
Tilkens, Bernard G. — Uncertainties in the values obtained by surface plasmon resonance. — Bernard G. Tilkens, Yves F. Lion, and Yvon L. Renotte; **39** (2), 363-73 (2000).
Tilleman, Michael M. — Optimal frequency doubling of a transferred-electron amplifier CO_2 laser. — Michael M. Tilleman and Abraham Englander; **39** (3), 758-62 (2000).
Tiziani, Hans J. — Confocal principle for macro- and microscopic surface and defect analysis. — Hans J. Tiziani, Michael Wegner, and Daniela Steudle; **39** (1), 32-9 (2000).
Toet, Alexander — See Fdez-Vidal, Xose R., **39** (1), 267-81 (2000).
— Test of three visual search and detection models. — Alexander Toet, Piet Bijl, and J. Mathieu Valeton; **39** (5), 1344-53 (2000).
Toguchi, Satoru — See Mohedano, Rubén, **39** (10), 2740-7 (2000).
Tonda-Goldstein, Sylvie — Optoelectronic arbitrary-waveform generator for radar applications. — Sylvie Tonda-Goldstein, Daniel Dolfi, Jean-Pierre Huignard, Ph. Sapé, G. Granger, and J. Chazelas; **39** (12), 3294-300 (2000).
Tong, Liu — Novel full-field automated photoelastic analysis technique. — Liu Tong, Chai Gin Boay, and Anand Asundi; **39** (10), 2689-95 (2000).
Toro, Luciano Angel — See Tebaldi, Myrian, **39** (12), 3232-8 (2000).
Torres, Yezid — See Abril, Héctor C., **39** (6), 1477-88 (2000).
Touam, T. — See Shooshtari, A., **39** (3), 735-7 (2000).
Towghi, Nasser — See Chan, Francis, **39** (8), 2092-100 (2000).
Trampe, A. — See Luo, J., **39** (4), 1009-15 (2000).
Traut, S. — Holographically recorded gratings on microlenses for a miniaturized spectrometer array. — S. Traut and H. P. Herzig; **39** (1), 290-8 (2000).
Trivi, Marcelo — See Tebaldi, Myrian, **39** (12), 3232-8 (2000).
Truchetet, F. — High-quality still color image compression. — F. Truchetet, B. Joanne, F. Pérot, and O. Laligant; **39** (2), 409-14 (2000).
Truchetet, Frederic — See Geveaux, Pierre, **39** (12), 3165-75 (2000).
Tsai, Ming-Hong — See Lo, Yu-Lung, **39** (3), 832-7 (2000).
Tsai, Minghong — Multiwavelength fringe scanning profilometry for wide gapped sample. — Minghong Tsai, Hongxin Huang, Masahide Itoh, and Toyohiko Yatagai; **39** (4), 970-7 (2000).
Tsay, Jiunn-Song — See Huang, Shih-Chu, **39** (8), 2214-9 (2000).
Tschudi, Theo — See Wang, Lingli, **39** (6), 1659-64 (2000).
Tseng, Lin Yu — See Yang, Shiueng Bien, **39** (7), 1869-76 (2000).
Tu, Lin — See Swart, Pieter L., **39** (4), 1038-43 (2000).
Tu, Te-Ming — Unsupervised signature extraction and separation in hyperspectral images: a noise-adjusted fast independent component analysis approach. — Te-Ming Tu; **39** (4), 897-906 (2000).
Tukkiniemi, Kari — See Karioja, Pentti, **39** (4), 1032-7 (2000).
Tuma, Margaret L. — Results from real-time laser speckle-shift strain measurement system. — Margaret L. Tuma, Lawrence C. Greer, III , Michael J. Krasowski, Lawrence G. Oberle, Kristie A. Elam, and Dan C. Spina; **39** (2), 498-504 (2000).
Turek, Ivan — Interference of modes in optical fibers. — Ivan Turek, Ivan Martinček, and Roman Stránsky; **39** (5), 1304-9 (2000).
Turner, Mary G. — Pushing the Envelope in Optical Design Software. — Mary G. Turner; **39** (7), 1735-6 (2000).
Tzannes, Alexis P. — Point target detection in IR image sequences: a hypothesis-testing approach based on target and clutter temporal profile modeling. — Alexis P. Tzannes and Dana H. Brooks; **39** (8), 2270-8 (2000).

U

Uda, Yutaka — See Kohno, Tsuguo, **39** (10), 2696-9 (2000).
Uddin, Mosleh — See Voicu, Liviu I., **39** (9), 2359-71 (2000).
Unal, Gozde Bozkurt — QR-RLS algorithm for error diffusion of color images. — Gozde Bozkurt Unal, Yasemin Yardimci, Orhan Arikan, and A. Enis Çetin; **39** (11), 2860-6 (2000).
Unnikrishnan, G. — Double random fractional Fourier-domain encoding for optical security. — G. Unnikrishnan and Kehar Singh; **39** (11), 2853-9 (2000).
Unser, Michael — See Lee, Chulhee, **39** (4), 924-35 (2000).

V

Valeton, J. Mathieu — See Toet, Alexander, **39** (5), 1344-53 (2000).
Valliant, J. Glenn — Instrument for on-line monitoring of surface roughness of machined surfaces. — J. Glenn Valliant, Michael P. Foley, and Jean M. Bennett; **39** (12), 3247-54 (2000).
van Eijk, Alexander M. J. — See Piazzola, Jacques, **39** (6), 1620-31 (2000).
Vankov, Orlin I. — See Stoyanov, Dimitar V., **39** (6), 1556-67 (2000).
Várkonyi, Sándor — See Domján, László, **39** (11), 2867-75 (2000).
Venkatakrishnan, K. — See Ngoi, Bryan K. A., **39** (2), 510-5 (2000).
— See Ngoi, Bryan K. A., **39** (11), 2995-3000 (2000).
Vijaya Kumar, B. V. K. — See Alkanhal, Mohamed, **39** (5), 1133-41 (2000).
Vijayan, C. — See Majles Ara, M. H., **39** (2), 535-40 (2000).
Vitkin, I. Alex — Polarization studies in multiply scattering chiral media. — I. Alex Vitkin and Emile Hoskinson; **39** (2), 353-62 (2000).
Voicu, Liviu I. — Clutter modeling in infrared images using genetic programming. — Liviu I. Voicu, Mosleh Uddin, Harley R. Myler, Anthony Gallagher, and Julien Schuler; **39** (9), 2359-71 (2000).
Volin, Curtis E. — See Descour, Michael R., **39** (7), 1737-47 (2000).
Vollmerhausen, Richard H. — See Driggers, Ronald G., **39** (9), 2458-62 (2000).
Vourdas, A. — See Stergioulas, L. K., **39** (7), 1965-71 (2000).
Vuillemin, Joseph — See Suhir, Ephraim, **39** (12), 3317-21 (2000).

W

Wada, Hideo — See Tanikawa, Kunihiro, **39** (10), 2781-8 (2000).
Wagner, Christophe — Direct shape measurement by digital wavefront reconstruction and multiwavelength contouring. — Christophe Wagner, Wolfgang Osten, and Soenke Seebacher; **39** (1), 79-85 (2000).
Walker, Arthur B. C., II — See Martínez-Galarce, Dennis S., **39** (4), 1063-79 (2000).
Walker, David D. — See Lee, Jun Ho, **39** (4), 1057-62 (2000).
Walker, James S. — Lossy image codec based on adaptively scanned wavelet difference reduction. — James S. Walker; **39** (7), 1891-7 (2000).
— Image denoising using tree-based wavelet subband correlations and shrinkage. — James S. Walker and Ying-Jui Chen; **39** (11), 2900-8 (2000).
Walters, Clarence P. — Performance of an automatic target recognizer algorithm against real and two versions of synthetic imagery. — Clarence P. Walters, Carl W. Hoover, Jr. , and James A. Ratches; **39** (8), 2279-84 (2000).
Wang, Boxiong — See Mao, Wenwei, **39** (6), 1722-4 (2000).
Wang, Chou-Chen — Efficient fractal video coding algorithm using intercube correlation search. — Chou-Chen Wang and Chaur-Heh Hsieh; **39** (8), 2058-64 (2000).
Wang, Chuin-Mu — See Chang, Chein-I, **39** (5), 1275-81 (2000).
— See Yang, Ching-Wen, **39** (5), 1293-303 (2000).
Wang, D. Y. — Design of optical systems with both near-field and far-field system requirements. — D. Y. Wang, David M. Aikens, and R. Edward English, Jr.; **39** (7), 1788-95 (2000).
Wang, Dayong — Wigner algebra as a tool for the design of achromatic optical processing systems. — Dayong Wang, Avi Pe'er, Adolf W. Lohmann, and Asher A. Friesem; **39** (11), 3014-24 (2000).
Wang, Demin — Hybrid algorithm for estimating true motion fields. — Demin Wang and Daniel Lauzon; **39** (11), 2876-81 (2000).
Wang, Guoqiu — Matrix methods of constructing wavelet filters and discrete hyper-wavelet transforms. — Guoqiu Wang; **39** (4), 1080-7 (2000).
Wang, Haiming — See Hurtado-Ramos, Juan B., **39** (2), 558-64 (2000).
Wang, K. F. — Influence of in-plane displacement and double-aperture orientation on slope fringe formation in double-shearing-aperture speckle interferometry. — K. F. Wang, A. K. Tieu, and E. B. Li; **39** (8), 2124-8 (2000).
Wang, Lingli — Speckle reduction in laser projections with ultrasonic waves. — Lingli Wang, Theo Tschudi, Markus Boeddinghaus, Alexander Elbert, Thorsteinn Halldórsson, and Pálmi Pétursson; **39** (6), 1659-64 (2000).
Wang, Ming — Subfringe integration method for automatic analysis of moire deflection tomography. — Ming Wang, Li Ma, Dacheng Li, and Jingang Zhong; **39** (10), 2726-33 (2000).
Wang, S. H. — Surface roughness measurement in the submicrometer range using laser scattering. — S. H. Wang, Chenggen Quan, C. J. Tay, and H. M. Shang; **39** (6), 1597-601 (2000).
Wang, Wenjian — Computed-tomography-based precision inspection and shape extraction using facet model. — Wenjian Wang, Xiaogu Wu, and William G. Wee; **39** (1), 114-26 (2000).
— See Zhou, Xiang Sean, **39** (1), 170-4 (2000).
Wang, Yuanzhang — See Shu, Xiaojian, **39** (6), 1543-7 (2000).
Wang, Zhaoqi — Rotation-invariant phase-shifting joint transform correlator by use of circular harmonic expansion. — Zhaoqi Wang, Jiuhong Guan, Guoguang Mu, and Rulian Fu; **39** (10), 2595-600 (2000).
Wang, Zheng — See Zhao, Qun, **39** (5), 1230-44 (2000).
Wee, William G. — See Wang, Wenjian, **39** (1), 114-26 (2000).
— See Zhou, Xiang Sean, **39** (1), 170-4 (2000).
Wegner, Michael — See Tiziani, Hans J., **39** (1), 32-9 (2000).
Weinzierl, Jochen — See Bozzi, Maurizio, **39** (8), 2263-9 (2000).
Weis, R. Stephen — Optical fiber telemetry systems for measurement-while-drilling applications. — R. Stephen Weis, Brent L. Bachim, Brad M. Beadle, and Marvin Gearhart; **39** (6), 1591-6 (2000).
Weiss, Jonathan D. — Fluorescent optical liquid-level sensor. — Jonathan D. Weiss; **39** (8), 2198-213 (2000).
Wen, Chia-Hsin — See Yang, Ching-Wen, **39** (5), 1293-303 (2000).
Weng, Tzu-Lun — Three-dimensional water-flow reconstruction by stereo cameras. — Tzu-Lun Weng and Yung-Nien Sun; **39** (11), 2922-30 (2000).
Werner, Christian — See Ouisse, Adelina, **39** (12), 3220-31 (2000).
Whittenberger, Estille — Applying the eigenfaces and Fisherfaces methods to circuit-board inspection. — Estille Whittenberger, Alejandro E. Brito, and Sergio D. Cabrera; **39** (12), 3154-64 (2000).
Wiff, Donald R. — See Rogers, Stanley, **39** (10), 2763-74 (2000).
Wilkinson, Timothy D. — See Xu, Huan, **39** (6), 1568-72 (2000).
— See Tee, Clarence A. T. H., **39** (9), 2527-34 (2000).
Wilkosz, Aaron — See Sarkisov, Sergey S., **39** (3), 616-23 (2000).
Willer, Mark R. — See Descour, Michael R., **39** (7), 1737-47 (2000).
Williamson, Tommy — See Rogers, Stanley, **39** (10), 2763-74 (2000).
Winfree, William P. — See Plotnikov, Yuri A., **39** (4), 879-84 (2000).
Winnewisser, Carsten — See Bozzi, Maurizio, **39** (8), 2263-9 (2000).
Won, Chee Sun — Block-based unsupervised natural image segmentation. — Chee Sun Won; **39** (12), 3146-53 (2000).
Wong, Kwok-Wo — See Wu, Yao-Jun, **39** (4), 1002-8 (2000).
Wong, Peter Y. — See Tada, Haruna, **39** (8), 2296-304 (2000).
Woods, Charles L. — See Khoury, J., **39** (5), 1122-32 (2000).
— See Khoury, Jehad, **39** (5), 1142-8 (2000).
— See Khoury, J., **39** (5), 1177-83 (2000).
Wrona, W. — See Chrzanowski, K., **39** (5), 1413-7 (2000).
Wu, Der-Chyun — See Chao, Yei-Chin, **39** (6), 1441-9 (2000).
Wu, Fang — See Zhang, Hong, **39** (7), 1958-64 (2000).
Wu, Hong Ren — See Chen, Tao, **39** (8), 2101-5 (2000).
Wu, Lide — See Fan, Jianping, **39** (2), 438-52 (2000).

Wu, Linghui — See Tang, Suning, **39** (3), 643-51 (2000).
Wu, Minxian — See Feng, Wenyi, **39** (9), 2444-50 (2000).
Wu, Qi hong — See Hodgkinson, Ian J., **39** (10), 2831-4 (2000).
Wu, Qihong — Circular polarization filters made of chiral sculptured thin films: experimental and simulation results. — Qihong Wu, Ian J. Hodgkinson, and Akhlesh Lakhtakia; **39** (7), 1863-8 (2000).
Wu, Xiaogu — See Wang, Wenjian, **39** (1), 114-26 (2000).
— See Zhou, Xiang Sean, **39** (1), 170-4 (2000).
Wu, Yao-Jun — Limited samples wavelet network and its application for damage detection composites. — Yao-Jun Wu, Kwok-Wo Wong, and Tian-Ge Zhuang; **39** (4), 1002-8 (2000).
Wu, Yihong — See Liu, Jingfeng, **39** (2), 396-400 (2000).
Wu, Yung-Gi — See Tai, Shen-Chuan, **39** (5), 1338-43 (2000).
— See Tai, Shen-Chuan, **39** (9), 2372-80 (2000).
Wysoczański, Dariusz — See Mroczka, Janusz, **39** (3), 763-70 (2000).

X

Xiao, Mufei — Shear-force, constant-height, and constant-intensity imaging in scanning near-field optical microscopy with *s*- and *p*-polarized incident light. — Mufei Xiao and Xin Chen; **39** (9), 2495-500 (2000).
Xin, Hongwei — See Ibarra, Juan G., **39** (11), 3032-8 (2000).
Xing, Ting — Improved method for efficient computation of Fourier transform spectrum with phase errors. — Ting Xing; **39** (2), 393-5 (2000).
Xiong, Zhengjun — Nonlinear coupling and optical switching in a β-carotene-doped twin-core polymer optical fiber. — Zhengjun Xiong, Gang Ding Peng, and Pak Lim Chu; **39** (3), 624-7 (2000).
Xu, Bugao — See Lin, Sheng, **39** (9), 2387-91 (2000).
Xu, Dongxin — See Zhao, Qun, **39** (5), 1230-44 (2000).
Xu, Huan — Optically enhancing the small electro-optical effect of a fast-switching liquid-crystal mixture. — Huan Xu, Anthony B. Davey, Timothy D. Wilkinson, and William A. Crossland; **39** (6), 1568-72 (2000).
Xu, Lei — Properties of digital holography based on in-line configuration. — Lei Xu, Jianmin Miao, and Anand Asundi; **39** (12), 3214-9 (2000).

Y

Yadid-Pecht, Orly — Geometrical modulation transfer function for different pixel active area shapes. — Orly Yadid-Pecht; **39** (4), 859-65 (2000).
Yamaguchi, Ichirou — Surface topography by wavelength scanning interferometry. — Ichirou Yamaguchi, Akihiro Yamamoto, and Masaru Yano; **39** (1), 40-6 (2000).
Yamamoto, Akihiro — See Yamaguchi, Ichirou, **39** (1), 40-6 (2000).
Yan, Hong — See Mitchell, Phillip E., **39** (3), 724-34 (2000).
— See He, Rong, **39** (11), 2882-93 (2000).
Yan, Yingbai — See Feng, Wenyi, **39** (9), 2444-50 (2000).
Yang, Ching-Wen — See Chang, Chein-I, **39** (5), 1275-81 (2000).
— Computer-aided diagnostic detection system of venous beading in retinal images. — Ching-Wen Yang, Dye-Jyun Ma, Shuenn-Ching Chao, Chuin-Mu Wang, Chia-Hsin Wen, Chien-Shun Lo, Pau-Choo Chung, and Chein-I Chang; **39** (5), 1293-303 (2000).
Yang, Fan — New image filtering technique combining a wavelet transform with a linear neural network: application to face recognition. — Fan Yang, Michel Paindavoine, H. Abdi, and Johel Miteran; **39** (11), 2894-9 (2000).
Yang, Rui — See Yin, Shizhuo, **39** (3), 670-2 (2000).
Yang, Shiueng Bien — Smooth side-match and smooth overlap-match vector quantizers for image coding. — Shiueng Bien Yang and Lin Yu Tseng; **39** (7), 1869-76 (2000).
Yano, Masaru — See Yamaguchi, Ichirou, **39** (1), 40-6 (2000).
Yao, Jianping — Amplitude-modulated radial harmonic filters. — Jianping Yao and Leonard Chin; **39** (5), 1149-55 (2000).
Yao, Xi — See Que, Wenxiu, **39** (10), 2804-9 (2000).
Yap, Kim Hui — Adaptive image restoration based on hierarchical neural networks. — Kim Hui Yap and Ling Guan; **39** (7), 1877-90 (2000).
Yardimci, Yasemin — See Unal, Gozde Bozkurt, **39** (11), 2860-6 (2000).
Yatagai, Toyohiko — See Tsai, Minghong, **39** (4), 970-7 (2000).
Yazawa, Takanori — See Kohno, Tsuguo, **39** (10), 2696-9 (2000).
Ye, Shenghua — See Zhang, Guangjun, **39** (4), 1098-102 (2000).
Yehezkel, Raanan — See Greenberg, Shlomo, **39** (5), 1369-76 (2000).
Yi, Xinjian — See Zhang, Xinyu, **39** (11), 3001-7 (2000).
Yin, Chunyong — See Jiang, Hong, **39** (2), 516-9 (2000).
— See Song, Deqiang, **39** (8), 2114-8 (2000).
Yin, Ruihua — See Zhou, Xiang Sean, **39** (1), 170-4 (2000).
Yin, Shizhuo — Investigation of the electro-optic properties of electron-irradiated poly(vinylidene fluoride-trifluoroethylene) copolymer. — Shizhuo Yin, Qiming Zhang, Kun-Wook Chung, Rui Yang, Zhongyang Cheng, and Yu Lu; **39** (3), 670-2 (2000).
— See Duarte, David, **39** (5), 1252-9 (2000).
Yitzhaky, Yitzhak — Restoration of an image degraded by vibrations using only a single frame. — Yitzhak Yitzhaky, G. Boshusha, Y. Levy, and Norman S. Kopeika; **39** (8), 2083-91 (2000).
Yongqi, Fu — Investigation of direct milling of micro-optical elements with continuous relief on a substrate by focused ion beam technology. — Fu Yongqi and Bryan Kok Ann Ngoi; **39** (11), 3008-13 (2000).
Yoon, Hee-sun — See Kim, Eunah, **39** (11), 2947-55 (2000).
Yoon, Jae Ryong — See Ji, June Keun, **39** (4), 936-40 (2000).
Yoshida, Hirofumi — See Özdemir, Şahin Kaya, **39** (9), 2574-80 (2000).
Yoshizawa, Toru — See Jin, Lianhua, **39** (8), 2119-23 (2000).
Young, Jim — See Samek, Ota, **39** (8), 2248-62 (2000).
Young, Rupert C. D. — See Budgett, David M., **39** (10), 2601-8 (2000).
Young Hopen, Cynthia — See Andrews, Larry C., **39** (12), 3272-80 (2000).
Yu, Lei — See Song, Feijun, **39** (5), 1190-3 (2000).
Yu, Zheng Hua — See Chen, Tao, **39** (8), 2101-5 (2000).
Yuan, Mei — See Zhang, Guangjun, **39** (8), 2235-40 (2000).
Yun, Joungil — See Choi, Tae S., **39** (5), 1321-6 (2000).
Yzuel, Maria J. — See Corbalán, Montse, **39** (6), 1470-6 (2000).
— See Márquez, Andrés, **39** (6), 1612-9 (2000).
Yzuel, Maria J. — See Márquez, Andrés, **39** (12), 3301-7 (2000).

Z

Zaidi, Sohial H. — See Simmons, Mark J. H., **39** (2), 505-9 (2000).
Zalevsky, Zeev — Special sensor masking for exceeding system geometrical resolving power. — Zeev Zalevsky, David Mendlovic, and Emanuel Marom; **39** (7), 1936-42 (2000).
— Contrasted statistical processing algorithm for obtaining improved target detection performances in infrared cluttered environment. — Zeev Zalevsky, David Mendlovic, Ehud Rivlin, and Stanley Rotman; **39** (10), 2609-17 (2000).
Završnik, Miha — Analysis of quasi-distributed optical sensors combining rf modulation with the FMCW method. — Miha Završnik and George Stewart; **39** (11), 3053-9 (2000).
Zeng, Lijiang — See Song, Deqiang, **39** (8), 2114-8 (2000).
Zghal, Hassen — Brightness calibration of charge-coupled device camera systems. — Hassen Zghal and Hoda A. ElMaraghy; **39** (2), 336-46 (2000).
Zhang, Chunping — See Zhang, Tianhao, **39** (2), 527-34 (2000).
Zhang, Guangjun — Online measurement of the sizes of standard wire sieves using an optical Fourier transform. — Guangjun Zhang and Shenghua Ye; **39** (4), 1098-102 (2000).
— Novel carbon dioxide gas sensor based on infrared absorption. — Guangjun Zhang, Junfang Lui, and Mei Yuan; **39** (8), 2235-40 (2000).
Zhang, Guangyin — See Zhang, Tianhao, **39** (2), 527-34 (2000).
Zhang, Hong — Spatiotemporal phase unwrapping and its application in fringe projection fiber optic phase-shifting profilometry. — Hong Zhang, Fang Wu, Michael J. Lalor, and David R. Burton; **39** (7), 1958-64 (2000).
Zhang, Huihua — See Pu, Jixiong, **39** (3), 803-7 (2000).
Zhang, Peng-Gang — See Irvine-Halliday, Dave, **39** (5), 1310-5 (2000).
Zhang, Qiming — See Yin, Shizhuo, **39** (3), 670-2 (2000).
Zhang, Shizhou — See Kiyono, Satoshi, **39** (10), 2720-5 (2000).
Zhang, Shulian — See Li, Yan, **39** (11), 3039-43 (2000).
Zhang, Shuqun — Normalized joint transform correlation for target recognition. — Shuqun Zhang and Mohammad A. Karim; **39** (5), 1184-9 (2000).
Zhang, Tianhao — All-optical logic gates using bacteriorhodopsin films. — Tianhao Zhang, Chunping Zhang, Guanghua Fu, Yudong Li, Liqun Gu, Guangyin Zhang, Q. Wang Song, Bruce Parsons, and Robert R. Birge; **39** (2), 527-34 (2000).
Zhang, Wen Wei — Novel navigation sensor for autonomous guide vehicle. — Wen Wei Zhang, Bao Hua Zhuang, and Yanxin Zhang; **39** (9), 2511-6 (2000).
Zhang, Xian-Da — See Shi, Yu, **39** (2), 551-7 (2000).
Zhang, Xianzhu — Analysis of 3-D surface waviness on standard artifacts by retroreflective metrology. — Xianzhu Zhang and Walter P. T. North; **39** (1), 183-6 (2000).
Zhang, Xinyu — Cylindrical microlens array fabricated by argon ion-beam etching. — Xinyu Zhang, Qingle Tang, Xinjian Yi, Zhi Zhang, and Xiandeng Pei; **39** (11), 3001-7 (2000).
Zhang, Yanxin — See Zhang, Wen Wei, **39** (9), 2511-6 (2000).
Zhang, Yu Jin — Optimal selection of segmentation algorithms based on performance evaluation. — Yu Jin Zhang and Huitao Luo; **39** (6), 1450-6 (2000).
Zhang, Zhi — See Zhang, Xinyu, **39** (11), 3001-7 (2000).
Zhang, Zhibo — See Takeda, Mitsuo, **39** (1), 61-8 (2000).
Zhao, Bing — See Asundi, Anand, **39** (6), 1645-51 (2000).
— Discussion on spatial resolution and sensitivity of Fourier transform fringe detection. — Bing Zhao and Anand Asundi; **39** (10), 2715-9 (2000).
Zhao, Qun — Synthetic aperture radar automatic target recognition with three strategies of learning and representation. — Qun Zhao, Jose C. Principe, Victor L. Brennan, Dongxin Xu, and Zheng Wang; **39** (5), 1230-44 (2000).
Zheng, Z. Q. — See Qiu, Y. S., **39** (4), 1044-6 (2000).
Zhong, Jingang — See Wang, Ming, **39** (10), 2726-33 (2000).
Zhou, Chongxi — 0.13 μm photolithography using inverse Fourier transform convolution filtering. — Chongxi Zhou, Xiangang Luo, and Boru Feng; **39** (11), 2943-6 (2000).
Zhou, Hanying — See Riasati, Vahid R., **39** (5), 1218-22 (2000).
Zhou, Jun — See Jia, Zhenhong, **39** (11), 2956-8 (2000).
Zhou, Xiang Sean — Calibration, parameter estimation, and accuracy enhancement of a four-dimensional imager camera turntable system. — Xiang Sean Zhou, Ruihua Yin, Wenjian Wang, Xiaogu Wu, and William G. Wee; **39** (1), 170-4 (2000).
Zhou, Y. — See Que, Wenxiu, **39** (10), 2804-9 (2000).
Zhuang, Bao Hua — See Zhang, Wen Wei, **39** (9), 2511-6 (2000).
Zhuang, Tian-Ge — See Wu, Yao-Jun, **39** (4), 1002-8 (2000).
Ziger, David — Understanding optical end of line metrology. — David Ziger and Pierre Leroux; **39** (7), 1951-7 (2000).
Zozulya, Alex A. — See Owen, Robert B., **39** (8), 2187-97 (2000).

Optical Engineering

2000 Subject Index (Volume 39)

KEY TO INDEX USE

Paper titles are indexed under appropriate subject terms, which are printed in boldface type. Each entry gives the paper title, the author(s), and location of the paper in Volume 39.

Aberrations

Lens axicons illuminated by Gaussian beams for generation of uniform-axial intensity Bessel fields. — Jixiong Pu, Huihua Zhang, and Shojiro Nemoto; **39** (3), 803-7 (2000).

Compact two-mirror schemes for telescopes with a fast spherical primary. — Daniil T. Puryayev and Alexander V. Gontcharov; **39** (6), 1692-6 (2000).

Analysis of Slyusarev optical wedge distortion. — Wenwei Mao and Boxiong Wang; **39** (6), 1722-4 (2000).

Using ZEMAX Image Analysis and user-defined surfaces for projection lens design and evaluation for Digital Light Processing™ projection systems. — D. Scott Dewald; **39** (7), 1802-7 (2000).

Conformal dome correction with counterrotating phase plates. — Scott W. Sparrold, James P. Mills, David J. Knapp, Kenneth S. Ellis, Thomas A. Mitchell, and Paul K. Manhart; **39** (7), 1822-9 (2000).

Schwarzschild objective for soft x-rays. — Igor A. Artioukov and Kirill M. Krymski; **39** (8), 2163-70 (2000).

Optical incoherent imaging through a thin slab waveguide. — Charles E. Dionne and Robert A. Gonsalves; **39** (9), 2392-6 (2000).

Absorption

Excited-state four-wave mixing for nonresonant holographic storage in azo-dye-doped polymers. — Chunfei Li and Xinxian Bao; **39** (3), 628-32 (2000).

Measurement of atmospheric ozone by differential absorption of solar radiation using a compact optical spectrometer. — Ulrich Kempfer and Herbert Schneckenburger; **39** (7), 1989-93 (2000).

Novel carbon dioxide gas sensor based on infrared absorption. — Guangjun Zhang, Junfang Lui, and Mei Yuan; **39** (8), 2235-40 (2000).

Analysis of quasi-distributed optical sensors combining rf modulation with the FMCW method. — Miha Završnik and George Stewart; **39** (11), 3053-9 (2000).

Acousto-optics

Noncontact homodyne scanning laser vibrometer for dynamic measurement. — Bryan K. A. Ngoi and K. Venkatakrishnan; **39** (2), 510-5 (2000).

Connectionist model of the generalized Hough transform for optical implementation. — Zohreh Javadpour and John G. Keating; **39** (6), 1717-22 (2000).

Experimental nonmechanical image rotation to 20 angles using an acousto-optic dove prism. — Yong-Seok Im, Eung Gi Paek, Xiao Tang, Joon Y. Choe, and Tae K. Oh; **39** (11), 2909-14 (2000).

Scanning laser vibrometer for dynamic study of small features. — Bryan K. A. Ngoi and K. Venkatakrishnan; **39** (11), 2995-3000 (2000).

Active optics

Origins Testbed: capturing the dynamics and control of future space-based telescopes. — Gregory J. W. Mallory, Alvar Saenz-Otero, and David W. Miller; **39** (6), 1665-76 (2000).

Advances in very lightweight composite mirror technology. — Peter C. Chen, C. W. Bowers, David A. Content, Marzouk Marzouk, and R. C. Romeo; **39** (9), 2320-9 (2000).

Actuators

All-optical fiber optic interface for sensors and actuators. — Pentti Karioja, Risto Jurva, Kimmo Keränen, Kari Tukkiniemi, Jouko Haapamaa, Ari Tervonen, and Marja Englund; **39** (4), 1032-7 (2000).

Tetramorph, a novel optical scanner using four piezoelectric bimorphs — Koji Fujimoto, Jan G. Smits, and Robert E. Carter; **39** (11), 3025-31 (2000).

Adaptive optics

Adaptive optical three-dimensional measurement with structured light. — Richard Kowarschik, Peter Kühmstedt, Jörg Gerber, Wolfgang Schreiber, and Gunther Notni; **39** (1), 150-8 (2000).

Adaptive secondary mirror demonstrator: construction and preliminary evaluation. — Jun Ho Lee, David D. Walker, and A. Peter Doel; **39** (4), 1057-62 (2000).

Wavelet-based approach to adaptive Wiener filtering of images in the presence of colored noise. — Ioannis M. Stephanakis and Stefanos D. Kollias; **39** (5), 1354-63 (2000).

Adaptive compensation of lower order thermal aberrations in concave-convex power oscillators under variable pump conditions. — Steven Jackel and Inon Moshe; **39** (9), 2330-7 (2000).

Optical incoherent imaging through a thin slab waveguide. — Charles E. Dionne and Robert A. Gonsalves; **39** (9), 2392-6 (2000).

Theory and practice of elliptically bent x-ray mirrors. — Malcolm R. Howells, Daniela Cambie, Robert M. Duarte, Steven Irick, Alasdair A. MacDowell, Howard A. Padmore, Timothy R. Renner, Seungyu Rah, and Reubin Sandler; **39** (10), 2748-62 (2000).

Adaptive optics systems implemented using two-dimensional phase retrieval and a microelectromechanical deformable mirror. — Stanley Rogers, Frank Scarpino, Tommy Williamson, Max K. Lee, Jason Baumbach, William D. Cowan, and Donald R. Wiff; **39** (10), 2763-74 (2000).

Two-dimensional optical wavefront measurements using a small-aperture beam technique derivative instrument. — Edward J. Fitzgerald and Eric J. Jumper; **39** (12), 3285-93 (2000).

Aerosols

Extension of the Navy aerosol model to coastal areas. — Jacques Piazzola, Alexander M. J. van Eijk, and Gerrit De Leeuw; **39** (6), 1620-31 (2000).

Algorithms

Fast discrete cosine transform structure suitable for implementation with integer computation. — Yeonsik Jeong and Imgeun Lee; **39** (10), 2672-6 (2000).

Ray-tracing algorithms for fast calculation of the channel impulse response on diffuse IR wireless indoor channels. — Francisco J. López-Hernández, Rafael Pérez-Jiménez, and Asunción Santamaría; **39** (10), 2775-80 (2000).

Alignment

Optical strain sensor using position-sensitive detector and diffraction grating: error analysis. — Anand Asundi and Bing Zhao; **39** (6), 1645-51 (2000).

Misalignment modes in high-performance optical systems. — Michael R. Descour, Mark R. Willer, Dana S. Clarke, and Curtis E. Volin; **39** (7), 1737-47 (2000).

Amplifiers

Beam propagation method for analysis of Er-doped integrated optics devices. — A. Shooshtari, T. Touam, S. Safavi-Naeini, and S. I. Najafi; **39** (3), 735-7 (2000).

Nd:YAG laser with a stimulated Brillouin scattering mirror and variable pulse duration. — Oleg V. Palashov, Efim A. Khazanov, and Nikolay F. Andreev; **39** (6), 1536-42 (2000).

Analysis of nonlinear response in erbium-doped fiber amplifiers. — Cheng-Kuang Liu, Fu-Shun Lai, and Jau-Ji Jou; **39** (6), 1548-55 (2000).

Design and fabrication of erbium-doped fibers for optical amplifiers. — Pauli Kiiveri and Simo Tammela; **39** (7), 1943-50 (2000).

Wavelength-converting optical space switch using a semiconductor-optical-amplifier-based Mach-Zehnder interferometer. — Min-Ho Lee, Si-Mon Shin, and Sang-Kook Han; **39** (12), 3255-9 (2000).

Anisotropy

Simple apparatus for polarization sensing of analytes. — Zygmunt Gryczynski, Ignacy Gryczynski, and Joseph R. Lakowicz; **39** (9), 2351-8 (2000).

Annealing

Polymer light-emitting devices with poly(2-decyloxy-1,4-phenylene). — Chang Seoul and Won-Jun Song; **39** (3), 652-5 (2000).

Illumination-invariant face recognition using composite filters synthesized by simulated annealing. — David Duarte and Shizhuo Yin; **39** (5), 1252-9 (2000).

Efficient approach to segment man-made targets from unmanned aerial vehicle imagery. — Hairong Qi, Wesley E. Snyder, and David Marchette; **39** (5), 1267-74 (2000).

Apertures

Influence of in-plane displacement and double-aperture orientation on slope fringe formation in double-shearing-aperture speckle interferometry. — K. F. Wang, A. K. Tieu, and E. B. Li; **39** (8), 2124-8 (2000).

Architectures

Improved tracking capability and efficient radar allocation through the fusion of radar and infrared search-and-track observations. — S. S. Blackman, R. J. Dempster, S. H. Roszkowski, D. M. Sasaki, and P. F. Singer; **39** (5), 1391-8 (2000).

Arrays

Holographically recorded gratings on microlenses for a miniaturized spectrometer array. — S. Traut and H. P. Herzig; **39** (1), 290-8 (2000).

Focusing and coupling properties of collective micro-optics on fiber ribbons. — P. Chanclou, M. Thual, J. Lostec, D. Pavy, and M. Gadonna; **39** (2), 387-92 (2000).

Astigmatic light source in optical design software. — Simon Thibault; **39** (7), 1808-11 (2000).

Cylindrical microlens array fabricated by argon ion-beam etching. — Xinyu Zhang, Qingle Tang, Xinjian Yi, Zhi Zhang, and Xiandeng Pei; **39** (11), 3001-7 (2000).

Telescope arrays in coherent lidar wind measurement. — Adelina Ouisse, Ines Leike, and Christian Werner; **39** (12), 3220-31 (2000).

Aspherics

Ophthalmic lens design with the optimization of the aspherical coefficients. — Wen-Shing Sun, Chuen-Lin Tien, Ching-Cherng Sun, Ming-Wen Chang, and Horng Chang; **39** (4), 978-88 (2000).

Use of implicitly defined optical surfaces for the design of imaging and illumination systems. — Scott A. Lerner and Jose M. Sasian; **39** (7), 1796-801 (2000).

Tolerance analysis of null lenses using an end-use system performance criterion. — J. Michael Rodgers; **39** (7), 1812-5 (2000).

Associative memory

Shift-invariant optoelectronic associative memory by using a cascade of correlators. — Rafal Kasztelanic, Juan Campos, and Katarzyna Chalasinska-Macukow; **39** (4), 993-1001 (2000).

Atmospheric optics

Extraction of planetary wave information from signals collected by a Bomem interferometer. — Rezaul Haque and Patrick J. Espy; **39** (6), 1527-35 (2000).

Comparison between super low ionization ratio and reach through avalanche photodiode structures. — Tamer F. Refaat, Gary E. Halama, and Russell J. DeYoung; **39** (10), 2642-50 (2000).

Scintillation model for a satellite communication link at large zenith angles. — Larry C. Andrews, Ronald L. Phillips, and Cynthia Young Hopen; **39** (12), 3272-80 (2000).

Two-dimensional optical wavefront measurements using a small-aperture beam technique derivative instrument. — Edward J. Fitzgerald and Eric J. Jumper; **39** (12), 3285-93 (2000).

Attenuation

Chromium aluminum oxide films for ArF line high transmittance attenuated phase shifting mask application. — Eunah Kim, Seong-yong Moon, Yong-hoon Kim, Hee-sun Yoon, and Kwangsoo No; **39** (11), 2947-55 (2000).

Automatic target recognition

Distortion-tolerant minimum-mean-squared-error filter for detecting noisy targets in environmental degradation. — Francis Chan, Nasser Towghi, Luting Pan, and Bahram Javidi; **39** (8), 2092-100 (2000).

Backgrounds

Means of eliminating background effects for defect detection and visualization in infrared thermography. — Yuri A. Plotnikov, Nik Rajic, and William P. Winfree; **39** (4), 879-84 (2000).

Modeling anisotropic and fractal two-dimensional fields: a tool for image simulation. — Miguel N. Setas and José Manuel Rebordão; **39** (6), 1497-506 (2000).

Backscattering

Lateral migration radiography application to land mine detection, confirmation and classification. — Zhong Su, Alan Jacobs, Edward T. Dugan, Joseph Howley, and Jennifer Jacobs; **39** (9), 2472-9 (2000).

SUBJECT INDEX

Bandwidth
Multiwavelength fringe scanning profilometry for wide gapped sample. — Minghong Tsai, Hongxin Huang, Masahide Itoh, and Toyohiko Yatagai; **39** (4), 970-7 (2000).

Beams
Parametric study of photorefractive beam coupling in $BaTiO_3$ at multiple wavelengths. — M. H. Majles Ara, C. Vijayan, N. Krishna Mohan, and R. S. Sirohi; **39** (2), 535-40 (2000).
Plane-wave and Gaussian-beam scattering on an infinite cylinder. — Janusz Mroczka and Dariusz Wysoczański; **39** (3), 763-70 (2000).
Lens axicons illuminated by Gaussian beams for generation of uniform-axial intensity Bessel fields. — Jixiong Pu, Huihua Zhang, and Shojiro Nemoto; **39** (3), 803-7 (2000).
Theoretical model and experimental studies of infrared radiation propagation in hollow plastic and glass waveguides. — A. Inberg, M. Ben-David, M. Oksman, A. Katzir, and N. Croitoru; **39** (5), 1316-20 (2000).

Beamsplitters
Beamsplitter testing using temporal coherence. — Arun Anand and C. S. Narayanamurthy; **39** (11), 3084-8 (2000).

Binary data
Iterative design of morphological binary image operators. — Nina S. T. Hirata, Edward R. Dougherty, and Junior Barrera; **39** (12), 3106-23 (2000).

Birefringence
Phase nonlinearity extrema in Zeeman heterodyne interferometry. — J. M. De Freitas; **39** (2), 572-5 (L) (2000).
Birefringence distribution in magneto-optical disk substrate fabricated by injection compression molding. — Shinill Kang, Jong Sung Kim, and Hyun Kim; **39** (3), 689-94 (2000).
Beat-length measurement of high-birefringence polarization-maintaining optical fiber using the dc Faraday magneto-optic effect. — Dave Irvine-Halliday, Muhammad Raziullah Khan, and Peng-Gang Zhang; **39** (5), 1310-5 (2000).
Circular polarization filters made of chiral sculptured thin films: experimental and simulation results. — Qihong Wu, Ian J. Hodgkinson, and Akhlesh Lakhtakia; **39** (7), 1863-8 (2000).
Simultaneous measurement of strain and temperature using interferometrically interrogated fiber Bragg grating sensors. — L. A. Ferreira, Francisco M. Araújo, José L. Santos, and Faramarz Farahi; **39** (8), 2226-34 (2000).
Analysis of polarization characteristics of reflection-type photopolymer for stabilization. — Eun-Seok Kim and Nam Kim; **39** (9), 2506-10 (2000).

Bragg gratings
Analysis of the flyback effects on the serrodyne interferometric demodulation of fiber optic Bragg grating sensors. — P. A. S. Jorge, L. A. Ferreira, and J. L. Santos; **39** (5), 1399-404 (2000).
Optical fiber telemetry systems for measurement-while-drilling applications. — R. Stephen Weis, Brent L. Bachim, Brad M. Beadle, and Marvin Gearhart; **39** (6), 1591-6 (2000).
Design of high finesse, wideband Fabry-Pérot filter based on chirped fiber Bragg grating by numerical method. — Xindong Peng and Chandra Roychoudhuri; **39** (7), 1858-62 (2000).
Temperature insensitive fiber optic accelerometer using a chirped Bragg grating. — Stephanus J. Spammer and Peter L. Fuhr; **39** (8), 2177-81 (2000).
Simultaneous measurement of strain and temperature using interferometrically interrogated fiber Bragg grating sensors. — L. A. Ferreira, Francisco M. Araújo, José L. Santos, and Faramarz Farahi; **39** (8), 2226-34 (2000).

Calibration
Theory and arrangements of self-calibrating whole-body three-dimensional measurement systems using fringe projection technique. — Wolfgang Schreiber and Gunther Notni; **39** (1), 159-69 (2000).
Calibration, parameter estimation, and accuracy enhancement of a four-dimensional imager camera turntable system. — Xiang Sean Zhou, Ruihua Yin, Wenjian Wang, Xiaogu Wu, and William G. Wee; **39** (1), 170-4 (2000).
Precision calibration and systematic error reduction in the long trace profiler. — Shinan Qian, Giovanni Sostero, and Peter Z. Takacs; **39** (1), 304-10 (2000).

Cameras
Eye-safe digital 3-D sensing for space applications. — J.-A. Beraldin, F. Blais, M. Rioux, L. Cournoyer, D. Laurin, and S. G. MacLean; **39** (1), 196-211 (2000).
Brightness calibration of charge-coupled device camera systems. — Hassen Zghal and Hoda A. ElMaraghy; **39** (2), 336-46 (2000).
Spectral and radiometric calibration of midwave and longwave infrared cameras. — Marc D. Mermelstein, Keith A. Snail, and Richard G. Priest; **39** (2), 347-52 (2000).
Nonuniformity correction scheme for an infrared camera including the background effect due to camera temperature variation. — June Keun Ji, Jae Ryong Yoon, and Kyuman Cho; **39** (4), 936-40 (2000).
Online measurement of the sizes of standard wire sieves using an optical Fourier transform. — Guangjun Zhang and Shenghua Ye; **39** (4), 1098-102 (2000).
Feasibility study on low-resolution uncooled thermal imagers for home-security applications. — Tzong-Sheng Lee and Jin-Shown Shie; **39** (6), 1431-40 (2000).
Three-dimensional water-flow reconstruction by stereo cameras. — Tzu-Lun Weng and Yung-Nien Sun; **39** (11), 2922-30 (2000).

Charge-coupled devices
Direct shape measurement by digital wavefront reconstruction and multiwavelength contouring. — Christophe Wagner, Wolfgang Osten, and Soenke Seebacher; **39** (1), 79-85 (2000).
Brightness calibration of charge-coupled device camera systems. — Hassen Zghal and Hoda A. ElMaraghy; **39** (2), 336-46 (2000).
Online measurement of the sizes of standard wire sieves using an optical Fourier transform. — Guangjun Zhang and Shenghua Ye; **39** (4), 1098-102 (2000).
Three-dimensional shape recovery from the focused-image surface. — Tae S. Choi and Joungil Yun; **39** (5), 1321-6 (2000).
Color measurement in standard CIELAB coordinates using a 3CCD camera: correction for the influence of the light source. — Montse Corbalán, Maria S. Millán, and Maria J. Yzuel; **39** (6), 1470-6 (2000).

Circuits
Sampling-interpolation modulation transfer function as the envelope of the interpolated output. — Abraham Friedenberg; **39** (2), 520-6 (2000).
Analysis of crosstalk between single-mode rectangular optical waveguides. — Yuri Sikorski, Robert T. Deck, Anca L. Sala, and Brian G. Bagley; **39** (8), 2015-21 (2000).

Clustering
Contextual clustering for image segmentation. — Andrea Baraldi, Palma Blonda, Flavio Parmiggiani, and Giuseppe Satalino; **39** (4), 907-23 (2000).
Adaptive image restoration based on hierarchical neural networks. — Kim Hui Yap and Ling Guan; **39** (7), 1877-90 (2000).

Clutter
Evaluation of human detection performance of targets embedded in natural and enhanced infrared images using image metrics. — G. Aviram and S. R. Rotman; **39** (4), 885-96 (2000).

Coded apertures
Precompensation approach for improving the quality of laser direct writing patterns by a modified proximity function. — Jinglei Du, Fuhua Gao, Yongkang Guo, Chunlei Du, Chuankai Qiu, and Zheng Cui; **39** (3), 771-5 (2000).

Coding
Markov system for image vector quantization coding. — Shen-Chuan Tai, Yung-Gi Wu, and Ling-Shiou Huang; **39** (5), 1338-43 (2000).
Predictive subcodebook search algorithm for vector quantization. — Yu-Chen Hu and Chin-Chen Chang; **39** (6), 1489-96 (2000).
New video segmentation algorithm using a combined segmentation measure for content-based coding. — Kun-Woen Song, Kyeong-Man Kim, Kyu-Phil Han, Jae-Yeal Nam, and Yeong-Ho Ha; **39** (8), 2036-45 (2000).
Gradient match vector quantizers for images. — Hsuan T. Chang; **39** (8), 2046-57 (2000).
Efficient fractal video coding algorithm using intercube correlation search. — Chou-Chen Wang and Chaur-Heh Hsieh; **39** (8), 2058-64 (2000).
Predictive classifier for image vector quantization. — Shen-Chuan Tai, Yung-Gi Wu, and I-Sheng Kuo; **39** (9), 2372-80 (2000).
Fast discrete cosine transform structure suitable for implementation with integer computation. — Yeonsik Jeong and Imgeun Lee; **39** (10), 2672-6 (2000).

Coherence
Beamsplitter testing using temporal coherence. — Arun Anand and C. S. Narayanamurthy; **39** (11), 3084-8 (2000).

Coherent optical systems
Coherent laser radar performance in littoral environments—a statistical analysis based on weather observations. — Frank Hanson; **39** (11), 3044-52 (2000).

Collimation
Using fiber butt coupling for light delivery to the write/read objective in optical recording. — Yakov Sidorin and Dennis G. Howe; **39** (3), 787-91 (2000).
Optical encoder based on the Lau effect. — Daniel Crespo, José Alonso, Tomás Morlanes, and Eusebio Bernabeu; **39** (3), 817-24 (2000).
Astigmatic light source in optical design software. — Simon Thibault; **39** (7), 1808-11 (2000).

Color
Wavelet-based approach to adaptive Wiener filtering of images in the presence of colored noise. — Ioannis M. Stephanakis and Stefanos D. Kollias; **39** (5), 1354-63 (2000).
Color measurement in standard CIELAB coordinates using a 3CCD camera: correction for the influence of the light source. — Montse Corbalán, Maria S. Millán, and Maria J. Yzuel; **39** (6), 1470-6 (2000).
Physically based dual representation of spectral functions. — Yinlong Sun, F. David Fracchia, and Mark S. Drew; **39** (11), 2931-42 (2000).

Combustion
Quantitative imaging of OH concentrations in a swirling methane jet flame via single-pulse laser-induced predissociative fluorescence. — Yei-Chin Chao, Der-Chyun Wu, and Tsarng-Sheng Cheng; **39** (6), 1441-9 (2000).

Computed tomography
Computed-tomography-based precision inspection and shape extraction using facet model. — Wenjian Wang, Xiaogu Wu, and William G. Wee; **39** (1), 114-26 (2000).

Computer vision
Spatial enhancement of elevation data using a single multispectral image. — Mark J. Carlotto; **39** (2), 430-7 (2000).
Engineering design of an image acquisition and analysis system for dendrochronology. — W. Steven Conner, Robert A. Schowengerdt, Martin Munro, and Malcolm K. Hughes; **39** (2), 453-63 (2000).
Target classification via support vector machines. — Robert E. Karlsen, David J. Gorsich, and Grant R. Gerhart; **39** (3), 704-11 (2000).
Three-dimensional water-flow reconstruction by stereo cameras. — Tzu-Lun Weng and Yung-Nien Sun; **39** (11), 2922-30 (2000).
Fabric defect segmentation using multichannel blob detectors. — Ajay Kumar and Grantham Pang; **39** (12), 3176-90 (2000).

Concentrators
Development of nonimaging optics for particle counters. — J. Luo, A. Trampe, and H. Fissan; **39** (4), 1009-15 (2000).

Confocal microscopy
Confocal principle for macro- and microscopic surface and defect analysis. — Hans J. Tiziani, Michael Wegner, and Daniela Steudle; **39** (1), 32-9 (2000).

Conformal optics
Conformal dome correction with counterrotating phase plates. — Scott W. Sparrold, James P. Mills, David J. Knapp, Kenneth S. Ellis, Thomas A. Mitchell, and Paul K. Manhart; **39** (7), 1822-9 (2000).

Cooling
Monolithic integration of thin-film coolers with optoelectronic devices. — Christopher LaBounty, Ali Shakouri, Patrick Abraham, and John E. Bowers; **39** (11), 2847-52 (2000).

Correlators
Holographic multichannel radio-frequency correlator. — George A. Sefler, Jian Ma, Tallis Y. Chang, and John H. Hong; **39** (1), 260-6 (2000).
Results from real-time laser speckle-shift strain measurement system. — Margaret L. Tuma, Lawrence C. Greer, III , Michael J. Krasowski, Lawrence G. Oberle, Kristie A. Elam, and Dan C. Spina; **39** (2), 498-504 (2000).
Modification algorithms for improving the performance of holographically stored multiplexed correlation filters. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1122-32 (2000).
Improving the false alarm capabilities of the maximum average correlation height correlation filter. — Mohamed Alkanhal, B. V. K. Vijaya Kumar, and Abhijit Mahalanobis; **39** (5), 1133-41 (2000).
Heteroassociative correlation filter using cross-correlation enhancement. — Jehad Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1142-8 (2000).
Amplitude-modulated radial harmonic filters. — Jianping Yao and Leonard Chin; **39** (5), 1149-55 (2000).
Circular optimal trade-off and distance-classifier correlation filters. — Samuel P. Kozaitis and Sila Thangwaritorn; **39** (5), 1162-8 (2000).

Phase-encoded fringe-adjusted joint transform correlation. — Mohammad S. Alam; **39** (5), 1169-76 (2000).
Engineering aspects of the two-beam coupling correlator. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1177-83 (2000).
Normalized joint transform correlation for target recognition. — Shuqun Zhang and Mohammad A. Karim; **39** (5), 1184-9 (2000).
Orthogonal wavelets in nonlinear speckle reduction for improved target recognition. — Khan M. Iftekharuddin; **39** (5), 1211-7 (2000).
Relative performance of correlation-based and neural-network-based classifiers of aircraft using synthetic radar range profiles. — Christoph Nieuwoudt and Elizabeth C. Botha; **39** (5), 1245-51 (2000).
Production of computer-generated phase holograms using graphic devices: application to correlation filters. — Andrés Márquez, Juan Campos, María J. Yzuel, Inmaculada Pascual, Antonio Fimia, and Augusto Beléndez; **39** (6), 1612-9 (2000).
Polarization encoding for optical security systems. — Bahram Javidi and Takanori Nomura; **39** (9), 2439-43 (2000).
Rotation-invariant phase-shifting joint transform correlator by use of circular harmonic expansion. — Zhaoqi Wang, Jiuhong Guan, Guoguang Mu, and Rulian Fu; **39** (10), 2595-600 (2000).
Electronic compensation for nonideal spatial light modulator characteristics. — David M. Budgett, James H. Sharp, Pei C. Tang, Rupert C. D. Young, Brian F. Scott, and Christopher R. Chatwin; **39** (10), 2601-8 (2000).
Object recognition using three-dimensional correlation of range images. — Jáder Guerrero-Bermúdez, Jaime Meneses, and Oscar Gualdrón; **39** (10), 2828-31 (2000).
Image denoising using tree-based wavelet subband correlations and shrinkage. — James S. Walker and Ying-Jui Chen; **39** (11), 2900-8 (2000).
Systematic errors in digital image correlation caused by intensity interpolation. — Hubert W. Schreier, Joachim R. Braasch, and Michael A. Sutton; **39** (11), 2915-21 (2000).

Couplers

Parametric study of photorefractive beam coupling in $BaTiO_3$ at multiple wavelengths. — M. H. Majles Ara, C. Vijayan, N. Krishna Mohan, and R. S. Sirohi; **39** (2), 535-40 (2000).
Highly efficient linear waveguide modulator based on domain-inverted electro-optic polymers. — Suning Tang, Zan Shi, Dechang An, Lin Sun, and Ray T. Chen; **39** (3), 680-8 (2000).
All-optical fiber optic interface for sensors and actuators. — Pentti Karioja, Risto Jurva, Kimmo Keränen, Kari Tukkiniemi, Jouko Haapamaa, Ari Tervonen, and Marja Englund; **39** (4), 1032-7 (2000).
Vertically tapered polymer waveguide mode size transformer for improved fiber coupling. — Antao Chen, Vadim Chuyanov, Felix Ignacio Marti-Carrera, Sean Garner, William H. Steier, Jinghong Chen, Shajing Sun, and Larry R. Dalton; **39** (6), 1507-16 (2000).

Crystals

Polymer light-emitting devices with poly(2-decyloxy-1,4-phenylene). — Chang Seoul and Won-Jun Song; **39** (3), 652-5 (2000).
Calculating characteristics of noncollinear phase matching in uniaxial and biaxial crystals. — N. Boeuf, D. Branning, I. Chaperot, E. Dauler, S. Guérin, G. Jaeger, A. Muller, and A. Migdall; **39** (4), 1016-24 (2000).
Second-harmonic generation using an *a* axis Nd:MgO:$LiNbO_3$ single crystal fiber with Mg-ion indiffused cladding. — Wenxiu Que, Y. Zhou, Y. L. Lam, Y. C. Chan, C. H. Kam, Yujing Huo, and Xi Yao; **39** (10), 2804-9 (2000).

Data compression

Markov system for image vector quantization coding. — Shen-Chuan Tai, Yung-Gi Wu, and Ling-Shiou Huang; **39** (5), 1338-43 (2000).
Predictive classifier for image vector quantization. — Shen-Chuan Tai, Yung-Gi Wu, and I-Sheng Kuo; **39** (9), 2372-80 (2000).

Data processing

Self-calibration of a scanning white light interference microscope. — Satoshi Kiyono, Wei Gao, Shizhou Zhang, and Toru Aramaki; **39** (10), 2720-5 (2000).

Data storage

Holographic data storage by combined use of peristrophic, angular, and spatial multiplexing. — Ju-Seog Jang, Dong-Hak Shin, and Youn-Sup Park; **39** (11), 2975-81 (2000).

Deconvolution

Lidar profiling by long rectangular-like chopped laser pulses. — Dimitar V. Stoyanov, Ljuan L. Gurdev, George V. Kolarov, and Orlin I. Vankov; **39** (6), 1556-67 (2000).

Defect detection

Fabric defect segmentation using multichannel blob detectors. — Ajay Kumar and Grantham Pang; **39** (12), 3176-90 (2000).
Fringe compensation measurement in holographic interferometry using phase-shifted interferograms. — Attila Németh, János Kornis, and Zoltán Füzessy; **39** (12), 3196-200 (2000).

Deflectors

Scanning laser vibrometer for dynamic study of small features. — Bryan K. A. Ngoi and K. Venkatakrishnan; **39** (11), 2995-3000 (2000).

Deposition

Diamond-like carbon thin films as antireflective and protective coatings of GaAs elements and devices. — Lev Klibanov, Nathan Croitoru, Ady Seidman, Mordechai Gilo, and Reuben Dahan; **39** (4), 989-92 (2000).

Detection

Computed-tomography-based precision inspection and shape extraction using facet model. — Wenjian Wang, Xiaogu Wu, and William G. Wee; **39** (1), 114-26 (2000).
Engineering design of an image acquisition and analysis system for dendrochronology. — W. Steven Conner, Robert A. Schowengerdt, Martin Munro, and Malcolm K. Hughes; **39** (2), 453-63 (2000).
Sensitivity enhanced roll angle measurement. — Hong Jiang and Chunyong Yin; **39** (2), 516-9 (2000).
Real-time hyperspectral detection and cuing. — Christopher M. Stellman, Geoffrey G. Hazel, Frank Bucholtz, Joseph V. Michalowicz, Alan Stocker, and William Schaaf; **39** (7), 1928-35 (2000).
Map-based road detection in spaceborne synthetic aperture radar images based on curvilinear structure extraction. — Byoung-Ki Jeon, Jeong-Hun Jang, and Ki-Sang Hong; **39** (9), 2413-21 (2000).
Lateral migration radiography application to land mine detection, confirmation and classification. — Zhong Su, Alan Jacobs, Edward T. Dugan, Joseph Howley, and Jennifer Jacobs; **39** (9), 2472-9 (2000).
Contrasted statistical processing algorithm for obtaining improved target detection performances in infrared cluttered environment. — Zeev Zalevsky, David Mendlovic, Ehud Rivlin, and Stanley Rotman; **39** (10), 2609-17 (2000).
Edge detection in a homogeneous background using the phase-shift fringe projection method. — Mani Maran Ratnam; **39** (10), 2618-23 (2000).
Analysis of compatibility between lighting devices and descriptive features using Parzen's kernel: application to flaw inspection by artificial vision. — Pierre Geveaux, Sophie Kohler, Johel Miteran, and Frederic Truchetet; **39** (12), 3165-75 (2000).
Telescope arrays in coherent lidar wind measurement. — Adelina Ouisse, Ines Leike, and Christian Werner; **39** (12), 3220-31 (2000).

Detector arrays

Geometrical modulation transfer function for different pixel active area shapes. — Orly Yadid-Pecht; **39** (4), 859-65 (2000).
Optimum diode geometry in a two-dimensional photovoltaic array. — Vikram Dhar and Vishnu Gopal; **39** (8), 2022-30 (2000).
Lateral migration radiography application to land mine detection, confirmation and classification. — Zhong Su, Alan Jacobs, Edward T. Dugan, Joseph Howley, and Jennifer Jacobs; **39** (9), 2472-9 (2000).

Detectors

Optical strain sensor using position-sensitive detector and diffraction grating: error analysis. — Anand Asundi and Bing Zhao; **39** (6), 1645-51 (2000).
Novel navigation sensor for autonomous guide vehicle. — Wen Wei Zhang, Bao Hua Zhuang, and Yanxin Zhang; **39** (9), 2511-6 (2000).
Novel mid-infrared silicon/germanium detector concepts. — Hartmut Presting, Johannes Konle, Markus Hepp, Horst Kibbel, Klaus Thonke, Rolf Sauer, Elizabeth Corbin, and Milan Jaros; **39** (10), 2624-41 (2000).
Differential scrubbing in a microchannel-plate intensified CCD detector. — William T. Thompson; **39** (10), 2651-9 (2000).
Nonlinear response of quantum well infrared photodetectors under low-background and low-temperature conditions. — John E. Hubbs, Douglas C. Arrington, Mark E. Gramer, and Gary A. Dole; **39** (10), 2660-71 (2000).
Temperature-induced transient noise of pyroelectric thermal detector. — Muno Lee and Seongho Bae; **39** (11), 3076-83 (2000).
Identification and estimation of nonlinearity in constant-voltage-biased infrared sensor detected signals. — Mohammad S. Alam and Joe Predina; **39** (12), 3264-71 (2000).

Diamond

Radial shearing interferometer for in-process measurement of diamond turning. — Tsuguo Kohno, Daiji Matsumoto, Takanori Yazawa, and Yutaka Uda; **39** (10), 2696-9 (2000).

Dichroism

Phase nonlinearity extrema in Zeeman heterodyne interferometry. — J. M. De Freitas; **39** (2), 572-5 (L) (2000).

Diffraction

Moly: a prototype handheld three-dimensional digitizer with diffraction optics. — Tom Ditto and Douglas A. Lyon; **39** (1), 69-78 (2000).
Lens axicons illuminated by Gaussian beams for generation of uniform-axial intensity Bessel fields. — Jixiong Pu, Huihua Zhang, and Shojiro Nemoto; **39** (3), 803-7 (2000).
From Fresnel patterns to fractional Fourier transform through geometrical optics. — David Mas, Carlos Ferreira, Javier Garcia, and Luis M. Bernardo; **39** (6), 1427-30 (2000).
Optical strain sensor using position-sensitive detector and diffraction grating: error analysis. — Anand Asundi and Bing Zhao; **39** (6), 1645-51 (2000).
Combined scalar-vector method for the analysis of diffractive optical elements. — Dennis W. Prather and Shouyuan Shi; **39** (7), 1850-7 (2000).
Analysis of nematic-liquid-crystal binary gratings with high spatial frequency. — Manuel Bouvier and Toralf Scharf; **39** (8), 2129-37 (2000).
Eosin dye soaked gelatin as a recording medium. — D. Mangaiyarkarasi, P. K. Palanisamy, and Rajpal S. Sirohi; **39** (8), 2138-42 (2000).
Binary phase modulation using electrically addressed transmissive and silicon backplane spatial light modulators. — Clarence A. T. H. Tee, William A. Crossland, Timothy D. Wilkinson, and Anthony B. Davey; **39** (9), 2527-34 (2000).

Diffractive optical elements

Combined scalar-vector method for the analysis of diffractive optical elements. — Dennis W. Prather and Shouyuan Shi; **39** (7), 1850-7 (2000).
Investigation of direct milling of micro-optical elements with continuous relief on a substrate by focused ion beam technology. — Fu Yongqi and Bryan Kok Ann Ngoi; **39** (11), 3008-13 (2000).

Diffractive optics

Space-invariant patches in diffraction-limited imaging. — Jingfeng Liu, Veerappa Boopathi, Tow Chong Chong, Yihong Wu, and Zhengmin Li; **39** (2), 396-400 (2000).
Production of computer-generated phase holograms using graphic devices: application to correlation filters. — Andrés Márquez, Juan Campos, María J. Yzuel, Inmaculada Pascual, Antonio Fimia, and Augusto Beléndez; **39** (6), 1612-9 (2000).

Diffusers

Statistics of the dynamic speckle produced by a rotating diffuser and its application to the assessment of paint drying. — Graciela G. Romero, Elvio E. Alanís, and Héctor J. Rabal; **39** (6), 1652-8 (2000).

Diffusion

Interferometric measurement of diffusion coefficients through a scanning laser beam. — Elvio E. Alanís, Graciela G. Romero, and Carlos C. Martínez; **39** (3), 744-50 (2000).
Efficient approach to segment man-made targets from unmanned aerial vehicle imagery. — Hairong Qi, Wesley E. Snyder, and David Marchette; **39** (5), 1267-74 (2000).

Digital imaging

Engineering design of an image acquisition and analysis system for dendrochronology. — W. Steven Conner, Robert A. Schowengerdt, Martin Munro, and Malcolm K. Hughes; **39** (2), 453-63 (2000).
Color measurement in standard CIELAB coordinates using a 3CCD camera: correction for the influence of the light source. — Montse Corbalán, María S. Millán, and María J. Yzuel; **39** (6), 1470-6 (2000).
Objective automatic assessment of pilling in fabrics by image analysis. — Héctor C. Abril, María S. Millán, and Yezid Torres; **39** (6), 1477-88 (2000).
Systematic errors in digital image correlation caused by intensity interpolation. — Hubert W. Schreier, Joachim R. Braasch, and Michael A. Sutton; **39** (11), 2915-21 (2000).
Applying the eigenfaces and Fisherfaces methods to circuit-board inspection. — Estille Whittenberger, Alejandro E. Brito, and Sergio D. Cabrera; **39** (12), 3154-64 (2000).
Reliable watermark detection method based on analysis of correlation. — Hyun-Soo Kang, Jae Gark Choi, Si-Woong Lee, and Sun-Jae Cho; **39** (12), 3308-16 (2000).

SUBJECT INDEX

Digital processing
Results from real-time laser speckle-shift strain measurement system. — Margaret L. Tuma, Lawrence C. Greer, III , Michael J. Krasowski, Lawrence G. Oberle, Kristie A. Elam, and Dan C. Spina; **39** (2), 498-504 (2000).

Digital recording
Properties of digital holography based on in-line configuration. — Lei Xu, Jianmin Miao, and Anand Asundi; **39** (12), 3214-9 (2000).

Diode lasers
High-repetition-rate 2-J Nd:YAG oscillator-amplifier system. — Kazuyoku Tei, Masaaki Kato, Fumiaki Matsuoka, Yosito Niwa, Yoichiro Maruyama, Tohru Matoba, and Takasi Arisawa; **39** (1), 320-2 (2000).
Focusing and coupling properties of collective micro-optics on fiber ribbons. — P. Chanclou, M. Thual, J. Lostec, D. Pavy, and M. Gadonna; **39** (2), 387-92 (2000).
Surface roughness measurement in the submicrometer range using laser scattering. — S. H. Wang, Chenggen Quan, C. J. Tay, and H. M. Shang; **39** (6), 1597-601 (2000).
Astigmatic light source in optical design software. — Simon Thibault; **39** (7), 1808-11 (2000).
Determination of ammonia in environmental samples using the diode laser/fiber optic colorimetric spectrometer. — Sung-Ho Kim, Gill Sang Byun, and Seongsik Hong; **39** (7), 1985-8 (2000).

Diodes
Modeling and analysis of optical interconnect systems using equivalent circuit models. — Seung-Woo Lee, Eun-Chang Choi, Sang-Kook Han, and Woo-Young Choi; **39** (12), 3191-5 (2000).

Displays
Fabrication and characterization of a volumetric three-dimensional display using ion-exchanged integrated waveguides. — Cristian Penciu and D. L. MacFarlane; **39** (2), 565-71 (2000).
QR-RLS algorithm for error diffusion of color images. — Gozde Bozkurt Unal, Yasemin Yardimci, Orhan Arikan, and A. Enis Çetin; **39** (11), 2860-6 (2000).

Distance measurement
Distance measurement using the self-mixing effect in a three-electrode distributed Bragg reflector laser diode. — Grégory Mourat, Noël Servagent, and Thierry Bosch; **39** (3), 738-43 (2000).

Distance transform
Nonparametric hierarchical Hausdorff distance matching algorithm. — Oh-Kyu Kwon, Dong-Gyu Sim, and Rae-Hong Park; **39** (7), 1917-27 (2000).

Distortion
Highly efficient linear waveguide modulator based on domain-inverted electro-optic polymers. — Suning Tang, Zan Shi, Dechang An, Lin Sun, and Ray T. Chen; **39** (3), 680-8 (2000).
Pushbroom imaging spectrometer with high spectroscopic data fidelity: experimental demonstration. — Pantazis Mouroulis and Michael M. McKerns; **39** (3), 808-16 (2000).
Analysis of continuously distorted quasi-periodic images: two-dimensional reconstruction of *S* layers of cyanobacteria. — Vladislav Krzyžánek; **39** (4), 872-8 (2000).
Analysis of Slyusarev optical wedge distortion. — Wenwei Mao and Boxiong Wang; **39** (6), 1722-4 (2000).

Edges
Engineering design of an image acquisition and analysis system for dendrochronology. — W. Steven Conner, Robert A. Schowengerdt, Martin Munro, and Malcolm K. Hughes; **39** (2), 453-63 (2000).
Edge detection in a homogeneous background using the phase-shift fringe projection method. — Mani Maran Ratnam; **39** (10), 2618-23 (2000).
Noise-adaptive edge-preserving image restoration algorithm. — Sung Cheol Park and Moon Gi Kang; **39** (12), 3124-37 (2000).

Electro-optics
Polymeric electro-optic materials: optimization of electro-optic activity, minimization of optical loss, and fine-tuning of device performance. — Larry R. Dalton; **39** (3), 589-95 (2000).
Investigation of the electro-optic properties of electron-irradiated poly(vinylidene fluoride-trifluoroethylene) copolymer. — Shizhuo Yin, Qiming Zhang, Kun-Wook Chung, Rui Yang, Zhongyang Cheng, and Yu Lu; **39** (3), 670-2 (2000).
Tapered optical-fiber-based pressure sensor. — Cándido Bariáin, Ignacio R. Matías, Francisco J. Arregui, and Manuel López-Amo; **39** (8), 2241-7 (2000).
Target position extraction based on instantaneous frequency estimation in a fixed-reticle seeker. — Sung-Hyun Han, Hyun-Ki Hong, Sumg-Gabb Jahng, Dong-Sun Seo, and Jong-Soo Choi; **39** (9), 2568-73 (2000).

Electron microscopy
Applying branching processes theory for building a statistical model for scanning electron microscope signals. — Ira Cohen, Rotem Golan, and Stanley R. Rotman; **39** (1), 254-9 (2000).

Electrons
Coherent synchrotron radiation in the far infrared from a 1-mm electron bunch. — Åke Andersson, Matthew S. Johnson, and Bengt Nelander; **39** (12), 3099-105 (2000).

Ellipsometry
Interphase in plasma-deposited silicon nitride optical films on polycarbonate: *in situ* ellipsometric characterization. — Adam Bergeron, Daniel Poitras, and Ludvik Martinu; **39** (3), 825-31 (2000).

Encoding
Optical encoder based on the Lau effect. — Daniel Crespo, José Alonso, Tomás Morlanes, and Eusebio Bernabeu; **39** (3), 817-24 (2000).
Polarization encoding for optical security systems. — Bahram Javidi and Takanori Nomura; **39** (9), 2439-43 (2000).
Double random fractional Fourier-domain encoding for optical security. — G. Unnikrishnan and Kehar Singh; **39** (11), 2853-9 (2000).

Entropy
Defining the notion of visual pattern for predicting visual target distinctness in a complex rural background. — Xose R. Fdez-Vidal, J. A. Garcia, J. Fdez-Valdivia, and Rosa Rodriguez-Sanchez; **39** (2), 415-29 (2000).
Automatic moving object extraction toward compact video representation. — Jianping Fan, Gen Fujita, Makoto Furuie, Takao Onoye, Isao Shirakawa, and Lide Wu; **39** (2), 438-52 (2000).

Etalons
High-performance Fabry-Perot etalon mount for spaceflight. — Jack A. McKay and David Rees; **39** (1), 315-9 (2000).

Etching
Cylindrical microlens array fabricated by argon ion-beam etching. — Xinyu Zhang, Qingle Tang, Xinjian Yi, Zhi Zhang, and Xiandeng Pei; **39** (11), 3001-7 (2000).

Extinction
Control method to maintain the maximum extinction ratio of output optical pulses from an intensity modulator. — Shih-Chu Huang, Jiunn-Song Tsay, and Wuu-Wen Lin; **39** (8), 2214-9 (2000).

Extreme ultraviolet
Design approach and comparison of projection cameras for EUV lithography. — Scott A. Lerner, Jose M. Sasian, and Michael R. Descour; **39** (3), 792-802 (2000).
Differential scrubbing in a microchannel-plate intensified CCD detector. — William T. Thompson; **39** (10), 2651-9 (2000).

Fabry-Perot
High-performance Fabry-Perot etalon mount for spaceflight. — Jack A. McKay and David Rees; **39** (1), 315-9 (2000).
Simple and low-cost technique for wavelength division multiplexing channel monitoring. — Mario Iodice, Giuseppe Cocorullo, Francesco G. Della Corte, and Ivo Rendina; **39** (6), 1704-11 (2000).
Design of high finesse, wideband Fabry-Pérot filter based on chirped fiber Bragg grating by numerical method. — Xindong Peng and Chandra Roychoudhuri; **39** (7), 1858-62 (2000).

Far infrared
Coherent synchrotron radiation in the far infrared from a 1-mm electron bunch. — Åke Andersson, Matthew S. Johnson, and Bengt Nelander; **39** (12), 3099-105 (2000).

Feature detection
Forest representation of wavelet transform and feature detection. — Zikuan Chen and Mohammad A. Karim; **39** (5), 1194-202 (2000).

Feature selection
Analysis of compatibility between lighting devices and descriptive features using Parzen's kernel: application to flaw inspection by artificial vision. — Pierre Geveaux, Sophie Kohler, Johel Miteran, and Frederic Truchetet; **39** (12), 3165-75 (2000).

Feedback
Distance measurement using the self-mixing effect in a three-electrode distributed Bragg reflector laser diode. — Grégory Mourat, Noël Servagent, and Thierry Bosch; **39** (3), 738-43 (2000).

Fiber applications
Analysis of nonlinear response in erbium-doped fiber amplifiers. — Cheng-Kuang Liu, Fu-Shun Lai, and Jau-Ji Jou; **39** (6), 1548-55 (2000).
Design and fabrication of erbium-doped fibers for optical amplifiers. — Pauli Kiiveri and Simo Tammela; **39** (7), 1943-50 (2000).

Fiber optic applications
Optical fiber telemetry systems for measurement-while-drilling applications. — R. Stephen Weis, Brent L. Bachim, Brad M. Beadle, and Marvin Gearhart; **39** (6), 1591-6 (2000).
Simultaneous measurement of strain and temperature using interferometrically interrogated fiber Bragg grating sensors. — L. A. Ferreira, Francisco M. Araújo, José L. Santos, and Faramarz Farahi; **39** (8), 2226-34 (2000).
Compact focus heads for high-power Nd:YAG laser processing. — Yunan Guo and Dave Farson; **39** (9), 2345-50 (2000).

Fiber optic sensors
Effect of surface oxyfluorination on the bonding between acrylic coated optical fiber and cementitious and polyester resin matrices. — Pieter L. Swart, Lin Tu, and Anatoli A. Chtcherbakov; **39** (4), 1038-43 (2000).
Analysis of the flyback effects on the serrodyne interferometric demodulation of fiber optic Bragg grating sensors. — P. A. S. Jorge, L. A. Ferreira, and J. L. Santos; **39** (5), 1399-404 (2000).
Signal processing for a high-spatial-resolution distributed sensor. — Michael D. DeMerchant, Anthony W. Brown, Xiaoyi Bao, and Theodore W. Bremner; **39** (6), 1632-5 (2000).
Mach-Zehnder and Michelson topologies for self-referencing fiber optic intensity sensors. — José M. Baptista, José L. Santos, and Armindo S. Lage; **39** (6), 1636-44 (2000).
Spatiotemporal phase unwrapping and its application in fringe projection fiber optic phase-shifting profilometry. — Hong Zhang, Fang Wu, Michael J. Lalor, and David R. Burton; **39** (7), 1958-64 (2000).
Extrinsic and intrinsic fiber optic Sagnac ultrasound sensors. — Pavel A. Fomitchov, Sridhar Krishnaswamy, and Jan D. Achenbach; **39** (7), 1972-84 (2000).
Application of CdSe-nanocrystallite-doped glass for temperature measurements in fiber sensors. — Claudia Sifuentes, Yuri O. Barmenkov, Andrei N. Starodumov, Valery N. Filippov, and Andrey A. Lipovskii; **39** (8), 2182-6 (2000).
Control method to maintain the maximum extinction ratio of output optical pulses from an intensity modulator. — Shih-Chu Huang, Jiunn-Song Tsay, and Wuu-Wen Lin; **39** (8), 2214-9 (2000).
Simultaneous measurement of strain and temperature using interferometrically interrogated fiber Bragg grating sensors. — L. A. Ferreira, Francisco M. Araújo, José L. Santos, and Faramarz Farahi; **39** (8), 2226-34 (2000).
Analysis of quasi-distributed optical sensors combining rf modulation with the FMCW method. — Miha Završnik and George Stewart; **39** (11), 3053-9 (2000).
Fiber optic voltage sensor for 420 kV electric power systems. — Klaus Bohnert, Jadran Kostovic, and Pascal Pequignot; **39** (11), 3060-7 (2000).
Pultruded fiber optic ribbon sensor for applications in severe environments. — Andrea Melloni, Andrea Gusmeroli, Mario Martinelli, and Paolo Guaita; **39** (11), 3068-75 (2000).
Fiber optic voltage sensor based on the photoelastic effect in a single-mode optical fiber. — Hoseong Kim and Jinwoo Jun; **39** (12), 3281-4 (2000).

Fiber optics
Absolute shape measurements using high-resolution optoelectronic holography methods. — Cosme Furlong and Ryszard J. Pryputniewicz; **39** (1), 216-23 (2000).
In-service cable-monitoring technique for hybrid fiber/coaxial networks based on frequency domain analysis incorporated with optical time-domain reflectometer and fiber benders. — Chien-Chung Lee and Sien Chi; **39** (2), 374-8 (2000).
Small-tilt micromirror-device-based multiwavelength three-dimensional 2×2 fiber optic switch structures. — Nabeel A. Riza and Sarun Sumriddetchkajorn; **39** (2), 379-86 (2000).
Focusing and coupling properties of collective micro-optics on fiber ribbons. — P. Chanclou, M. Thual, J. Lostec, D. Pavy, and M. Gadonna; **39** (2), 387-92 (2000).
Results from real-time laser speckle-shift strain measurement system. — Margaret L. Tuma, Lawrence C. Greer, III , Michael J. Krasowski, Lawrence G. Oberle, Kristie A. Elam, and Dan C. Spina; **39** (2), 498-504 (2000).

Beat-length measurement of high-birefringence polarization-maintaining optical fiber using the dc Faraday magneto-optic effect. — Dave Irvine-Halliday, Muhammad Raziullah Khan, and Peng-Gang Zhang; **39** (5), 1310-5 (2000).
Mach-Zehnder and Michelson topologies for self-referencing fiber optic intensity sensors. — José M. Baptista, José L. Santos, and Armindo S. Lage; **39** (6), 1636-44 (2000).
Temperature insensitive fiber optic accelerometer using a chirped Bragg grating. — Stephanus J. Spammer and Peter L. Fuhr; **39** (8), 2177-81 (2000).
Tapered optical-fiber-based pressure sensor. — Cándido Bariáin, Ignacio R. Matías, Francisco J. Arregui, and Manuel López-Amo; **39** (8), 2241-7 (2000).
All-fiber connectorized compact fiber optic delay-line modules using three-dimensional polarization optics. — Nicholas Madamopoulos and Nabeel A. Riza; **39** (9), 2338-44 (2000).
Novel measurement method for fiber optical cable television echo rating baseband parameter at subscriber. — Hai-Han Lu and Ching-Ting Lee; **39** (10), 2677-80 (2000).
Fiber optic voltage sensor for 420 kV electric power systems. — Klaus Bohnert, Jadran Kostovic, and Pascal Pequignot; **39** (11), 3060-7 (2000).

Fibers
Nonlinear coupling and optical switching in a β-carotene-doped twin-core polymer optical fiber. — Zhengjun Xiong, Gang Ding Peng, and Pak Lim Chu; **39** (3), 624-7 (2000).
Using fiber butt coupling for light delivery to the write/read objective in optical recording. — Yakov Sidorin and Dennis G. Howe; **39** (3), 787-91 (2000).
Hollow glass waveguides and silver halide fibers as scanning elements for CO_2 laser marking systems. — B. Dekel, A. Inberg, N. Croitoru, S. Shalem, and A. Katzir; **39** (5), 1384-90 (2000).
Second-harmonic generation using an a axis Nd:MgO:$LiNbO_3$ single crystal fiber with Mg-ion indiffused cladding. — Wenxiu Que, Y. Zhou, Y. L. Lam, Y. C. Chan, C. H. Kam, Yujing Huo, and Xi Yao; **39** (10), 2804-9 (2000).

Films
Study on photobleaching of PMMA/DR1 film by z-scan measurement. — Zhenhong Jia, Qu Li, and Jun Zhou; **39** (11), 2956-8 (2000).

Filtering
Optimal-trade-off filters for noise robustness, peak sharpness, and light efficiency in nonoverlapping background noise. — Yeong Kyeong Seong and Tae Sun Choi; **39** (2), 472-7 (2000).
Modification algorithms for improving the performance of holographically stored multiplexed correlation filters. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1122-32 (2000).
Heteroassociative correlation filter using cross-correlation enhancement. — Jehad Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1142-8 (2000).
Improved tracking capability and efficient radar allocation through the fusion of radar and infrared search-and-track observations. — S. S. Blackman, R. J. Dempster, S. H. Roszkowski, D. M. Sasaki, and P. F. Singer; **39** (5), 1391-8 (2000).
Ridge-line optimal detector. — Pierre Gouton, Hayet Laggoune, Remi Kouassi, and Michel Paindavoine; **39** (6), 1602-11 (2000).
0.13 μm photolithography using inverse Fourier transform convolution filtering. — Chongxi Zhou, Xiangang Luo, and Boru Feng; **39** (11), 2943-6 (2000).
Fabric defect segmentation using multichannel blob detectors. — Ajay Kumar and Grantham Pang; **39** (12), 3176-90 (2000).

Filters
Interphase in plasma-deposited silicon nitride optical films on polycarbonate: *in situ* ellipsometric characterization. — Adam Bergeron, Daniel Poitras, and Ludvik Martinu; **39** (3), 825-31 (2000).
Motion stereo based on Fourier local phase adaptive matching. — M. S. Park, D. Y. Kim, K. S. Roh, and T. S. Choi; **39** (4), 866-71 (2000).
Matrix methods of constructing wavelet filters and discrete hyper-wavelet transforms. — Guoqiu Wang; **39** (4), 1080-7 (2000).
Improving the false alarm capabilities of the maximum average correlation height correlation filter. — Mohamed Alkanhal, B. V. K. Vijaya Kumar, and Abhijit Mahalanobis; **39** (5), 1133-41 (2000).
Rotation-invariant synthetic discriminant function filter for pattern recognition. — Vahid R. Riasati, Partha P. Banerjee, Mustafa A. G. Abushagur, and Kenneth B. Howell; **39** (5), 1156-61 (2000).
Circular optimal trade-off and distance-classifier correlation filters. — Samuel P. Kozaitis and Sila Thangwaritorn; **39** (5), 1162-8 (2000).
Phase-encoded fringe-adjusted joint transform correlation. — Mohammad S. Alam; **39** (5), 1169-76 (2000).
Data reduction via the wavelet transform for the synthesis of the projection-slice filter. — Vahid R. Riasati, Hanying Zhou, Tien-Hsin Chao, and D. A. Gregory; **39** (5), 1218-22 (2000).
Illumination-invariant face recognition using composite filters synthesized by simulated annealing. — David Duarte and Shizhuo Yin; **39** (5), 1252-9 (2000).
Illumination-invariant face recognition using composite filters synthesized by simulated annealing. — David Duarte and Shizhuo Yin; **39** (5), 1252-9 (2000).
Computer-aided diagnostic detection system of venous beading in retinal images. — Ching-Wen Yang, Dye-Jyun Ma, Shuenn-Ching Chao, Chuin-Mu Wang, Chia-Hsin Wen, Chien-Shun Lo, Pau-Choo Chung, and Chein-I Chang; **39** (5), 1293-303 (2000).
Simple and low-cost technique for wavelength division multiplexing channel monitoring. — Mario Iodice, Giuseppe Cocorullo, Francesco G. Della Corte, and Ivo Rendina; **39** (6), 1704-11 (2000).
Probabilistic nonlinear diffusion image filter. — Chun Hung Li and Peter K. S. Tam; **39** (9), 2381-6 (2000).
New method for designing two-channel causal stable IIR perfect reconstruction filter banks and wavelet bases. — J. S. Mao, S. C. Chan, and K. L. Ho; **39** (10), 2810-20 (2000).
Object recognition using three-dimensional correlation of range images. — Jáder Guerrero-Bermúdez, Jaime Meneses, and Oscar Gualdrón; **39** (10), 2828-31 (2000).
Experimental realization of sculptured-thin-film polarization-discriminatory light-handedness inverters. — Ian J. Hodgkinson, Akhlesh Lakhtakia, and Qi hong Wu; **39** (10), 2831-4 (2000).

Flows
Comparison of laser-based drop-size measurement techniques and their application to dispersed liquid-liquid pipe flow. — Mark J. H. Simmons, Sohial H. Zaidi, and Barry J. Azzopardi; **39** (2), 505-9 (2000).
Study on drag forces of the molding flow in IC packaging using optical fiber sensors. — Yu-Lung Lo, Hsin-Yi Lai, and Ming-Hong Tsai; **39** (3), 832-7 (2000).
Measurements of velocity distribution along depth using low coherence interferometry. — Yoh Imai, Kazuhiro Tanaka, and Hiroshi Higo; **39** (4), 947-51 (2000).
Two-dimensional optical wavefront measurements using a small-aperture beam technique derivative instrument. — Edward J. Fitzgerald and Eric J. Jumper; **39** (12), 3285-93 (2000).

Fluorescence
Quantitative imaging of OH concentrations in a swirling methane jet flame via single-pulse laser-induced predissociative fluorescence. — Yei-Chin Chao, Der-Chyun Wu, and Tsarng-Sheng Cheng; **39** (6), 1441-9 (2000).
Fluorescent optical liquid-level sensor. — Jonathan D. Weiss; **39** (8), 2198-213 (2000).
Simple apparatus for polarization sensing of analytes. — Zygmunt Gryczynski, Ignacy Gryczynski, and Joseph R. Lakowicz; **39** (9), 2351-8 (2000).

Focal plane arrays
Nonuniformity correction scheme for an infrared camera including the background effect due to camera temperature variation. — June Keun Ji, Jae Ryong Yoon, and Kyuman Cho; **39** (4), 936-40 (2000).
Novel mid-infrared silicon/germanium detector concepts. — Hartmut Presting, Johannes Konle, Markus Hepp, Horst Kibbel, Klaus Thonke, Rolf Sauer, Elizabeth Corbin, and Milan Jaros; **39** (10), 2624-41 (2000).
Nonlinear response of quantum well infrared photodetectors under low-background and low-temperature conditions. — John E. Hubbs, Douglas C. Arrington, Mark E. Gramer, and Gary A. Dole; **39** (10), 2660-71 (2000).

Focus
Engineering design of an image acquisition and analysis system for dendrochronology. — W. Steven Conner, Robert A. Schowengerdt, Martin Munro, and Malcolm K. Hughes; **39** (2), 453-63 (2000).
Lens axicons illuminated by Gaussian beams for generation of uniform-axial intensity Bessel fields. — Jixiong Pu, Huihua Zhang, and Shojiro Nemoto; **39** (3), 803-7 (2000).
Three-dimensional shape recovery from the focused-image surface. — Tae S. Choi and Joungil Yun; **39** (5), 1321-6 (2000).

Focused ion beams
Investigation of direct milling of micro-optical elements with continuous relief on a substrate by focused ion beam technology. — Fu Yongqi and Bryan Kok Ann Ngoi; **39** (11), 3008-13 (2000).

Forward-looking infrared
Bayesian inference of thermodynamic state incorporating Schwarz-Rissanen complexity for infrared target recognition. — Aaron D. Lanterman; **39** (5), 1282-92 (2000).
Performance of an automatic target recognizer algorithm against real and two versions of synthetic imagery. — Clarence P. Walters, Carl W. Hoover, Jr. , and James A. Ratches; **39** (8), 2279-84 (2000).
Testing and evaluation of thermal cameras for absolute temperature measurement. — Krzysztof Chrzanowski, Joachim Fischer, and Robert Matyszkiel; **39** (9), 2535-44 (2000).

Fourier optics
Method for the determination of the focal length of a microlens. — Alma A. Camacho P., Cristina Solano, Moisés Cywiak, Geminiano Martínez-Ponce, and Rosario Baltazar; **39** (8), 2149-52 (2000).

Fourier spectroscopy
Improved method for efficient computation of Fourier transform spectrum with phase errors. — Ting Xing; **39** (2), 393-5 (2000).

Fourier transforms
Three-dimensional imaging using a tunable laser source. — Joseph C. Marron and Kurt W. Gleichman; **39** (1), 47-51 (2000).
Powerful frequency domain algorithm for frequency identification for projected grating phase analysis and its applications. — Minfu Lu, Xiaoyan He, and Sheng Liu; **39** (1), 137-42 (2000).
Improved method for efficient computation of Fourier transform spectrum with phase errors. — Ting Xing; **39** (2), 393-5 (2000).
Online measurement of the sizes of standard wire sieves using an optical Fourier transform. — Guangjun Zhang and Shenghua Ye; **39** (4), 1098-102 (2000).
Amplitude-modulated radial harmonic filters. — Jianping Yao and Leonard Chin; **39** (5), 1149-55 (2000).
From Fresnel patterns to fractional Fourier transform through geometrical optics. — David Mas, Carlos Ferreira, Javier Garcia, and Luis M. Bernardo; **39** (6), 1427-30 (2000).
Application of the discrete Fourier transform linear interpolation method in the measurement of volume scattering function at small angle. — Józef Borkowski and Janusz Mroczka; **39** (6), 1576-86 (2000).
Optical characterization of the state of fabric surfaces. — Marie-Ange Bueno, Bernard Durand, and Marc Renner; **39** (6), 1697-703 (2000).
Discussion on spatial resolution and sensitivity of Fourier transform fringe detection. — Bing Zhao and Anand Asundi; **39** (10), 2715-9 (2000).
Object recognition using three-dimensional correlation of range images. — Jáder Guerrero-Bermúdez, Jaime Meneses, and Oscar Gualdrón; **39** (10), 2828-31 (2000).
Double random fractional Fourier-domain encoding for optical security. — G. Unnikrishnan and Kehar Singh; **39** (11), 2853-9 (2000).
0.13 μm photolithography using inverse Fourier transform convolution filtering. — Chongxi Zhou, Xiangang Luo, and Boru Feng; **39** (11), 2943-6 (2000).
Comments on "Robust control of the multiple mirror telescope adaptive secondary mirror". — Rae-Hong Park; **39** (12), 3321-2 (T) (2000).

Fractals
Modeling anisotropic and fractal two-dimensional fields: a tool for image simulation. — Miguel N. Setas and José Manuel Rebordão; **39** (6), 1497-506 (2000).
Efficient fractal video coding algorithm using intercube correlation search. — Chou-Chen Wang and Chaur-Heh Hsieh; **39** (8), 2058-64 (2000).

Free-electron lasers
Improved optical cavity quality of a waveguide free-electron laser with hole coupling by using a grating. — Xiaojian Shu, Yuanzhang Wang, Yunqing Jiang, and Y. K. Ho; **39** (6), 1543-7 (2000).

Frequency modulation
Analysis of quasi-distributed optical sensors combining rf modulation with the FMCW method. — Miha Završnik and George Stewart; **39** (11), 3053-9 (2000).

Fringe analysis
Robust fringe analysis system for human body shape measurement. — Francis Lilley, Michael J. Lalor, and David R. Burton; **39** (1), 187-95 (2000).
Sampling-interpolation modulation transfer function as the envelope of the interpolated output. — Abraham Friedenberg; **39** (2), 520-6 (2000).
Novel full-field automated photoelastic analysis technique. — Liu Tong, Chai Gin Boay, and Anand Asundi; **39** (10), 2689-95 (2000).
Subfringe integration method for automatic analysis of moire deflection tomography. — Ming Wang, Li Ma, Dacheng Li, and Jingang Zhong; **39** (10), 2726-33 (2000).

Centering and profiling algorithm for processing Newton's rings fringe patterns. — Adrian Dobroiu, Adrian Alexandrescu, Dan Apostol, Victor Nascov, and Victor Damian; **39** (12), 3201-6 (2000).

Fuzzy logic
Results from real-time laser speckle-shift strain measurement system. — Margaret L. Tuma, Lawrence C. Greer, III , Michael J. Krasowski, Lawrence G. Oberle, Kristie A. Elam, and Dan C. Spina; **39** (2), 498-504 (2000).

Gabor expansion
Gabor representation of optical signals using a truncated von Neumann lattice and its practical implementation. — L. K. Stergioulas, A. Vourdas, and G. R. Jones; **39** (7), 1965-71 (2000).

Gabor filters
Motion stereo based on Fourier local phase adaptive matching. — M. S. Park, D. Y. Kim, K. S. Roh, and T. S. Choi; **39** (4), 866-71 (2000).

Gallium arsenide
Diamond-like carbon thin films as antireflective and protective coatings of GaAs elements and devices. — Lev Klibanov, Nathan Croitoru, Ady Seidman, Mordechai Gilo, and Reuben Dahan; **39** (4), 989-92 (2000).

Gaussian beams
Method for the determination of the focal length of a microlens. — Alma A. Camacho P., Cristina Solano, Moisés Cywiak, Geminiano Martínez-Ponce, and Rosario Baltazar; **39** (8), 2149-52 (2000).

Gaussian signals
Gabor representation of optical signals using a truncated von Neumann lattice and its practical implementation. — L. K. Stergioulas, A. Vourdas, and G. R. Jones; **39** (7), 1965-71 (2000).

Geometric optics
Moment patterns in the Radon space. — R. R. Galigekere, D. W. Holdsworth, M. N. S. Swamy, and Aaron Fenster; **39** (4), 1088-97 (2000).
From Fresnel patterns to fractional Fourier transform through geometrical optics. — David Mas, Carlos Ferreira, Javier Garcia, and Luis M. Bernardo; **39** (6), 1427-30 (2000).
Using ZEMAX Image Analysis and user-defined surfaces for projection lens design and evaluation for Digital Light Processing™ projection systems. — D. Scott Dewald; **39** (7), 1802-7 (2000).

Glass
Curved-ray technique to measure the stress profile in tempered glass. — G. Wayne Brodland and Allan T. Dolovich; **39** (9), 2501-5 (2000).

Gratings
Enhanced three-dimensional reconstruction of surfaces using multicolor gratings. — Bernard S. Gilbert and Joel H. Blatt; **39** (1), 52-60 (2000).
Moly: a prototype handheld three-dimensional digitizer with diffraction optics. — Tom Ditto and Douglas A. Lyon; **39** (1), 69-78 (2000).
Geometrically desensitized interferometry for shape measurement of flat surfaces and 3-D structures. — Peter de Groot, Xavier Colonna de Lega, and Dave Stephenson; **39** (1), 86-90 (2000).
Powerful frequency domain algorithm for frequency identification for projected grating phase analysis and its applications. — Minfu Lu, Xiaoyan He, and Sheng Liu; **39** (1), 137-42 (2000).
Holographically recorded gratings on microlenses for a miniaturized spectrometer array. — S. Traut and H. P. Herzig; **39** (1), 290-8 (2000).
High-performance polymeric componentry for telecom and datacom applications. — Louay Eldada, Robert Blomquist, Lawrence W. Shacklette, and Michael J. McFarland; **39** (3), 596-609 (2000).
Ultra-low-loss polymeric waveguide circuits for optical true-time delays in wideband phased-array antennas. — Suning Tang, Bulang Li, Nianhua Jiang, Dechang An, Zhenhai Fu, Linghui Wu, and Ray T. Chen; **39** (3), 643-51 (2000).
Investigation of the electro-optic properties of electron-irradiated poly(vinylidene fluoride-trifluoroethylene) copolymer. — Shizhuo Yin, Qiming Zhang, Kun-Wook Chung, Rui Yang, Zhongyang Cheng, and Yu Lu; **39** (3), 670-2 (2000).
Optical encoder based on the Lau effect. — Daniel Crespo, José Alonso, Tomás Morlanes, and Eusebio Bernabeu; **39** (3), 817-24 (2000).
Three channel phase-shifting interferometer using polarization-optics and a diffraction grating. — Andrea Hettwer, Jochen Kranz, and Johannes Schwider; **39** (4), 960-6 (2000).
Improved optical cavity quality of a waveguide free-electron laser with hole coupling by using a grating. — Xiaojian Shu, Yuanzhang Wang, Yunqing Jiang, and Y. K. Ho; **39** (6), 1543-7 (2000).
Production of computer-generated phase holograms using graphic devices: application to correlation filters. — Andrés Márquez, Juan Campos, María J. Yzuel, Inmaculada Pascual, Antonio Fimia, and Augusto Beléndez; **39** (6), 1612-9 (2000).
Optical strain sensor using position-sensitive detector and diffraction grating: error analysis. — Anand Asundi and Bing Zhao; **39** (6), 1645-51 (2000).
Analysis of nematic-liquid-crystal binary gratings with high spatial frequency. — Manuel Bouvier and Toralf Scharf; **39** (8), 2129-37 (2000).
Eosin dye soaked gelatin as a recording medium. — D. Mangaiyarkarasi, P. K. Palanisamy, and Rajpal S. Sirohi; **39** (8), 2138-42 (2000).
Pultruded fiber optic ribbon sensor for applications in severe environments. — Andrea Melloni, Andrea Gusmeroli, Mario Martinelli, and Paolo Guaita; **39** (11), 3068-75 (2000).

Grazing incidence
Systems engineering analysis of aplanatic Wolter type I x-ray telescopes. — Patrick L. Thompson and James E. Harvey; **39** (6), 1677-91 (2000).
Theory and practice of elliptically bent x-ray mirrors. — Malcolm R. Howells, Daniela Cambie, Robert M. Duarte, Steven Irick, Alasdair A. MacDowell, Howard A. Padmore, Timothy R. Renner, Seungyu Rah, and Reubin Sandler; **39** (10), 2748-62 (2000).
Fabrication, performance, and figure metrology of epoxy-replicated aluminum foils for hard x-ray focusing multilayer-coated segmented conical optics. — Mario A. Jimenez-Garate, William W. Craig, Charles J. Hailey, Finn E. Christensen, and Ahsen Hussain; **39** (11), 2982-94 (2000).

Guided waves
Control method to maintain the maximum extinction ratio of output optical pulses from an intensity modulator. — Shih-Chu Huang, Jiunn-Song Tsay, and Wuu-Wen Lin; **39** (8), 2214-9 (2000).

Gyroscopes
Kalman-filtering-based angular velocity estimation using infrared attitude information of spacecraft. — Yu Shi and Xian-Da Zhang; **39** (2), 551-7 (2000).

Halftones
QR-RLS algorithm for error diffusion of color images. — Gozde Bozkurt Unal, Yasemin Yardimci, Orhan Arikan, and A. Enis Çetin; **39** (11), 2860-6 (2000).

Hausdorff distance
Nonparametric hierarchical Hausdorff distance matching algorithm. — Oh-Kyu Kwon, Dong-Gyu Sim, and Rae-Hong Park; **39** (7), 1917-27 (2000).

Head-mounted displays
Wide-angle, off-axis, see-through head-mounted display. — Jannick P. Rolland; **39** (7), 1760-7 (2000).

Heterodyning
Phase nonlinearity extrema in Zeeman heterodyne interferometry. — J. M. De Freitas; **39** (2), 572-5 (L) (2000).
Telescope arrays in coherent lidar wind measurement. — Adelina Ouisse, Ines Leike, and Christian Werner; **39** (12), 3220-31 (2000).

High-power lasers
Compact focus heads for high-power Nd:YAG laser processing. — Yunan Guo and Dave Farson; **39** (9), 2345-50 (2000).

Histograms
Efficient approach to segment man-made targets from unmanned aerial vehicle imagery. — Hairong Qi, Wesley E. Snyder, and David Marchette; **39** (5), 1267-74 (2000).

Holograms
Primary photochemical process in films of dichromated gelatin: a quantitative approach. — Christophe Lafond, Christine Pizzocaro, Roger A. Lessard, and Michèle Bolte; **39** (3), 610-5 (2000).
Dynamic holographic telecommunications components based on spatial light modulation with pixelated $\chi^{(2)}$ polymers in a Fabry-Pérot cavity. — Adam D. Cohen and R. J. Mears; **39** (3), 633-42 (2000).
Production of computer-generated phase holograms using graphic devices: application to correlation filters. — Andrés Márquez, Juan Campos, María J. Yzuel, Inmaculada Pascual, Antonio Fimia, and Augusto Beléndez; **39** (6), 1612-9 (2000).

Holographic recording
Eosin dye soaked gelatin as a recording medium. — D. Mangaiyarkarasi, P. K. Palanisamy, and Rajpal S. Sirohi; **39** (8), 2138-42 (2000).

Holography
Moly: a prototype handheld three-dimensional digitizer with diffraction optics. — Tom Ditto and Douglas A. Lyon; **39** (1), 69-78 (2000).
Direct shape measurement by digital wavefront reconstruction and multiwavelength contouring. — Christophe Wagner, Wolfgang Osten, and Soenke Seebacher; **39** (1), 79-85 (2000).
Computer-assisted holographic moiré contouring. — C. A. Sciammarella; **39** (1), 99-105 (2000).
Absolute shape measurements using high-resolution optoelectronic holography methods. — Cosme Furlong and Ryszard J. Pryputniewicz; **39** (1), 216-23 (2000).
Application of optical shape measurement for the nondestructive evaluation of complex objects. — Wolfgang Osten; **39** (1), 232-43 (2000).
Simultaneous measurement of shape and deformation using digital light-in-flight recording by holography. — Bengt Nilsson and Torgny E. Carlsson; **39** (1), 244-53 (2000).
Massive parallel optical pattern recognition and retrieval via a two-stage high-capacity multichannel holographic random access memory system. — Luzhong Cai and Hua-Kuang Liu; **39** (2), 401-8 (2000).
Production of computer-generated phase holograms using graphic devices: application to correlation filters. — Andrés Márquez, Juan Campos, María J. Yzuel, Inmaculada Pascual, Antonio Fimia, and Augusto Beléndez; **39** (6), 1612-9 (2000).
In-line digital holographic sensor for monitoring and characterizing marine particulates. — Robert B. Owen and Alex A. Zozulya; **39** (8), 2187-97 (2000).
Volume holographic wavelet correlation processor. — Wenyi Feng, Yingbai Yan, Guofan Jin, Minxian Wu, and Qingsheng He; **39** (9), 2444-50 (2000).
Wavelet transform for detection of partial fringe patterns induced by defects in nondestructive testing of holographic interferometry and electronic speckle pattern interferometry. — Xide Li; **39** (10), 2821-7 (2000).
Multiplexed holograms in thick bacteriorhodopsin films for optical memory/interconnections. — Arkady S. Bablumian and Thomas F. Krile; **39** (11), 2964-74 (2000).
Holographic data storage by combined use of peristrophic, angular, and spatial multiplexing. — Ju-Seog Jang, Dong-Hak Shin, and Youn-Sup Park; **39** (11), 2975-81 (2000).
Fringe compensation measurement in holographic interferometry using phase-shifted interferograms. — Attila Németh, János Kornis, and Zoltán Füzessy; **39** (12), 3196-200 (2000).
Properties of digital holography based on in-line configuration. — Lei Xu, Jianmin Miao, and Anand Asundi; **39** (12), 3214-9 (2000).

Hough transforms
Connectionist model of the generalized Hough transform for optical implementation. — Zohreh Javadpour and John G. Keating; **39** (6), 1717-22 (2000).
Map-based road detection in spaceborne synthetic aperture radar images based on curvilinear structure extraction. — Byoung-Ki Jeon, Jeong-Hun Jang, and Ki-Sang Hong; **39** (9), 2413-21 (2000).
Optical implementation of the generalized Hough transform by use of multiplexed holograms. — Dong-Hak Shin and Ju-Seog Jang; **39** (9), 2431-8 (2000).

Illumination
Use of implicitly defined optical surfaces for the design of imaging and illumination systems. — Scott A. Lerner and Jose M. Sasian; **39** (7), 1796-801 (2000).
Astigmatic light source in optical design software. — Simon Thibault; **39** (7), 1808-11 (2000).
Automated design of a uniform distribution using faceted reflectors. — William J. Cassarly, Stuart R. David, David G. Jenkins, Andrew P. Riser, and Thomas L. Davenport; **39** (7), 1830-9 (2000).
Stripe illuminator based on LED array and parabolic mirror for active triangulation sensors used on mobile robots. — László Domján, László Kocsányi, Péter Richter, Sándor Várkonyi, and Wendelin Feiten; **39** (11), 2867-75 (2000).
New method of angular correction of a luxmeter photometric head. — Irena Fryc; **39** (12), 3260-3 (2000).
Identification and estimation of nonlinearity in constant-voltage-biased infrared sensor detected signals. — Mohammad S. Alam and Joe Predina; **39** (12), 3264-71 (2000).

Image acquisition/recording
Color measurement in standard CIELAB coordinates using a 3CCD camera: correction for the influence of the light source. — Montse Corbalán, María S. Millán, and María J. Yzuel; **39** (6), 1470-6 (2000).
Lateral migration radiography application to land mine detection, confirmation and classification. — Zhong Su, Alan Jacobs, Edward T. Dugan, Joseph Howley, and Jennifer Jacobs; **39** (9), 2472-9 (2000).

Image analysis

Comparison of laser-based drop-size measurement techniques and their application to dispersed liquid-liquid pipe flow. — Mark J. H. Simmons, Sohial H. Zaidi, and Barry J. Azzopardi; **39** (2), 505-9 (2000).

Document page segmentation based on pattern spread analysis. — Phillip E. Mitchell and Hong Yan; **39** (3), 724-34 (2000).

Precompensation approach for improving the quality of laser direct writing patterns by a modified proximity function. — Jinglei Du, Fuhua Gao, Yongkang Guo, Chunlei Du, Chuankai Qiu, and Zheng Cui; **39** (3), 771-5 (2000).

Analysis of continuously distorted quasi-periodic images: two-dimensional reconstruction of *S* layers of cyanobacteria. — Vladislav Krzyžánek; **39** (4), 872-8 (2000).

Means of eliminating background effects for defect detection and visualization in infrared thermography. — Yuri A. Plotnikov, Nik Rajic, and William P. Winfree; **39** (4), 879-84 (2000).

Unsupervised signature extraction and separation in hyperspectral images: a noise-adjusted fast independent component analysis approach. — Te-Ming Tu; **39** (4), 897-906 (2000).

Optimal selection of segmentation algorithms based on performance evaluation. — Yu Jin Zhang and Huitao Luo; **39** (6), 1450-6 (2000).

Ridge-line optimal detector. — Pierre Gouton, Hayet Laggoune, Remi Kouassi, and Michel Paindavoine; **39** (6), 1602-11 (2000).

Neural networks versus nonparametric neighbor-based classifiers for semisupervised classification of Landsat Thematic Mapper imagery. — Perry J. Hardin; **39** (7), 1898-908 (2000).

Performance of an automatic target recognizer algorithm against real and two versions of synthetic imagery. — Clarence P. Walters, Carl W. Hoover, Jr. , and James A. Ratches; **39** (8), 2279-84 (2000).

Evaluating fabric fuzziness using wavelet transforms. — Sheng Lin and Bugao Xu; **39** (9), 2387-91 (2000).

Topography and reflectance analysis of paper surfaces using a photometric stereo method. — Peter Hansson and Per-Åke Johansson; **39** (9), 2555-61 (2000).

Novel full-field automated photoelastic analysis technique. — Liu Tong, Chai Gin Boay, and Anand Asundi; **39** (10), 2689-95 (2000).

Block-based unsupervised natural image segmentation. — Chee Sun Won; **39** (12), 3146-53 (2000).

Image classification

Neural networks versus nonparametric neighbor-based classifiers for semisupervised classification of Landsat Thematic Mapper imagery. — Perry J. Hardin; **39** (7), 1898-908 (2000).

Image coding

Quadtree-segmented image coding schemes using vector quantization and block truncation coding. — Yu-Chen Hu and Chin-Chen Chang; **39** (2), 464-71 (2000).

Smooth side-match and smooth overlap-match vector quantizers for image coding. — Shiueng Bien Yang and Lin Yu Tseng; **39** (7), 1869-76 (2000).

Image compression

High-quality still color image compression. — F. Truchetet, B. Joanne, F. Pérot, and O. Laligant; **39** (2), 409-14 (2000).

Document page segmentation based on pattern spread analysis. — Phillip E. Mitchell and Hong Yan; **39** (3), 724-34 (2000).

Selecting lattices for quantization of wavelet coefficients of images. — Mikhail Shnaider and Andrew P. Papliński; **39** (5), 1327-37 (2000).

Smooth side-match and smooth overlap-match vector quantizers for image coding. — Shiueng Bien Yang and Lin Yu Tseng; **39** (7), 1869-76 (2000).

Lossy image codec based on adaptively scanned wavelet difference reduction. — James S. Walker; **39** (7), 1891-7 (2000).

Multistage motion vector quantization for video coding. — Wen-Jyi Hwang and Yu-Chun Huang; **39** (7), 1994-2002 (2000).

Gradient match vector quantizers for images. — Hsuan T. Chang; **39** (8), 2046-57 (2000).

Efficient fractal video coding algorithm using intercube correlation search. — Chou-Chen Wang and Chaur-Heh Hsieh; **39** (8), 2058-64 (2000).

New image filtering technique combining a wavelet transform with a linear neural network: application to face recognition. — Fan Yang, Michel Paindavoine, H. Abdi, and Johel Mitéran; **39** (11), 2894-9 (2000).

Image enhancement

Evaluation of human detection performance of targets embedded in natural and enhanced infrared images using image metrics. — G. Aviram and S. R. Rotman; **39** (4), 885-96 (2000).

Automatic enhancement of noisy image sequences through local spatiotemporal spectrum analysis. — Oscar Nestares, Carlos Miravet, Javier Santamaria, and Rafael Navarro; **39** (6), 1457-69 (2000).

Evaluating human detection performance of targets and false alarms, using a statistical texture image metric. — Guy Aviram and Stanley R. Rotman; **39** (8), 2285-95 (2000).

Image formation

Space-invariant patches in diffraction-limited imaging. — Jingfeng Liu, Veerappa Boopathi, Tow Chong Chong, Yihong Wu, and Zhengmin Li; **39** (2), 396-400 (2000).

Synthetic image generation of chemical plumes for hyperspectral applications. — S. Didi Kuo, John R. Schott, and Chia Y. Chang; **39** (4), 1047-56 (2000).

From Fresnel patterns to fractional Fourier transform through geometrical optics. — David Mas, Carlos Ferreira, Javier Garcia, and Luis M. Bernardo; **39** (6), 1427-30 (2000).

Image processing

Surface topography by wavelength scanning interferometry. — Ichirou Yamaguchi, Akihiro Yamamoto, and Masaru Yano; **39** (1), 40-6 (2000).

Massive parallel optical pattern recognition and retrieval via a two-stage high-capacity multichannel holographic random access memory system. — Luzhong Cai and Hua-Kuang Liu; **39** (2), 401-8 (2000).

Spatial enhancement of elevation data using a single multispectral image. — Mark J. Carlotto; **39** (2), 430-7 (2000).

Engineering design of an image acquisition and analysis system for dendrochronology. — W. Steven Conner, Robert A. Schowengerdt, Martin Munro, and Malcolm K. Hughes; **39** (2), 453-63 (2000).

Orthogonal wavelets in nonlinear speckle reduction for improved target recognition. — Khan M. Iftekharuddin; **39** (5), 1211-7 (2000).

Testing layered synthetic microstructures by computer processing of their digitized electron-microscope cross sections. — Marc-Olivier Flaissier, Georges Rasigni, Monique Rasigni, and Christophe Guichet; **39** (5), 1364-8 (2000).

NLEBS: automatic target detection using a unique nonlinear-enhancement-based system in IR images. — Shlomo Greenberg, Raanan Yehezkel, Yaniv Gurevich, and Hugo Guterman; **39** (5), 1369-76 (2000).

Objective automatic assessment of pilling in fabrics by image analysis. — Héctor C. Abril, María S. Millán, and Yezid Torres; **39** (6), 1477-88 (2000).

Ridge-line optimal detector. — Pierre Gouton, Hayet Laggoune, Remi Kouassi, and Michel Paindavoine; **39** (6), 1602-11 (2000).

Smooth side-match and smooth overlap-match vector quantizers for image coding. — Shiueng Bien Yang and Lin Yu Tseng; **39** (7), 1869-76 (2000).

Neural networks versus nonparametric neighbor-based classifiers for semisupervised classification of Landsat Thematic Mapper imagery. — Perry J. Hardin; **39** (7), 1898-908 (2000).

Optical encryption using a joint transform correlator architecture. — Takanori Nomura and Bahram Javidi; **39** (8), 2031-5 (2000).

Efficient fractal video coding algorithm using intercube correlation search. — Chou-Chen Wang and Chaur-Heh Hsieh; **39** (8), 2058-64 (2000).

Contrast-based image fusion using the discrete wavelet transform. — Tian Pu and Guoqiang Ni; **39** (8), 2075-82 (2000).

Distortion-tolerant minimum-mean-squared-error filter for detecting noisy targets in environmental degradation. — Francis Chan, Nasser Towghi, Luting Pan, and Bahram Javidi; **39** (8), 2092-100 (2000).

Performance of an automatic target recognizer algorithm against real and two versions of synthetic imagery. — Clarence P. Walters, Carl W. Hoover, Jr. , and James A. Ratches; **39** (8), 2279-84 (2000).

Probabilistic nonlinear diffusion image filter. — Chun Hung Li and Peter K. S. Tam; **39** (9), 2381-6 (2000).

Optical incoherent imaging through a thin slab waveguide. — Charles E. Dionne and Robert A. Gonsalves; **39** (9), 2392-6 (2000).

Multiresolution gradient-based edge detection in noisy images using wavelet domain filters. — Yunwoo Lee and Samuel P. Kozaitis; **39** (9), 2405-12 (2000).

Map-based road detection in spaceborne synthetic aperture radar images based on curvilinear structure extraction. — Byoung-Ki Jeon, Jeong-Hun Jang, and Ki-Sang Hong; **39** (9), 2413-21 (2000).

Significance of the recovery filter in deconvolution from wavefront sensing. — Justo Arines and Salvador Bará; **39** (10), 2789-96 (2000).

QR-RLS algorithm for error diffusion of color images. — Gozde Bozkurt Unal, Yasemin Yardimci, Orhan Arikan, and A. Enis Çetin; **39** (11), 2860-6 (2000).

Hybrid algorithm for estimating true motion fields. — Demin Wang and Daniel Lauzon; **39** (11), 2876-81 (2000).

New image filtering technique combining a wavelet transform with a linear neural network: application to face recognition. — Fan Yang, Michel Paindavoine, H. Abdi, and Johel Mitéran; **39** (11), 2894-9 (2000).

Block-based unsupervised natural image segmentation. — Chee Sun Won; **39** (12), 3146-53 (2000).

Applying the eigenfaces and Fisherfaces methods to circuit-board inspection. — Estille Whittenberger, Alejandro E. Brito, and Sergio D. Cabrera; **39** (12), 3154-64 (2000).

Analysis of compatibility between lighting devices and descriptive features using Parzen's kernel: application to flaw inspection by artificial vision. — Pierre Geveaux, Sophie Kohler, Johel Miteran, and Frederic Truchetet; **39** (12), 3165-75 (2000).

Properties of digital holography based on in-line configuration. — Lei Xu, Jianmin Miao, and Anand Asundi; **39** (12), 3214-9 (2000).

Optical processing by fringed speckles registered in a BSO crystal. — Myrian Tebaldi, Luciano Angel Toro, Marcelo Trivi, and Néstor Bolognini; **39** (12), 3232-8 (2000).

Reliable watermark detection method based on analysis of correlation. — Hyun-Soo Kang, Jae Gark Choi, Si-Woong Lee, and Sun-Jae Cho; **39** (12), 3308-16 (2000).

Image quality

Geometrical modulation transfer function for different pixel active area shapes. — Orly Yadid-Pecht; **39** (4), 859-65 (2000).

Smooth side-match and smooth overlap-match vector quantizers for image coding. — Shiueng Bien Yang and Lin Yu Tseng; **39** (7), 1869-76 (2000).

Image reconstruction

Precompensation approach for improving the quality of laser direct writing patterns by a modified proximity function. — Jinglei Du, Fuhua Gao, Yongkang Guo, Chunlei Du, Chuankai Qiu, and Zheng Cui; **39** (3), 771-5 (2000).

Analysis of continuously distorted quasi-periodic images: two-dimensional reconstruction of *S* layers of cyanobacteria. — Vladislav Krzyžánek; **39** (4), 872-8 (2000).

Efficient deinterlacing algorithm using edge-based line average interpolation. — Tao Chen, Hong Ren Wu, and Zheng Hua Yu; **39** (8), 2101-5 (2000).

Image registration

Segment-based registration technique for visual-infrared images. — Enrique Coiras, Javier Santamaría, and Carlos Miravet; **39** (1), 282-9 (2000).

Image restoration

Wavelet-based approach to adaptive Wiener filtering of images in the presence of colored noise. — Ioannis M. Stephanakis and Stefanos D. Kollias; **39** (5), 1354-63 (2000).

Adaptive image restoration based on hierarchical neural networks. — Kim Hui Yap and Ling Guan; **39** (7), 1877-90 (2000).

Restoration of an image degraded by vibrations using only a single frame. — Yitzhak Yitzhaky, G. Boshusha, Y. Levy, and Norman S. Kopeika; **39** (8), 2083-91 (2000).

Restoration and resolution enhancement of a single image from a vibration-distorted image sequence. — Adrian Stern, Elad Kempner, Avi Shukrun, and Norman S. Kopeika; **39** (9), 2451-7 (2000).

Noise-adaptive edge-preserving image restoration algorithm. — Sung Cheol Park and Moon Gi Kang; **39** (12), 3124-37 (2000).

Image segmentation

Automatic moving object extraction toward compact video representation. — Jianping Fan, Gen Fujita, Makoto Furuie, Takao Onoye, Isao Shirakawa, and Lide Wu; **39** (2), 438-52 (2000).

Document page segmentation based on pattern spread analysis. — Phillip E. Mitchell and Hong Yan; **39** (3), 724-34 (2000).

Contextual clustering for image segmentation. — Andrea Baraldi, Palma Blonda, Flavio Parmiggiani, and Giuseppe Satalino; **39** (4), 907-23 (2000).

Automated segmentation of the corpus callosum in midsagittal brain magnetic resonance images. — Chulhee Lee, Shin Huh, Terence A. Ketter, and Michael Unser; **39** (4), 924-35 (2000).

Efficient approach to segment man-made targets from unmanned aerial vehicle imagery. — Hairong Qi, Wesley E. Snyder, and David Marchette; **39** (5), 1267-74 (2000).

Optimal selection of segmentation algorithms based on performance evaluation. — Yu Jin Zhang and Huitao Luo; **39** (6), 1450-6 (2000).

Automatic enhancement of noisy image sequences through local spatiotemporal spectrum analysis. — Oscar Nestares, Carlos Miravet, Javier Santamaria, and Rafael Navarro; **39** (6), 1457-69 (2000).

Objective automatic assessment of pilling in fabrics by image analysis. — Héctor C. Abril, María S. Millán, and Yezid Torres; **39** (6), 1477-88 (2000).
Ridge-line optimal detector. — Pierre Gouton, Hayet Laggoune, Remi Kouassi, and Michel Paindavoine; **39** (6), 1602-11 (2000).
Adaptive image restoration based on hierarchical neural networks. — Kim Hui Yap and Ling Guan; **39** (7), 1877-90 (2000).
Morphological image segmentation for realistic image representation preserving semantic object shapes. — Hyun Sang Park and Jong Beom Ra; **39** (7), 1909-16 (2000).
Block-based unsupervised natural image segmentation. — Chee Sun Won; **39** (12), 3146-53 (2000).

Image sensors
Geometrical modulation transfer function for different pixel active area shapes. — Orly Yadid-Pecht; **39** (4), 859-65 (2000).

Image storage
Massive parallel optical pattern recognition and retrieval via a two-stage high-capacity multichannel holographic random access memory system. — Luzhong Cai and Hua-Kuang Liu; **39** (2), 401-8 (2000).

Imaging
Generalized constrained energy minimization approach to subpixel target detection for multispectral imagery. — Chein-I Chang, Jih-Ming Liu, Bin-Chang Chieu, Hsuan Ren, Chuin-Mu Wang, Chien-Shun Lo, Pau-Choo Chung, Ching-Wen Yang, and Dye-Jyun Ma; **39** (5), 1275-81 (2000).
Quantitative imaging of OH concentrations in a swirling methane jet flame via single-pulse laser-induced predissociative fluorescence. — Yei-Chin Chao, Der-Chyun Wu, and Tsarng-Sheng Cheng; **39** (6), 1441-9 (2000).
Real-time hyperspectral detection and cuing. — Christopher M. Stellman, Geoffrey G. Hazel, Frank Bucholtz, Joseph V. Michalowicz, Alan Stocker, and William Schaaf; **39** (7), 1928-35 (2000).
Shear-force, constant-height, and constant-intensity imaging in scanning near-field optical microscopy with *s*- and *p*-polarized incident light. — Mufei Xiao and Xin Chen; **39** (9), 2495-500 (2000).
Modeling and performances of a polarization active imager at $\lambda = 806$ nm. — Sébastien Breugnot and Philippe Clémenceau; **39** (10), 2681-8 (2000).
Iterative design of morphological binary image operators. — Nina S. T. Hirata, Edward R. Dougherty, and Junior Barrera; **39** (12), 3106-23 (2000).

Imaging systems
A condition on spatial resolution of IR collimators for testing of thermal imaging systems. — K. Chrzanowski, H. C. Lee, and W. Wrona; **39** (5), 1413-7 (2000).
Modeling interferometers with lens design software. — Bryan D. Stone; **39** (7), 1748-59 (2000).
Special sensor masking for exceeding system geometrical resolving power. — Zeev Zalevsky, David Mendlovic, and Emanuel Marom; **39** (7), 1936-42 (2000).
Electronic compensation for nonideal spatial light modulator characteristics. — David M. Budgett, James H. Sharp, Pei C. Tang, Rupert C. D. Young, Brian F. Scott, and Christopher R. Chatwin; **39** (10), 2601-8 (2000).

Information processing
Space-invariant patches in diffraction-limited imaging. — Jingfeng Liu, Veerappa Boopathi, Tow Chong Chong, Yihong Wu, and Zhengmin Li; **39** (2), 396-400 (2000).
Amplitude-modulated radial harmonic filters. — Jianping Yao and Leonard Chin; **39** (5), 1149-55 (2000).
Optical encryption using a joint transform correlator architecture. — Takanori Nomura and Bahram Javidi; **39** (8), 2031-5 (2000).
Rotation-invariant phase-shifting joint transform correlator by use of circular harmonic expansion. — Zhaoqi Wang, Jiuhong Guan, Guoguang Mu, and Rulian Fu; **39** (10), 2595-600 (2000).
Experimental nonmechanical image rotation to 20 angles using an acousto-optic dove prism. — Yong-Seok Im, Eung Gi Paek, Xiao Tang, Joon Y. Choe, and Tae K. Oh; **39** (11), 2909-14 (2000).

Information storage
Birefringence distribution in magneto-optical disk substrate fabricated by injection compression molding. — Shinill Kang, Jong Sung Kim, and Hyun Kim; **39** (3), 689-94 (2000).

Infrared
Segment-based registration technique for visual-infrared images. — Enrique Coiras, Javier Santamaría, and Carlos Miravet; **39** (1), 282-9 (2000).
Total integrated scattering from transparent substrates in the infrared region: validity of scalar theory. — Tomas Lindström and Daniel Rönnow; **39** (2), 478-87 (2000).
Kalman-filtering-based angular velocity estimation using infrared attitude information of spacecraft. — Yu Shi and Xian-Da Zhang; **39** (2), 551-7 (2000).
Nonuniformity correction scheme for an infrared camera including the background effect due to camera temperature variation. — June Keun Ji, Jae Ryong Yoon, and Kyuman Cho; **39** (4), 936-40 (2000).
Bayesian inference of thermodynamic state incorporating Schwarz-Rissanen complexity for infrared target recognition. — Aaron D. Lanterman; **39** (5), 1282-92 (2000).
Feasibility study on low-resolution uncooled thermal imagers for home-security applications. — Tzong-Sheng Lee and Jin-Shown Shie; **39** (6), 1431-40 (2000).
Optimum diode geometry in a two-dimensional photovoltaic array. — Vikram Dhar and Vishnu Gopal; **39** (8), 2022-30 (2000).
Novel carbon dioxide gas sensor based on infrared absorption. — Guangjun Zhang, Junfang Lui, and Mei Yuan; **39** (8), 2235-40 (2000).
Point target detection in IR image sequences: a hypothesis-testing approach based on target and clutter temporal profile modeling. — Alexis P. Tzannes and Dana H. Brooks; **39** (8), 2270-8 (2000).
Clutter modeling in infrared images using genetic programming. — Liviu I. Voicu, Mosleh Uddin, Harley R. Myler, Anthony Gallagher, and Julien Schuler; **39** (9), 2359-71 (2000).
New infrared counter-countermeasure technique using an iterative self-organizing data analysis algorithm for the rosette scanning infrared seeker. — Surng-Gabb Jahng, Hyun-Ki Hong, Dong-Sun Seo, and Jong-Soo Choi; **39** (9), 2397-404 (2000).
Testing and evaluation of thermal cameras for absolute temperature measurement. — Krzysztof Chrzanowski, Joachim Fischer, and Robert Matyszkiel; **39** (9), 2535-44 (2000).
Thermal modeling of desert backgrounds in the far-infrared spectral region. — Ali Mahmoodi, Abdolreza Nabavi, and Mehdi N. Fesharaki; **39** (9), 2545-54 (2000).
Novel mid-infrared silicon/germanium detector concepts. — Hartmut Presting, Johannes Konle, Markus Hepp, Horst Kibbel, Klaus Thonke, Rolf Sauer, Elizabeth Corbin, and Milan Jaros; **39** (10), 2624-41 (2000).
Nonlinear response of quantum well infrared photodetectors under low-background and low-temperature conditions. — John E. Hubbs, Douglas C. Arrington, Mark E. Gramer, and Gary A. Dole; **39** (10), 2660-71 (2000).
Novel adaptive digital signal processing algorithm for a stationary reticle seeker. — Jeong-Su Oh, Kyung-Soo Doo, Surng-Gabb Jahng, Dong-Sun Seo, and Jong-Soo Choi; **39** (10), 2797-803 (2000).
Combined IR imaging-neural network method for the estimation of internal temperature in cooked chicken meat. — Juan G. Ibarra, Yang Tao, and Hongwei Xin; **39** (11), 3032-8 (2000).

Infrared imaging
Spectral and radiometric calibration of midwave and longwave infrared cameras. — Marc D. Mermelstein, Keith A. Snail, and Richard G. Priest; **39** (2), 347-52 (2000).
Performance of an automatic target recognizer algorithm against real and two versions of synthetic imagery. — Clarence P. Walters, Carl W. Hoover, Jr. , and James A. Ratches; **39** (8), 2279-84 (2000).

Infrared systems
Target position extraction based on instantaneous frequency estimation in a fixed-reticle seeker. — Sung-Hyun Han, Hyun-Ki Hong, Surng-Gabb Jahng, Dong-Sun Seo, and Jong-Soo Choi; **39** (9), 2568-73 (2000).
Long wave infrared zoom projector thermal analysis and compensation. — Weimin Shi and Michael E. Couture; **39** (10), 2705-14 (2000).

Inspection
Enhanced three-dimensional reconstruction of surfaces using multicolor gratings. — Bernard S. Gilbert and Joel H. Blatt; **39** (1), 52-60 (2000).
Video-rate surface profiling with acousto-optic accordion fringe interferometry. — Michael S. Mermelstein, Daniel L. Feldkhun, and Lyle G. Shirley; **39** (1), 106-13 (2000).
Phase reflection—a new solution for the detection of shape defects on car body sheets. — Roland Höfling, Petra Aswendt, and Reimund Neugebauer; **39** (1), 175-82 (2000).

Integrated circuits
Method for the deviation inspection of integrated circuit chip pin based on Harr wavelet transform. — Gang Luo, Hui Fang, Zhiliang Fang, and Guoguang Mu; **39** (6), 1712-6 (2000).

Integrated optics
Fabrication and characterization of a volumetric three-dimensional display using ion-exchanged integrated waveguides. — Cristian Penciu and D. L. MacFarlane; **39** (2), 565-71 (2000).
Self-aligned photoresist patterning for integrated optics. — D. F. Geraghty, P. Äyräs, G. E. Jabbour, S. Honkanen, and N. Peyghambarian; **39** (2), 575-6 (L) (2000).
Beam propagation method for analysis of Er-doped integrated optics devices. — A. Shooshtari, T. Touam, S. Safavi-Naeini, and S. I. Najafi; **39** (3), 735-7 (2000).
All-optical fiber optic interface for sensors and actuators. — Pentti Karioja, Risto Jurva, Kimmo Keränen, Kari Tukkiniemi, Jouko Haapamaa, Ari Tervonen, and Marja Englund; **39** (4), 1032-7 (2000).
Vertically tapered polymer waveguide mode size transformer for improved fiber coupling. — Antao Chen, Vadim Chuyanov, Felix Ignacio Marti-Carrera, Sean Garner, William H. Steier, Jinghong Chen, Shajing Sun, and Larry R. Dalton; **39** (6), 1507-16 (2000).
Fiber-lattice accumulator design considerations for optical $\Sigma\Delta$ analog-to-digital converters. — Phillip E. Pace, S. A. Bewley, and John P. Powers; **39** (6), 1517-26 (2000).
Through-wafer optical probe characterization for microelectromechanical systems positional state monitoring and feedback control. — J. M. Dawson, J. Chen, K. S. Brown, P. Famouri, and L. A. Hornak; **39** (12), 3239-46 (2000).

Interference
Interference of modes in optical fibers. — Ivan Turek, Ivan Martinček, and Roman Stránsky; **39** (5), 1304-9 (2000).
Self-calibration of a scanning white light interference microscope. — Satoshi Kiyono, Wei Gao, Shizhou Zhang, and Toru Aramaki; **39** (10), 2720-5 (2000).

Interferometers
Distance measurement using the self-mixing effect in a three-electrode distributed Bragg reflector laser diode. — Grégory Mourat, Noël Servagent, and Thierry Bosch; **39** (3), 738-43 (2000).
Measurements of velocity distribution along depth using low coherence interferometry. — Yoh Imai, Kazuhiro Tanaka, and Hiroshi Higo; **39** (4), 947-51 (2000).
Three channel phase-shifting interferometer using polarization-optics and a diffraction grating. — Andrea Hettwer, Jochen Kranz, and Johannes Schwider; **39** (4), 960-6 (2000).
Fiber-lattice accumulator design considerations for optical $\Sigma\Delta$ analog-to-digital converters. — Phillip E. Pace, S. A. Bewley, and John P. Powers; **39** (6), 1517-26 (2000).
Extraction of planetary wave information from signals collected by a Bomem interferometer. — Rezaul Haque and Patrick J. Espy; **39** (6), 1527-35 (2000).
Method for measurement of the angles of a 45-deg deflecting (half penta) prism. — S. Madhusudana Rao and K. Narasimha Rao; **39** (6), 1573-5 (2000).
Origins Testbed: capturing the dynamics and control of future space-based telescopes. — Gregory J. W. Mallory, Alvar Saenz-Otero, and David W. Miller; **39** (6), 1665-76 (2000).
Modeling interferometers with lens design software. — Bryan D. Stone; **39** (7), 1748-59 (2000).
Optical modeling combining geometrical ray tracing and physical-optics software. — John Tesar, Rongguang Liang, and Masud Mansuripur; **39** (7), 1845-9 (2000).
Design of high finesse, wideband Fabry-Pérot filter based on chirped fiber Bragg grating by numerical method. — Xindong Peng and Chandra Roychoudhuri; **39** (7), 1858-62 (2000).
Extrinsic and intrinsic fiber optic Sagnac ultrasound sensors. — Pavel A. Fomitchov, Sridhar Krishnaswamy, and Jan D. Achenbach; **39** (7), 1972-84 (2000).
Real-time measurement of spindle thermal deformation using interferometers. — Deqiang Song, Lijiang Zeng, and Chunyong Yin; **39** (8), 2114-8 (2000).
Pultruded fiber optic ribbon sensor for applications in severe environments. — Andrea Melloni, Andrea Gusmeroli, Mario Martinelli, and Paolo Guaita; **39** (11), 3068-75 (2000).
Beamsplitter testing using temporal coherence. — Arun Anand and C. S. Narayanamurthy; **39** (11), 3084-8 (2000).
Coherent synchrotron radiation in the far infrared from a 1-mm electron bunch. — Åke Andersson, Matthew S. Johnson, and Bengt Nelander; **39** (12), 3099-105 (2000).

Interferometry
Surface topography by wavelength scanning interferometry. — Ichirou Yamaguchi, Akihiro Yamamoto, and Masaru Yano; **39** (1), 40-6 (2000).
Three-dimensional imaging using a tunable laser source. — Joseph C. Marron and Kurt W. Gleichman; **39** (1), 47-51 (2000).
Direct shape measurement by digital wavefront reconstruction and multiwavelength contouring. — Christophe Wagner, Wolfgang Osten, and Soenke Seebacher; **39** (1), 79-85 (2000).
Geometrically desensitized interferometry for shape measurement of flat surfaces and 3-D structures. — Peter de Groot, Xavier Colonna de Lega, and Dave Stephenson; **39** (1), 86-90 (2000).

Video-rate surface profiling with acousto-optic accordion fringe interferometry. — Michael S. Mermelstein, Daniel L. Feldkhun, and Lyle G. Shirley; **39** (1), 106-13 (2000).
New test methodology for static and dynamic shape measurements of microelectromechanical systems. — Gordon C. Brown and Ryszard J. Pryputniewicz; **39** (1), 127-36 (2000).
Robust fringe analysis system for human body shape measurement. — Francis Lilley, Michael J. Lalor, and David R. Burton; **39** (1), 187-95 (2000).
Combination of 3-D deformation and shape measurement by electronic speckle-pattern interferometry for quantitative strain- stress analysis. — Andreas Ettemeyer; **39** (1), 212-5 (2000).
Application of optical shape measurement for the nondestructive evaluation of complex objects. — Wolfgang Osten; **39** (1), 232-43 (2000).
Simultaneous measurement of shape and deformation using digital light-in-flight recording by holography. — Bengt Nilsson and Torgny E. Carlsson; **39** (1), 244-53 (2000).
Phase nonlinearity extrema in Zeeman heterodyne interferometry. — J. M. De Freitas; **39** (2), 572-5 (L) (2000).
Interferometric measurement of diffusion coefficients through a scanning laser beam. — Elvio E. Alanís, Graciela G. Romero, and Carlos C. Martínez; **39** (3), 744-50 (2000).
Direct quadratic polynomial fitting for fringe peak detection of white light scanning interferograms. — Min-Cheol Park and Seung-Woo Kim; **39** (4), 952-9 (2000).
Phase-shifting interferometry: minimization of systematic errors. — Parameswaran Hariharan; **39** (4), 967-9 (2000).
Multiwavelength fringe scanning profilometry for wide gapped sample. — Minghong Tsai, Hongxin Huang, Masahide Itoh, and Toyohiko Yatagai; **39** (4), 970-7 (2000).
Influence of in-plane displacement and double-aperture orientation on slope fringe formation in double-shearing-aperture speckle interferometry. — K. F. Wang, A. K. Tieu, and E. B. Li; **39** (8), 2124-8 (2000).
Interference method for determination of the refractive index and thickness. — Serguei A. Alexandrov and Igor V. Chernyh; **39** (9), 2480-6 (2000).
Fast phase-map recovery from large shears in an electronic speckle-shearing pattern interferometer using a Fourier least-squares estimation. — Abundio Dávila, Manuel Servin, and M. Facchini; **39** (9), 2487-94 (2000).
Novel full-field automated photoelastic analysis technique. — Liu Tong, Chai Gin Boay, and Anand Asundi; **39** (10), 2689-95 (2000).
Radial shearing interferometer for in-process measurement of diamond turning. — Tsuguo Kohno, Daiji Matsumoto, Takanori Yazawa, and Yutaka Uda; **39** (10), 2696-9 (2000).
Fiber optic voltage sensor for 420 kV electric power systems. — Klaus Bohnert, Jadran Kostovic, and Pascal Pequignot; **39** (11), 3060-7 (2000).
Fringe compensation measurement in holographic interferometry using phase-shifted interferograms. — Attila Németh, János Kornis, and Zoltán Füzessy; **39** (12), 3196-200 (2000).
Centering and profiling algorithm for processing Newton's rings fringe patterns. — Adrian Dobroiu, Adrian Alexandrescu, Dan Apostol, Victor Nascov, and Victor Damian; **39** (12), 3201-6 (2000).

Interpolation

Application of the discrete Fourier transform linear interpolation method in the measurement of volume scattering function at small angle. — Józef Borkowski and Janusz Mroczka; **39** (6), 1576-86 (2000).
Efficient deinterlacing algorithm using edge-based line average interpolation. — Tao Chen, Hong Ren Wu, and Zheng Hua Yu; **39** (8), 2101-5 (2000).

Inverse problems

Precompensation approach for improving the quality of laser direct writing patterns by a modified proximity function. — Jinglei Du, Fuhua Gao, Yongkang Guo, Chunlei Du, Chuankai Qiu, and Zheng Cui; **39** (3), 771-5 (2000).

Joint transforms

Phase-encoded fringe-adjusted joint transform correlation. — Mohammad S. Alam; **39** (5), 1169-76 (2000).
Engineering aspects of the two-beam coupling correlator. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1177-83 (2000).
Normalized joint transform correlation for target recognition. — Shuqun Zhang and Mohammad A. Karim; **39** (5), 1184-9 (2000).
Orthogonal wavelets in nonlinear speckle reduction for improved target recognition. — Khan M. Iftekharuddin; **39** (5), 1211-7 (2000).
Automatic enhancement of noisy image sequences through local spatiotemporal spectrum analysis. — Oscar Nestares, Carlos Miravet, Javier Santamaria, and Rafael Navarro; **39** (6), 1457-69 (2000).
Rotation-invariant phase-shifting joint transform correlator by use of circular harmonic expansion. — Zhaoqi Wang, Jiuhong Guan, Guoguang Mu, and Rulian Fu; **39** (10), 2595-600 (2000).

Laser applications

Precompensation approach for improving the quality of laser direct writing patterns by a modified proximity function. — Jinglei Du, Fuhua Gao, Yongkang Guo, Chunlei Du, Chuankai Qiu, and Zheng Cui; **39** (3), 771-5 (2000).
Pigtail-type CO laser using As_2S_3 optical fiber. — Satoshi Tanaka, Yuzo Setoguchi, Mitsunori Saito, and Heihachi Sato; **39** (5), 1377-83 (2000).
Compact focus heads for high-power Nd:YAG laser processing. — Yunan Guo and Dave Farson; **39** (9), 2345-50 (2000).
Coherent laser radar performance in littoral environments—a statistical analysis based on weather observations. — Frank Hanson; **39** (11), 3044-52 (2000).

Laser diodes

Using fiber butt coupling for light delivery to the write/read objective in optical recording. — Yakov Sidorin and Dennis G. Howe; **39** (3), 787-91 (2000).
Noninvasive blood flow measurement using speckle signals from a self-mixing laser diode: *in vitro* and *in vivo* experiments. — Şahin Kaya Özdemir, Shigenobu Shinohara, Sotetsu Takamiya, and Hirofumi Yoshida; **39** (9), 2574-80 (2000).

Laser-induced fluorescence

Quantitative imaging of OH concentrations in a swirling methane jet flame via single-pulse laser-induced predissociative fluorescence. — Yei-Chin Chao, Der-Chyun Wu, and Tsarng-Sheng Cheng; **39** (6), 1441-9 (2000).

Lasers

Novel technologies for 1.55-μm vertical cavity lasers. — Klaus Streubel, Mattias Hammar, Fredrik Salomonsson, J. Bentell, Sebastian Mogg, S. Rapp, Joël Jacquet, Julian Boucart, C. Stark, A. Plais, F. Gaborit, E. Derouin, N. Bouché, A. Rudra, Alexei V. Syrbu, Vladimir P. Iakovlev, C.-A. Berseth, O. Dehaese, E. Kapon, H. Moussa, I. Sagnes, and R. Raj; **39** (2), 488-97 (2000).
Comparison of laser-based drop-size measurement techniques and their application to dispersed liquid-liquid pipe flow. — Mark J. H. Simmons, Sohial H. Zaidi, and Barry J. Azzopardi; **39** (2), 505-9 (2000).
Noncontact homodyne scanning laser vibrometer for dynamic measurement. — Bryan K. A. Ngoi and K. Venkatakrishnan; **39** (2), 510-5 (2000).
Distance measurement using the self-mixing effect in a three-electrode distributed Bragg reflector laser diode. — Grégory Mourat, Noël Servagent, and Thierry Bosch; **39** (3), 738-43 (2000).
Optimal frequency doubling of a transferred-electron amplifier CO_2 laser. — Michael M. Tilleman and Abraham Englander; **39** (3), 758-62 (2000).
Pigtail-type CO laser using As_2S_3 optical fiber. — Satoshi Tanaka, Yuzo Setoguchi, Mitsunori Saito, and Heihachi Sato; **39** (5), 1377-83 (2000).
Hollow glass waveguides and silver halide fibers as scanning elements for CO_2 laser marking systems. — B. Dekel, A. Inberg, N. Croitoru, S. Shalem, and A. Katzir; **39** (5), 1384-90 (2000).
Speckle reduction in laser projections with ultrasonic waves. — Lingli Wang, Theo Tschudi, Markus Boeddinghaus, Alexander Elbert, Thorsteinn Halldórsson, and Pálmi Pétursson; **39** (6), 1659-64 (2000).
Application of laser-induced breakdown spectroscopy to *in situ* analysis of liquid samples. — Ota Samek, Dave C. S. Beddows, Jozef Kaiser, Sergei V. Kukhlevsky, Miroslav Liška, Helmut H. Telle, and Jim Young; **39** (8), 2248-62 (2000).
Solid state multiple-beam laser with tunable wavelength difference between beams. — Göran Hansson; **39** (10), 2700-4 (2000).
Second-harmonic generation using an *a* axis Nd:MgO:$LiNbO_3$ single crystal fiber with Mg-ion indiffused cladding. — Wenxiu Que, Y. Zhou, Y. L. Lam, Y. C. Chan, C. H. Kam, Yujing Huo, and Xi Yao; **39** (10), 2804-9 (2000).
Displacement sensing HeNe laser with $\lambda/8$ accuracy and self-calibration. — Yan Li, Shulian Zhang, Yanmei Han, Jie Fu, Hui Guo, and Jiaming Ou; **39** (11), 3039-43 (2000).
Coherent laser radar performance in littoral environments—a statistical analysis based on weather observations. — Frank Hanson; **39** (11), 3044-52 (2000).

Lens design

Modeling interferometers with lens design software. — Bryan D. Stone; **39** (7), 1748-59 (2000).
Design of optical systems with both near-field and far-field system requirements. — D. Y. Wang, David M. Aikens, and R. Edward English, Jr.; **39** (7), 1788-95 (2000).
Using small glass catalogs. — John Tesar; **39** (7), 1816-21 (2000).
Conformal dome correction with counterrotating phase plates. — Scott W. Sparrold, James P. Mills, David J. Knapp, Kenneth S. Ellis, Thomas A. Mitchell, and Paul K. Manhart; **39** (7), 1822-9 (2000).
Optical modeling combining geometrical ray tracing and physical-optics software. — John Tesar, Rongguang Liang, and Masud Mansuripur; **39** (7), 1845-9 (2000).

Lenses

Focusing and coupling properties of collective micro-optics on fiber ribbons. — P. Chanclou, M. Thual, J. Lostec, D. Pavy, and M. Gadonna; **39** (2), 387-92 (2000).
Using fiber butt coupling for light delivery to the write/read objective in optical recording. — Yakov Sidorin and Dennis G. Howe; **39** (3), 787-91 (2000).
Lens axicons illuminated by Gaussian beams for generation of uniform-axial intensity Bessel fields. — Jixiong Pu, Huihua Zhang, and Shojiro Nemoto; **39** (3), 803-7 (2000).
Using ZEMAX Image Analysis and user-defined surfaces for projection lens design and evaluation for Digital Light Processing™ projection systems. — D. Scott Dewald; **39** (7), 1802-7 (2000).
Computer generation of null masks for Ronchi lens tests. — John F. Forkner; **39** (7), 1840-4 (2000).

Lidar

Lidar profiling by long rectangular-like chopped laser pulses. — Dimitar V. Stoyanov, Ljuan L. Gurdev, George V. Kolarov, and Orlin I. Vankov; **39** (6), 1556-67 (2000).
Comparison between super low ionization ratio and reach through avalanche photodiode structures. — Tamer F. Refaat, Gary E. Halama, and Russell J. DeYoung; **39** (10), 2642-50 (2000).
Solid state multiple-beam laser with tunable wavelength difference between beams. — Göran Hansson; **39** (10), 2700-4 (2000).
Telescope arrays in coherent lidar wind measurement. — Adelina Ouisse, Ines Leike, and Christian Werner; **39** (12), 3220-31 (2000).

Light

Plane-wave and Gaussian-beam scattering on an infinite cylinder. — Janusz Mroczka and Dariusz Wysoczański; **39** (3), 763-70 (2000).
Development of nonimaging optics for particle counters. — J. Luo, A. Trampe, and H. Fissan; **39** (4), 1009-15 (2000).
Application of the discrete Fourier transform linear interpolation method in the measurement of volume scattering function at small angle. — Józef Borkowski and Janusz Mroczka; **39** (6), 1576-86 (2000).

Liquid crystals

Design and fabrication of a projection display using optically addressed polymer-dispersed liquid crystal light valves. — Hiroshi Kikuchi, Takanori Fujii, Masahiro Kawakita, Hideo Fujikake, and Kuniharu Takizawa; **39** (3), 656-69 (2000).
Optically enhancing the small electro-optical effect of a fast-switching liquid-crystal mixture. — Huan Xu, Anthony B. Davey, Timothy D. Wilkinson, and William A. Crossland; **39** (6), 1568-72 (2000).
Analysis of nematic-liquid-crystal binary gratings with high spatial frequency. — Manuel Bouvier and Toralf Scharf; **39** (8), 2129-37 (2000).
Electronic compensation for nonideal spatial light modulator characteristics. — David M. Budgett, James H. Sharp, Pei C. Tang, Rupert C. D. Young, Brian F. Scott, and Christopher R. Chatwin; **39** (10), 2601-8 (2000).
Characterization of edge effects in twisted nematic liquid crystal displays. — Andrés Márquez, Juan Campos, Maria J. Yzuel, Ignacio Moreno, Jeffrey A. Davis, Claudio Iemmi, Alfonso Moreno, and Arnau Robert; **39** (12), 3301-7 (2000).

Liquid sensors

Application of a liquid sensor based on surface plasma wave excitation to distinguish methyl alcohol from ethyl alcohol. — Yi-Chang Cheng, Wen-Kuan Su, and Jiann-Horng Liou; **39** (1), 311-4 (2000).

Lithium niobate

Initial bias dependency in dc drift of z-cut $LiNbO_3$ optical intensity modulators. — Hirotoshi Nagata, Hideki Honda, and Katsuya Akizuki; **39** (4), 1103-5 (2000).

Lithography

Precompensation approach for improving the quality of laser direct writing patterns by a modified proximity function. — Jinglei Du, Fuhua Gao, Yongkang Guo, Chunlei Du, Chuankai Qiu, and Zheng Cui; **39** (3), 771-5 (2000).
Understanding optical end of line metrology. — David Ziger and Pierre Leroux; **39** (7), 1951-7 (2000).

Luminescence

Extraction of planetary wave information from signals collected by a Bomem interferometer. — Rezaul Haque and Patrick J. Espy; **39** (6), 1527-35 (2000).

Machine vision

Moly: a prototype handheld three-dimensional digitizer with diffraction optics. — Tom Ditto and Douglas A. Lyon; **39** (1), 69-78 (2000).

Practical three-dimensional computer vision techniques for full-field surface measurement. — Y. Y. Hung, L. Lin, H. M. Shang, and B. G Park; **39** (1), 143-9 (2000).

Analysis of 3-D surface waviness on standard artifacts by retroreflective metrology. — Xianzhu Zhang and Walter P. T. North; **39** (1), 183-6 (2000).

Brightness calibration of charge-coupled device camera systems. — Hassen Zghal and Hoda A. ElMaraghy; **39** (2), 336-46 (2000).

Detection of central positions of noisy rounded square function using modified Haar wavelet transform and Haar-Gaussian wavelet transform. — Feijun Song, Lei Yu, and Suganda Jutamulia; **39** (5), 1190-3 (2000).

Color measurement in standard CIELAB coordinates using a 3CCD camera: correction for the influence of the light source. — Montse Corbalán, María S. Millán, and María J. Yzuel; **39** (6), 1470-6 (2000).

Applying the eigenfaces and Fisherfaces methods to circuit-board inspection. — Estille Whittenberger, Alejandro E. Brito, and Sergio D. Cabrera; **39** (12), 3154-64 (2000).

Analysis of compatibility between lighting devices and descriptive features using Parzen's kernel: application to flaw inspection by artificial vision. — Pierre Geveaux, Sophie Kohler, Johel Miteran, and Frederic Truchetet; **39** (12), 3165-75 (2000).

Magnetic resonance imaging

Automated segmentation of the corpus callosum in midsagittal brain magnetic resonance images. — Chulhee Lee, Shin Huh, Terence A. Ketter, and Michael Unser; **39** (4), 924-35 (2000).

Magneto-optics

Beat-length measurement of high-birefringence polarization-maintaining optical fiber using the dc Faraday magneto-optic effect. — Dave Irvine-Halliday, Muhammad Raziullah Khan, and Peng-Gang Zhang; **39** (5), 1310-5 (2000).

Marker cluster

Morphological image segmentation for realistic image representation preserving semantic object shapes. — Hyun Sang Park and Jong Beom Ra; **39** (7), 1909-16 (2000).

Marker extraction

Morphological image segmentation for realistic image representation preserving semantic object shapes. — Hyun Sang Park and Jong Beom Ra; **39** (7), 1909-16 (2000).

Masks

Chromium aluminum oxide films for ArF line high transmittance attenuated phase shifting mask application. — Eunah Kim, Seong-yong Moon, Yong-hoon Kim, Hee-sun Yoon, and Kwangsoo No; **39** (11), 2947-55 (2000).

Materials

Effect of surface oxyfluorination on the bonding between acrylic coated optical fiber and cementitious and polyester resin matrices. — Pieter L. Swart, Lin Tu, and Anatoli A. Chtcherbakov; **39** (4), 1038-43 (2000).

Medical imaging

Two-layer competitive based Hopfield neural network for medical image edge detection. — Chuan-Yu Chang and Pau-Choo Chung; **39** (3), 695-703 (2000).

Automated segmentation of the corpus callosum in midsagittal brain magnetic resonance images. — Chulhee Lee, Shin Huh, Terence A. Ketter, and Michael Unser; **39** (4), 924-35 (2000).

Wide-angle, off-axis, see-through head-mounted display. — Jannick P. Rolland; **39** (7), 1760-7 (2000).

Metrology

Video-rate surface profiling with acousto-optic accordion fringe interferometry. — Michael S. Mermelstein, Daniel L. Feldkhun, and Lyle G. Shirley; **39** (1), 106-13 (2000).

Phase reflection—a new solution for the detection of shape defects on car body sheets. — Roland Höfling, Petra Aswendt, and Reimund Neugebauer; **39** (1), 175-82 (2000).

Analysis of 3-D surface waviness on standard artifacts by retroreflective metrology. — Xianzhu Zhang and Walter P. T. North; **39** (1), 183-6 (2000).

Application of optical shape measurement for the nondestructive evaluation of complex objects. — Wolfgang Osten; **39** (1), 232-43 (2000).

Phase nonlinearity extrema in Zeeman heterodyne interferometry. — J. M. De Freitas; **39** (2), 572-5 (L) (2000).

Extension of the displacement measurement range for electronic speckle-shearing pattern interferometry using carrier fringes and a temporal-phase-unwrapping method. — R. A. Martínez-Celorio, A. Dávila, G. H. Kaufmann, and G. Mendiola; **39** (3), 751-7 (2000).

Direct quadratic polynomial fitting for fringe peak detection of white light scanning interferograms. — Min-Cheol Park and Seung-Woo Kim; **39** (4), 952-9 (2000).

Method for measurement of the angles of a 45-deg deflecting (half penta) prism. — S. Madhusudana Rao and K. Narasimha Rao; **39** (6), 1573-5 (2000).

Measurement of transient out-of-plane displacement gradients in plates using double-pulsed subtraction TV shearography. — Antonio Fernández, Ángel F. Doval, Guillermo H. Kaufmann, Abundio Dávila, Jesús Blanco-García, Carlos Pérez-López, and José L. Fernández; **39** (8), 2106-13 (2000).

Direct object shape detection based on skeleton extraction of a light line. — J. Apolinar Muñoz-Rodriguez, Ramón Rodriguez-Vera, and Manuel Servin; **39** (9), 2463-71 (2000).

Turbulence observations over a desert basin using a kite/tethered-blimp platform. — Frank D. Eaton, Ben B. Balsley, Rod G. Frehlich, Ronald J. Hugo, Mike L. Jensen, and Kimberley A. McCrae; **39** (9), 2517-26 (2000).

Testing and evaluation of thermal cameras for absolute temperature measurement. — Krzysztof Chrzanowski, Joachim Fischer, and Robert Matyszkiel; **39** (9), 2535-44 (2000).

Fabrication, performance, and figure metrology of epoxy-replicated aluminum foils for hard x-ray focusing multilayer-coated segmented conical optics. — Mario A. Jimenez-Garate, William W. Craig, Charles J. Hailey, Finn E. Christensen, and Ahsen Hussain; **39** (11), 2982-94 (2000).

Centering and profiling algorithm for processing Newton's rings fringe patterns. — Adrian Dobroiu, Adrian Alexandrescu, Dan Apostol, Victor Nascov, and Victor Damian; **39** (12), 3201-6 (2000).

Micro-optics

Focusing and coupling properties of collective micro-optics on fiber ribbons. — P. Chanclou, M. Thual, J. Lostec, D. Pavy, and M. Gadonna; **39** (2), 387-92 (2000).

Surface profiles of reflow microlenses under the influence of surface tension and gravity. — Andreas Schilling, Roman Merz, Christian Ossmann, and Hans Peter Herzig; **39** (8), 2171-6 (2000).

Cylindrical microlens array fabricated by argon ion-beam etching. — Xinyu Zhang, Qingle Tang, Xinjian Yi, Zhi Zhang, and Xiandeng Pei; **39** (11), 3001-7 (2000).

Investigation of direct milling of micro-optical elements with continuous relief on a substrate by focused ion beam technology. — Fu Yongqi and Bryan Kok Ann Ngoi; **39** (11), 3008-13 (2000).

Microchannel plates

Differential scrubbing in a microchannel-plate intensified CCD detector. — William T. Thompson; **39** (10), 2651-9 (2000).

Microelectromechanical systems

New test methodology for static and dynamic shape measurements of microelectromechanical systems. — Gordon C. Brown and Ryszard J. Pryputniewicz; **39** (1), 127-36 (2000).

Adaptive optics systems implemented using two-dimensional phase retrieval and a microelectromechanical deformable mirror. — Stanley Rogers, Frank Scarpino, Tommy Williamson, Max K. Lee, Jason Baumbach, William D. Cowan, and Donald R. Wiff; **39** (10), 2763-74 (2000).

Through-wafer optical probe characterization for microelectromechanical systems positional state monitoring and feedback control. — J. M. Dawson, J. Chen, K. S. Brown, P. Famouri, and L. A. Hornak; **39** (12), 3239-46 (2000).

Microlenses

Confocal principle for macro- and microscopic surface and defect analysis. — Hans J. Tiziani, Michael Wegner, and Daniela Steudle; **39** (1), 32-9 (2000).

Holographically recorded gratings on microlenses for a miniaturized spectrometer array. — S. Traut and H. P. Herzig; **39** (1), 290-8 (2000).

Focusing and coupling properties of collective micro-optics on fiber ribbons. — P. Chanclou, M. Thual, J. Lostec, D. Pavy, and M. Gadonna; **39** (2), 387-92 (2000).

Method for the determination of the focal length of a microlens. — Alma A. Camacho P., Cristina Solano, Moisés Cywiak, Geminiano Martínez-Ponce, and Rosario Baltazar; **39** (8), 2149-52 (2000).

Surface profiles of reflow microlenses under the influence of surface tension and gravity. — Andreas Schilling, Roman Merz, Christian Ossmann, and Hans Peter Herzig; **39** (8), 2171-6 (2000).

Expansion of the dynamic range of a Shack-Hartmann sensor by using astigmatic microlenses. — Norbert Lindlein, Johannes Pfund, and Johannes Schwider; **39** (8), 2220-5 (2000).

Microlithography

Concept of two-dimensional swing curves for critical dimension prediction and optimization of resist/antireflective coating bilayers in topographic situations. — André Schiltz and Patrick Schiavone; **39** (3), 776-86 (2000).

Design approach and comparison of projection cameras for EUV lithography. — Scott A. Lerner, Jose M. Sasian, and Michael R. Descour; **39** (3), 792-802 (2000).

Microscopes

Method for measurement of the angles of a 45-deg deflecting (half penta) prism. — S. Madhusudana Rao and K. Narasimha Rao; **39** (6), 1573-5 (2000).

Microscopy

Engineering design of an image acquisition and analysis system for dendrochronology. — W. Steven Conner, Robert A. Schowengerdt, Martin Munro, and Malcolm K. Hughes; **39** (2), 453-63 (2000).

Shear-force, constant-height, and constant-intensity imaging in scanning near-field optical microscopy with *s*- and *p*-polarized incident light. — Mufei Xiao and Xin Chen; **39** (9), 2495-500 (2000).

Microwaves

Optoelectronic arbitrary-waveform generator for radar applications. — Sylvie Tonda-Goldstein, Daniel Dolfi, Jean-Pierre Huignard, Ph. Sapé, G. Granger, and J. Chazelas; **39** (12), 3294-300 (2000).

Mirrors

Novel technologies for 1.55-μm vertical cavity lasers. — Klaus Streubel, Mattias Hammar, Fredrik Salomonsson, J. Bentell, Sebastian Mogg, S. Rapp, Joël Jacquet, Julian Boucart, C. Stark, A. Plais, F. Gaborit, E. Derouin, N. Bouché, A. Rudra, Alexei V. Syrbu, Vladimir P. Iakovlev, C.-A. Berseth, O. Dehaese, E. Kapon, H. Moussa, I. Sagnes, and R. Raj; **39** (2), 488-97 (2000).

Inflatable membrane mirrors for optical passband imagery. — Aden B. Meinel and Marjorie P. Meinel; **39** (2), 541-50 (2000).

Optical backplanes with integrated polymer waveguides. — Jörg Moisel, Joachim Guttmann, Hans-Peter Huber, Oskar Krumpholz, Manfred Rode, Richard Bogenberger, and Klaus-Peter Kuhn; **39** (3), 673-9 (2000).

Adaptive secondary mirror demonstrator: construction and preliminary evaluation. — Jun Ho Lee, David D. Walker, and A. Peter Doel; **39** (4), 1057-62 (2000).

Compact two-mirror schemes for telescopes with a fast spherical primary. — Daniil T. Puryayev and Alexander V. Gontcharov; **39** (6), 1692-6 (2000).

New simple geometrical test for aspheric lenses and mirrors. — Juan Manuel López-Ramírez, Daniel Malacara-Doblado, and Daniel Malacara-Hernández; **39** (8), 2143-8 (2000).

Advances in very lightweight composite mirror technology. — Peter C. Chen, C. W. Bowers, David A. Content, Marzouk Marzouk, and R. C. Romeo; **39** (9), 2320-9 (2000).

Radial shearing interferometer for in-process measurement of diamond turning. — Tsuguo Kohno, Daiji Matsumoto, Takanori Yazawa, and Yutaka Uda; **39** (10), 2696-9 (2000).

Theory and practice of elliptically bent x-ray mirrors. — Malcolm R. Howells, Daniela Cambie, Robert M. Duarte, Steven Irick, Alasdair A. MacDowell, Howard A. Padmore, Timothy R. Renner, Seungyu Rah, and Reubin Sandler; **39** (10), 2748-62 (2000).

Adaptive optics systems implemented using two-dimensional phase retrieval and a microelectromechanical deformable mirror. — Stanley Rogers, Frank Scarpino, Tommy Williamson, Max K. Lee, Jason Baumbach, William D. Cowan, and Donald R. Wiff; **39** (10), 2763-74 (2000).

Fabrication, performance, and figure metrology of epoxy-replicated aluminum foils for hard x-ray focusing multilayer-coated segmented conical optics. — Mario A. Jimenez-Garate, William W. Craig, Charles J. Hailey, Finn E. Christensen, and Ahsen Hussain; **39** (11), 2982-94 (2000).

Missiles

New infrared counter-countermeasure technique using an iterative self-organizing data analysis algorithm for the rosette scanning infrared seeker. — Sung-Gabb Jahng, Hyun-Ki Hong, Dong-Sun Seo, and Jong-Soo Choi; **39** (9), 2397-404 (2000).

Modeling

Test of three visual search and detection models. — Alexander Toet, Piet Bijl, and J. Mathieu Valeton; **39** (5), 1344-53 (2000).

Modeling anisotropic and fractal two-dimensional fields: a tool for image simulation. — Miguel N. Setas and José Manuel Rebordão; **39** (6), 1497-506 (2000).

Point target detection in IR image sequences: a hypothesis-testing approach based on target and clutter temporal profile modeling. — Alexis P. Tzannes and Dana H. Brooks; **39** (8), 2270-8 (2000).

Clutter modeling in infrared images using genetic programming. — Liviu I. Voicu, Mosleh Uddin, Harley R. Myler, Anthony Gallagher, and Julien Schuler; **39** (9), 2359-71 (2000).

Modes

Mode scrambler for polymer optical fibers. — Rabah Attia and Jacques Marcou; **39** (1), 299-303 (2000).

Interference of modes in optical fibers. — Ivan Turek, Ivan Martinček, and Roman Stránsky; **39** (5), 1304-9 (2000).

Modulation

Optoelectronic arbitrary-waveform generator for radar applications. — Sylvie Tonda-Goldstein, Daniel Dolfi, Jean-Pierre Huignard, Ph. Sapé, G. Granger, and J. Chazelas; **39** (12), 3294-300 (2000).

Modulation transfer functions

Sampling-interpolation modulation transfer function as the envelope of the interpolated output. — Abraham Friedenberg; **39** (2), 520-6 (2000).

Geometrical modulation transfer function for different pixel active area shapes. — Orly Yadid-Pecht; **39** (4), 859-65 (2000).

Distortion-tolerant minimum-mean-squared-error filter for detecting noisy targets in environmental degradation. — Francis Chan, Nasser Towghi, Luting Pan, and Bahram Javidi; **39** (8), 2092-100 (2000).

Modulators

Highly efficient linear waveguide modulator based on domain-inverted electro-optic polymers. — Suning Tang, Zan Shi, Dechang An, Lin Sun, and Ray T. Chen; **39** (3), 680-8 (2000).

Initial bias dependency in dc drift of z-cut $LiNbO_3$ optical intensity modulators. — Hirotoshi Nagata, Hideki Honda, and Katsuya Akizuki; **39** (4), 1103-5 (2000).

Fiber-lattice accumulator design considerations for optical $\Sigma\Delta$ analog-to-digital converters. — Phillip E. Pace, S. A. Bewley, and John P. Powers; **39** (6), 1517-26 (2000).

Eosin dye soaked gelatin as a recording medium. — D. Mangaiyarkarasi, P. K. Palanisamy, and Rajpal S. Sirohi; **39** (8), 2138-42 (2000).

Control method to maintain the maximum extinction ratio of output optical pulses from an intensity modulator. — Shih-Chu Huang, Jiunn-Song Tsay, and Wuu-Wen Lin; **39** (8), 2214-9 (2000).

Moiré

Computer-assisted holographic moiré contouring. — C. A. Sciammarella; **39** (1), 99-105 (2000).

Powerful frequency domain algorithm for frequency identification for projected grating phase analysis and its applications. — Minfu Lu, Xiaoyan He, and Sheng Liu; **39** (1), 137-42 (2000).

Optical encoder based on the Lau effect. — Daniel Crespo, José Alonso, Tomás Morlanes, and Eusebio Bernabeu; **39** (3), 817-24 (2000).

Spatiotemporal phase unwrapping and its application in fringe projection fiber optic phase-shifting profilometry. — Hong Zhang, Fang Wu, Michael J. Lalor, and David R. Burton; **39** (7), 1958-64 (2000).

Shadow moiré profilometry using the phase-shifting method. — Lianhua Jin, Yutaka Kodera, Toru Yoshizawa, and Yukitoshi Otani; **39** (8), 2119-23 (2000).

Subfringe integration method for automatic analysis of moire deflection tomography. — Ming Wang, Li Ma, Dacheng Li, and Jingang Zhong; **39** (10), 2726-33 (2000).

Molecular spectroscopy

Primary photochemical process in films of dichromated gelatin: a quantitative approach. — Christophe Lafond, Christine Pizzocaro, Roger A. Lessard, and Michèle Bolte; **39** (3), 610-5 (2000).

Monte Carlo

Automated design of a uniform distribution using faceted reflectors. — William J. Cassarly, Stuart R. David, David G. Jenkins, Andrew P. Riser, and Thomas L. Davenport; **39** (7), 1830-9 (2000).

Motion

Automatic enhancement of noisy image sequences through local spatiotemporal spectrum analysis. — Oscar Nestares, Carlos Miravet, Javier Santamaria, and Rafael Navarro; **39** (6), 1457-69 (2000).

Restoration of an image degraded by vibrations using only a single frame — Yitzhak Yitzhaky, G. Boshusha, Y. Levy, and Norman S. Kopeika; **39** (8), 2083-91 (2000).

Motion analysis

Hybrid algorithm for estimating true motion fields. — Demin Wang and Daniel Lauzon; **39** (11), 2876-81 (2000).

Motion stereo

Motion stereo based on Fourier local phase adaptive matching. — M. S. Park, D. Y. Kim, K. S. Roh, and T. S. Choi; **39** (4), 866-71 (2000).

Multilayers

Uncertainties in the values obtained by surface plasmon resonance. — Bernard G. Tilkens, Yves F. Lion, and Yvon L. Renotte; **39** (2), 363-73 (2000).

Design approach and comparison of projection cameras for EUV lithography. — Scott A. Lerner, Jose M. Sasian, and Michael R. Descour; **39** (3), 792-802 (2000).

High resolution imaging with multilayer telescopes: resolution performance of the MSSTA II telescopes. — Dennis S. Martínez-Galarce, Arthur B. C. Walker, II, David B. Gore, Charles C. Kankelborg, Richard B. Hoover, T. W. Barbee, Jr., and P. F. X. Boerner; **39** (4), 1063-79 (2000).

Testing layered synthetic microstructures by computer processing of their digitized electron-microscope cross sections. — Marc-Olivier Flaissier, Georges Rasigni, Monique Rasigni, and Christophe Guichet; **39** (5), 1364-8 (2000).

Multimedia

Quadtree-segmented image coding schemes using vector quantization and block truncation coding. — Yu-Chen Hu and Chin-Chen Chang; **39** (2), 464-71 (2000).

Multiple scattering

Polarization studies in multiply scattering chiral media. — I. Alex Vitkin and Emile Hoskinson; **39** (2), 353-62 (2000).

Multiplexing

High-performance polymeric componentry for telecom and datacom applications. — Louay Eldada, Robert Blomquist, Lawrence W. Shacklette, and Michael J. McFarland; **39** (3), 596-609 (2000).

Optical implementation of the generalized Hough transform by use of multiplexed holograms. — Dong-Hak Shin and Ju-Seog Jang; **39** (9), 2431-8 (2000).

Binary phase modulation using electrically addressed transmissive and silicon backplane spatial light modulators. — Clarence A. T. H. Tee, William A. Crossland, Timothy D. Wilkinson, and Anthony B. Davey; **39** (9), 2527-34 (2000).

Holographic data storage by combined use of peristrophic, angular, and spatial multiplexing. — Ju-Seog Jang, Dong-Hak Shin, and Youn-Sup Park; **39** (11), 2975-81 (2000).

Optical processing by fringed speckles registered in a BSO crystal. — Myrian Tebaldi, Luciano Angel Toro, Marcelo Trivi, and Néstor Bolognini; **39** (12), 3232-8 (2000).

Multiresolution

Forest representation of wavelet transform and feature detection. — Zikuan Chen and Mohammad A. Karim; **39** (5), 1194-202 (2000).

Neodymium lasers

High-repetition-rate 2-J Nd:YAG oscillator-amplifier system. — Kazuyoku Tei, Masaaki Kato, Fumiaki Matsuoka, Yosito Niwa, Yoichiro Maruyama, Tohru Matoba, and Takasi Arisawa; **39** (1), 320-2 (2000).

Neural networks

Two-layer competitive based Hopfield neural network for medical image edge detection. — Chuan-Yu Chang and Pau-Choo Chung; **39** (3), 695-703 (2000).

Target classification via support vector machines. — Robert E. Karlsen, David J. Gorsich, and Grant R. Gerhart; **39** (3), 704-11 (2000).

Shift-invariant optoelectronic associative memory by using a cascade of correlators. — Rafal Kasztelanic, Juan Campos, and Katarzyna Chalasinska-Macukow; **39** (4), 993-1001 (2000).

Limited samples wavelet network and its application for damage detection composites. — Yao-Jun Wu, Kwok-Wo Wong, and Tian-Ge Zhuang; **39** (4), 1002-8 (2000).

Relative performance of correlation-based and neural-network-based classifiers of aircraft using synthetic radar range profiles. — Christoph Nieuwoudt and Elizabeth C. Botha; **39** (5), 1245-51 (2000).

Computer-aided diagnostic detection system of venous beading in retinal images. — Ching-Wen Yang, Dye-Jyun Ma, Shuenn-Ching Chao, Chuin-Mu Wang, Chia-Hsin Wen, Chien-Shun Lo, Pau-Choo Chung, and Chein-I Chang; **39** (5), 1293-303 (2000).

Wavelet-based approach to adaptive Wiener filtering of images in the presence of colored noise. — Ioannis M. Stephanakis and Stefanos D. Kollias; **39** (5), 1354-63 (2000).

Adaptive image restoration based on hierarchical neural networks. — Kim Hui Yap and Ling Guan; **39** (7), 1877-90 (2000).

Neural networks versus nonparametric neighbor-based classifiers for semisupervised classification of Landsat Thematic Mapper imagery. — Perry J. Hardin; **39** (7), 1898-908 (2000).

Multilayer neural network with a fuzzy controlled learning method for optical pattern training. — Xin Lin and Masahiko Mori; **39** (10), 2734-9 (2000).

Experimental nonmechanical image rotation to 20 angles using an acousto-optic dove prism. — Yong-Seok Im, Eung Gi Paek, Xiao Tang, Joon Y. Choe, and Tae K. Oh; **39** (11), 2909-14 (2000).

Combined IR imaging-neural network method for the estimation of internal temperature in cooked chicken meat. — Juan G. Ibarra, Yang Tao, and Hongwei Xin; **39** (11), 3032-8 (2000).

Noise

Uncertainties in the values obtained by surface plasmon resonance. — Bernard G. Tilkens, Yves F. Lion, and Yvon L. Renotte; **39** (2), 363-73 (2000).

Optimal-trade-off filters for noise robustness, peak sharpness, and light efficiency in nonoverlapping background noise. — Yeong Kyeong Seong and Tae Sun Choi; **39** (2), 472-7 (2000).

Optical strain sensor using position-sensitive detector and diffraction grating: error analysis. — Anand Asundi and Bing Zhao; **39** (6), 1645-51 (2000).

Comparison between super low ionization ratio and reach through avalanche photodiode structures. — Tamer F. Refaat, Gary E. Halama, and Russell J. DeYoung; **39** (10), 2642-50 (2000).

Temperature-induced transient noise of pyroelectric thermal detector. — Muno Lee and Seongho Bae; **39** (11), 3076-83 (2000).

Nondestructive evaluation

Extrinsic and intrinsic fiber optic Sagnac ultrasound sensors. — Pavel A. Fomitchov, Sridhar Krishnaswamy, and Jan D. Achenbach; **39** (7), 1972-84 (2000).

Nondestructive testing

Means of eliminating background effects for defect detection and visualization in infrared thermography. — Yuri A. Plotnikov, Nik Rajic, and William P. Winfree; **39** (4), 879-84 (2000).

Curved-ray technique to measure the stress profile in tempered glass. — G. Wayne Brodland and Allan T. Dolovich; **39** (9), 2501-5 (2000).

Wavelet transform for detection of partial fringe patterns induced by defects in nondestructive testing of holographic interferometry and electronic speckle pattern interferometry. — Xide Li; **39** (10), 2821-7 (2000).

Nonimaging optics

Ultracompact nonimaging devices for optical wireless communications. — Rubén Mohedano, Juan C. Miñano, Pablo Benítez, José L. Alvarez, Maikel Hernández, Juan C. González, Kazutoshi Hirohashi, and Satoru Toguchi; **39** (10), 2740-7 (2000).

Nonlinear image processing

Unsupervised signature extraction and separation in hyperspectral images: a noise-adjusted fast independent component analysis approach. — Te-Ming Tu; **39** (4), 897-906 (2000).

Nonlinear optics

Dynamic holographic telecommunications components based on spatial light modulation with pixelated $\chi^{(2)}$ polymers in a Fabry-Pérot cavity. — Adam D. Cohen and R. J. Mears; **39** (3), 633-42 (2000).

Calculating characteristics of noncollinear phase matching in uniaxial and biaxial crystals. — N. Boeuf, D. Branning, I. Chaperot, E. Dauler, S. Guérin, G. Jaeger, A. Muller, and A. Migdall; **39** (4), 1016-24 (2000).

Nd:YAG laser with a stimulated Brillouin scattering mirror and variable pulse duration. — Oleg V. Palashov, Efim A. Khazanov, and Nikolay F. Andreev; **39** (6), 1536-42 (2000).

Analysis of nonlinear response in erbium-doped fiber amplifiers. — Cheng-Kuang Liu, Fu-Shun Lai, and Jau-Ji Jou; **39** (6), 1548-55 (2000).

Identification and estimation of nonlinearity in constant-voltage-biased infrared sensor detected signals. — Mohammad S. Alam and Joe Predina; **39** (12), 3264-71 (2000).

Nonsymmetric systems

Techniques and tools for obtaining symmetrical performance from tilted-component systems. — John R. Rogers; **39** (7), 1776-87 (2000).

Null lenses

Tolerance analysis of null lenses using an end-use system performance criterion. — J. Michael Rodgers; **39** (7), 1812-5 (2000).

Computer generation of null masks for Ronchi lens tests. — John F. Forkner; **39** (7), 1840-4 (2000).

SUBJECT INDEX

Object recognition
Illumination-invariant face recognition using composite filters synthesized by simulated annealing. — David Duarte and Shizhuo Yin; **39** (5), 1252-9 (2000).
Fourier-Mellin descriptor and interpolated feature space trajectories for three-dimensional object recognition. — Ziliang Ping, Yunlong Sheng, Sylvain Deschênes, and Henri H. Arsenault; **39** (5), 1260-6 (2000).

Ophthalmology
Ophthalmic lens design with the optimization of the aspherical coefficients. — Wen-Shing Sun, Chuen-Lin Tien, Ching-Cherng Sun, Ming-Wen Chang, and Horng Chang; **39** (4), 978-88 (2000).

Optical activity
Circular polarization filters made of chiral sculptured thin films: experimental and simulation results. — Qihong Wu, Ian J. Hodgkinson, and Akhlesh Lakhtakia; **39** (7), 1863-8 (2000).

Optical character recognition
Document page segmentation based on pattern spread analysis. — Phillip E. Mitchell and Hong Yan; **39** (3), 724-34 (2000).
Skeletonization of broken handwritten characters. — Rong He and Hong Yan; **39** (11), 2882-93 (2000).

Optical components
Adaptive optics systems implemented using two-dimensional phase retrieval and a microelectromechanical deformable mirror. — Stanley Rogers, Frank Scarpino, Tommy Williamson, Max K. Lee, Jason Baumbach, William D. Cowan, and Donald R. Wiff; **39** (10), 2763-74 (2000).

Optical computing
All-optical logic gates using bacteriorhodopsin films. — Tianhao Zhang, Chunping Zhang, Guanghua Fu, Yudong Li, Liqun Gu, Guangyin Zhang, Q. Wang Song, Bruce Parsons, and Robert R. Birge; **39** (2), 527-34 (2000).
Electronic compensation for nonideal spatial light modulator characteristics. — David M. Budgett, James H. Sharp, Pei C. Tang, Rupert C. D. Young, Brian F. Scott, and Christopher R. Chatwin; **39** (10), 2601-8 (2000).
Experimental nonmechanical image rotation to 20 angles using an acousto-optic dove prism. — Yong-Seok Im, Eung Gi Paek, Xiao Tang, Joon Y. Choe, and Tae K. Oh; **39** (11), 2909-14 (2000).

Optical design
Focusing and coupling properties of collective micro-optics on fiber ribbons. — P. Chanclou, M. Thual, J. Lostec, D. Pavy, and M. Gadonna; **39** (2), 387-92 (2000).
Design approach and comparison of projection cameras for EUV lithography. — Scott A. Lerner, Jose M. Sasian, and Michael R. Descour; **39** (3), 792-802 (2000).
Pushbroom imaging spectrometer with high spectroscopic data fidelity: experimental demonstration. — Pantazis Mouroulis and Michael M. McKerns; **39** (3), 808-16 (2000).
A condition on spatial resolution of IR collimators for testing of thermal imaging systems. — K. Chrzanowski, H. C. Lee, and W. Wrona; **39** (5), 1413-7 (2000).
Systems engineering analysis of aplanatic Wolter type I x-ray telescopes. — Patrick L. Thompson and James E. Harvey; **39** (6), 1677-91 (2000).
Techniques and tools for obtaining symmetrical performance from tilted-component systems. — John R. Rogers; **39** (7), 1776-87 (2000).
Use of implicitly defined optical surfaces for the design of imaging and illumination systems. — Scott A. Lerner and Jose M. Sasian; **39** (7), 1796-801 (2000).
Using ZEMAX Image Analysis and user-defined surfaces for projection lens design and evaluation for Digital Light Processing™ projection systems. — D. Scott Dewald; **39** (7), 1802-7 (2000).
Astigmatic light source in optical design software. — Simon Thibault; **39** (7), 1808-11 (2000).
Compact focus heads for high-power Nd:YAG laser processing. — Yunan Guo and Dave Farson; **39** (9), 2345-50 (2000).
Ultracompact nonimaging devices for optical wireless communications. — Rubén Mohedano, Juan C. Miñano, Pablo Benítez, José L. Alvarez, Maikel Hernández, Juan C. González, Kazutoshi Hirohashi, and Satoru Toguchi; **39** (10), 2740-7 (2000).

Optical devices
Single-mode multifiber connector using an injection molded MT type ferrule and a quick assembly technique. — Masaaki Takaya, Shinji Nagasawa, and Yasuji Murakami; **39** (4), 1025-31 (2000).
Experimental realization of sculptured-thin-film polarization-discriminatory light-handedness inverters. — Ian J. Hodgkinson, Akhlesh Lakhtakia, and Qi hong Wu; **39** (10), 2831-4 (2000).

Optical fabrication
Cylindrical microlens array fabricated by argon ion-beam etching. — Xinyu Zhang, Qingle Tang, Xinjian Yi, Zhi Zhang, and Xiandeng Pei; **39** (11), 3001-7 (2000).

Optical fibers
Study on drag forces of the molding flow in IC packaging using optical fiber sensors. — Yu-Lung Lo, Hsin-Yi Lai, and Ming-Hong Tsai; **39** (3), 832-7 (2000).
Fiber optic thermal imaging system based on hollow glass waveguides or silver halide fibers as scanning elements. — B. Dekel, A. Inberg, N. Croitoru, S. Shalem, and A. Katzir; **39** (4), 941-6 (2000).
Single-mode multifiber connector using an injection molded MT type ferrule and a quick assembly technique. — Masaaki Takaya, Shinji Nagasawa, and Yasuji Murakami; **39** (4), 1025-31 (2000).
Pigtail-type CO laser using As_2S_3 optical fiber. — Satoshi Tanaka, Yuzo Setoguchi, Mitsunori Saito, and Heihachi Sato; **39** (5), 1377-83 (2000).
Design and fabrication of erbium-doped fibers for optical amplifiers. — Pauli Kiiveri and Simo Tammela; **39** (7), 1943-50 (2000).
Determination of ammonia in environmental samples using the diode laser/fiber optic colorimetric spectrometer. — Sung-Ho Kim, Gill Sang Byun, and Seongsik Hong; **39** (7), 1985-8 (2000).

Optical glass
Using small glass catalogs. — John Tesar; **39** (7), 1816-21 (2000).

Optical inspection
Method for measurement of the angles of a 45-deg deflecting (half penta) prism. — S. Madhusudana Rao and K. Narasimha Rao; **39** (6), 1573-5 (2000).

Optical interconnects
Dark spatial solitons in photopolymer films for optical interconnections. — Sergey S. Sarkisov, Michael J. Curley, Darnell E. Diggs, Aaron Wilkosz, Vladimir V. Grimalsky, and Grigory Adamovsky; **39** (3), 616-23 (2000).
Optical backplanes with integrated polymer waveguides. — Jörg Moisel, Joachim Guttmann, Hans-Peter Huber, Oskar Krumpholz, Manfred Rode, Richard Bogenberger, and Klaus-Peter Kuhn; **39** (3), 673-9 (2000).
Multiplexed holograms in thick bacteriorhodopsin films for optical memory/interconnections. — Arkady S. Bablumian and Thomas F. Krile; **39** (11), 2964-74 (2000).
Modeling and analysis of optical interconnect systems using equivalent circuit models. — Seung-Woo Lee, Eun-Chang Choi, Sang-Kook Han, and Woo-Young Choi; **39** (12), 3191-5 (2000).

Optical masks
Special sensor masking for exceeding system geometrical resolving power. — Zeev Zalevsky, David Mendlovic, and Emanuel Marom; **39** (7), 1936-42 (2000).

Optical materials
Interference method for determination of the refractive index and thickness. — Serguei A. Alexandrov and Igor V. Chernyh; **39** (9), 2480-6 (2000).
Effects of the CTE and Young's modulus lateral gradients on the bowing of an optical fiber: analytical and finite element modeling. — Ephraim Suhir and Joseph Vuillemin; **39** (12), 3317-21 (2000).

Optical measurement
Optical strain sensor using position-sensitive detector and diffraction grating: error analysis. — Anand Asundi and Bing Zhao; **39** (6), 1645-51 (2000).

Optical memory
Multiplexed holograms in thick bacteriorhodopsin films for optical memory/interconnections. — Arkady S. Bablumian and Thomas F. Krile; **39** (11), 2964-74 (2000).

Optical metrology
Understanding optical end of line metrology. — David Ziger and Pierre Leroux; **39** (7), 1951-7 (2000).

Optical pattern recognition
Data reduction via the wavelet transform for the synthesis of the projection-slice filter. — Vahid R. Riasati, Hanying Zhou, Tien-Hsin Chao, and D. A. Gregory; **39** (5), 1218-22 (2000).

Optical processing
Heteroassociative correlation filter using cross-correlation enhancement. — Jehad Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1142-8 (2000).
Polarization encoding for optical security systems. — Bahram Javidi and Takanori Nomura; **39** (9), 2439-43 (2000).
Optoelectronic arbitrary-waveform generator for radar applications. — Sylvie Tonda-Goldstein, Daniel Dolfi, Jean-Pierre Huignard, Ph. Sapé, G. Granger, and J. Chazelas; **39** (12), 3294-300 (2000).

Optical properties
Precompensation approach for improving the quality of laser direct writing patterns by a modified proximity function. — Jinglei Du, Fuhua Gao, Yongkang Guo, Chunlei Du, Chuankai Qiu, and Zheng Cui; **39** (3), 771-5 (2000).
Optical, mechanical and thermal properties of MgF_2-ZnS and MgF_2-Ta_2O_5 composite thin films deposited by coevaporation. — Tae Uk Ryu, Sung Hong Hahn,, Sok Won Kim, and Eui Jung Kim; **39** (12), 3207-13 (2000).

Optical recording
Using fiber butt coupling for light delivery to the write/read objective in optical recording. — Yakov Sidorin and Dennis G. Howe; **39** (3), 787-91 (2000).

Optical security
Double random fractional Fourier-domain encoding for optical security. — G. Unnikrishnan and Kehar Singh; **39** (11), 2853-9 (2000).

Optical signals
Gabor representation of optical signals using a truncated von Neumann lattice and its practical implementation. — L. K. Stergioulas, A. Vourdas, and G. R. Jones; **39** (7), 1965-71 (2000).

Optical storage
Volume holographic wavelet correlation processor. — Wenyi Feng, Yingbai Yan, Guofan Jin, Minxian Wu, and Qingsheng He; **39** (9), 2444-50 (2000).

Optical systems
Systems engineering analysis of aplanatic Wolter type I x-ray telescopes. — Patrick L. Thompson and James E. Harvey; **39** (6), 1677-91 (2000).
Simple and low-cost technique for wavelength division multiplexing channel monitoring. — Mario Iodice, Giuseppe Cocorullo, Francesco G. Della Corte, and Ivo Rendina; **39** (6), 1704-11 (2000).
Misalignment modes in high-performance optical systems. — Michael R. Descour, Mark R. Willer, Dana S. Clarke, and Curtis E. Volin; **39** (7), 1737-47 (2000).

Optical testing
Direct quadratic polynomial fitting for fringe peak detection of white light scanning interferograms. — Min-Cheol Park and Seung-Woo Kim; **39** (4), 952-9 (2000).
Three channel phase-shifting interferometer using polarization-optics and a diffraction grating. — Andrea Hettwer, Jochen Kranz, and Johannes Schwider; **39** (4), 960-6 (2000).
Phase-shifting interferometry: minimization of systematic errors. — Parameswaran Hariharan; **39** (4), 967-9 (2000).
Method for measurement of the angles of a 45-deg deflecting (half penta) prism. — S. Madhusudana Rao and K. Narasimha Rao; **39** (6), 1573-5 (2000).
Tolerance analysis of null lenses using an end-use system performance criterion. — J. Michael Rodgers; **39** (7), 1812-5 (2000).
New simple geometrical test for aspheric lenses and mirrors. — Juan Manuel López-Ramírez, Daniel Malacara-Doblado, and Daniel Malacara-Hernández; **39** (8), 2143-8 (2000).

Optimization
Design of optical systems with both near-field and far-field system requirements. — D. Y. Wang, David M. Aikens, and R. Edward English, Jr.; **39** (7), 1788-95 (2000).
Using small glass catalogs. — John Tesar; **39** (7), 1816-21 (2000).

Optoelectronic packaging
Focusing and coupling properties of collective micro-optics on fiber ribbons. — P. Chanclou, M. Thual, J. Lostec, D. Pavy, and M. Gadonna; **39** (2), 387-92 (2000).

Optoelectronics
Scattering loss measurements of evaporated slab waveguides of SiO_2 and NdF_3 using a prism coupler and angle-limited integrated scattering. — Juan B. Hurtado-Ramos, Orestes N. Stavroudis, Haiming Wang, and Gilberto Gómez-Rosas; **39** (2), 558-64 (2000).
Monolithic integration of thin-film coolers with optoelectronic devices. — Christopher LaBounty, Ali Shakouri, Patrick Abraham, and John E. Bowers; **39** (11), 2847-52 (2000).

Optomechanical design

Tapered optical-fiber-based pressure sensor. — Cándido Bariáin, Ignacio R. Matías, Francisco J. Arregui, and Manuel López-Amo; **39** (8), 2241-7 (2000).

Oversampling

Oversampled optical subband decomposition. — Zikuan Chen and Mohammad A. Karim; **39** (9), 2422-30 (2000).

Ozone

Measurement of atmospheric ozone by differential absorption of solar radiation using a compact optical spectrometer. — Ulrich Kempfer and Herbert Schneckenburger; **39** (7), 1989-93 (2000).

Pattern recognition

Computing visual target distinctness through selective filtering, statistical features, and visual patterns. — Xose R. Fdez-Vidal, Alexander Toet, J. A. Garcia, and J. Fdez-Valdivia; **39** (1), 267-81 (2000).

Massive parallel optical pattern recognition and retrieval via a two-stage high-capacity multichannel holographic random access memory system. — Luzhong Cai and Hua-Kuang Liu; **39** (2), 401-8 (2000).

Optimal-trade-off filters for noise robustness, peak sharpness, and light efficiency in nonoverlapping background noise. — Yeong Kyeong Seong and Tae Sun Choi; **39** (2), 472-7 (2000).

Document page segmentation based on pattern spread analysis. — Phillip E. Mitchell and Hong Yan; **39** (3), 724-34 (2000).

Shift-invariant optoelectronic associative memory by using a cascade of correlators. — Rafal Kasztelanic, Juan Campos, and Katarzyna Chalasinska-Macukow; **39** (4), 993-1001 (2000).

Moment patterns in the Radon space. — R. R. Galigekere, D. W. Holdsworth, M. N. S. Swamy, and Aaron Fenster; **39** (4), 1088-97 (2000).

Modification algorithms for improving the performance of holographically stored multiplexed correlation filters. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1122-32 (2000).

Heteroassociative correlation filter using cross-correlation enhancement. — Jehad Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1142-8 (2000).

Amplitude-modulated radial harmonic filters. — Jianping Yao and Leonard Chin; **39** (5), 1149-55 (2000).

Rotation-invariant synthetic discriminant function filter for pattern recognition. — Vahid R. Riasati, Partha P. Banerjee, Mustafa A. G. Abushagur, and Kenneth B. Howell; **39** (5), 1156-61 (2000).

Relative performance of correlation-based and neural-network-based classifiers of aircraft using synthetic radar range profiles. — Christoph Nieuwoudt and Elizabeth C. Botha; **39** (5), 1245-51 (2000).

NLEBS: automatic target detection using a unique nonlinear-enhancement-based system in IR images. — Shlomo Greenberg, Raanan Yehezkel, Yaniv Gurevich, and Hugo Guterman; **39** (5), 1369-76 (2000).

Production of computer-generated phase holograms using graphic devices: application to correlation filters. — Andrés Márquez, Juan Campos, María J. Yzuel, Inmaculada Pascual, Antonio Fimia, and Augusto Beléndez; **39** (6), 1612-9 (2000).

Distortion-tolerant minimum-mean-squared-error filter for detecting noisy targets in environmental degradation. — Francis Chan, Nasser Towghi, Luting Pan, and Bahram Javidi; **39** (8), 2092-100 (2000).

Single-output multichannel pattern recognition using projection preprocessing. — Vitaly Kober and Tae S. Choi; **39** (8), 2153-62 (2000).

Volume holographic wavelet correlation processor. — Wenyi Feng, Yingbai Yan, Guofan Jin, Minxian Wu, and Qingsheng He; **39** (9), 2444-50 (2000).

Rotation-invariant phase-shifting joint transform correlator by use of circular harmonic expansion. — Zhaoqi Wang, Jiuhong Guan, Guoguang Mu, and Rulian Fu; **39** (10), 2595-600 (2000).

Multilayer neural network with a fuzzy controlled learning method for optical pattern training. — Xin Lin and Masahiko Mori; **39** (10), 2734-9 (2000).

New image filtering technique combining a wavelet transform with a linear neural network: application to face recognition. — Fan Yang, Michel Paindavoine, H. Abdi, and Johel Mitéran; **39** (11), 2894-9 (2000).

Experimental nonmechanical image rotation to 20 angles using an acousto-optic dove prism. — Yong-Seok Im, Eung Gi Paek, Xiao Tang, Joon Y. Choe, and Tae K. Oh; **39** (11), 2909-14 (2000).

Applying the eigenfaces and Fisherfaces methods to circuit-board inspection. — Estille Whittenberger, Alejandro E. Brito, and Sergio D. Cabrera; **39** (12), 3154-64 (2000).

Phase compensation

Optical incoherent imaging through a thin slab waveguide. — Charles E. Dionne and Robert A. Gonsalves; **39** (9), 2392-6 (2000).

Phase conjugation

Incoherent-to-coherent conversion using an induced self-pumped phase conjugator or a mutually pumped phase conjugator. — Y. S. Qiu, W. C. Huang, Z. Q. Zheng, T. S. Lu, and H. Li; **39** (4), 1044-6 (2000).

Nd:YAG laser with a stimulated Brillouin scattering mirror and variable pulse duration. — Oleg V. Palashov, Efim A. Khazanov, and Nikolay F. Andreev; **39** (6), 1536-42 (2000).

Two-dimensional optical wavefront measurements using a small-aperture beam technique derivative instrument. — Edward J. Fitzgerald and Eric J. Jumper; **39** (12), 3285-93 (2000).

Phase encoding

Phase-encoded fringe-adjusted joint transform correlation. — Mohammad S. Alam; **39** (5), 1169-76 (2000).

Phase measurement

Adaptive optical three-dimensional measurement with structured light. — Richard Kowarschik, Peter Kühmstedt, Jörg Gerber, Wolfgang Schreiber, and Gunther Notni; **39** (1), 150-8 (2000).

Phase reflection—a new solution for the detection of shape defects on car body sheets. — Roland Höfling, Petra Aswendt, and Reimund Neugebauer; **39** (1), 175-82 (2000).

Phase nonlinearity extrema in Zeeman heterodyne interferometry. — J. M. De Freitas; **39** (2), 572-5 (L) (2000).

Interferometric measurement of diffusion coefficients through a scanning laser beam. — Elvio E. Alanís, Graciela G. Romero, and Carlos C. Martínez; **39** (3), 744-50 (2000).

Direct quadratic polynomial fitting for fringe peak detection of white light scanning interferograms. — Min-Cheol Park and Seung-Woo Kim; **39** (4), 952-9 (2000).

Three channel phase-shifting interferometer using polarization-optics and a diffraction grating. — Andrea Hettwer, Jochen Kranz, and Johannes Schwider; **39** (4), 960-6 (2000).

Spatiotemporal phase unwrapping and its application in fringe projection fiber optic phase-shifting profilometry. — Hong Zhang, Fang Wu, Michael J. Lalor, and David R. Burton; **39** (7), 1958-64 (2000).

Phase modulation

Polarization studies in multiply scattering chiral media. — I. Alex Vitkin and Emile Hoskinson; **39** (2), 353-62 (2000).

Electronic compensation for nonideal spatial light modulator characteristics. — David M. Budgett, James H. Sharp, Pei C. Tang, Rupert C. D. Young, Brian F. Scott, and Christopher R. Chatwin; **39** (10), 2601-8 (2000).

Wavelength-converting optical space switch using a semiconductor-optical-amplifier-based Mach-Zehnder interferometer. — Min-Ho Lee, Si-Mon Shin, and Sang-Kook Han; **39** (12), 3255-9 (2000).

Phase retrieval

Quantitative Makyoh topography. — Zsolt John Laczik; **39** (9), 2562-7 (2000).

Phase shifts

Three channel phase-shifting interferometer using polarization-optics and a diffraction grating. — Andrea Hettwer, Jochen Kranz, and Johannes Schwider; **39** (4), 960-6 (2000).

Phase-shifting interferometry: minimization of systematic errors. — Parameswaran Hariharan; **39** (4), 967-9 (2000).

Multiwavelength fringe scanning profilometry for wide gapped sample. — Minghong Tsai, Hongxin Huang, Masahide Itoh, and Toyohiko Yatagai; **39** (4), 970-7 (2000).

Shadow moiré profilometry using the phase-shifting method. — Lianhua Jin, Yutaka Kodera, Toru Yoshizawa, and Yukitoshi Otani; **39** (8), 2119-23 (2000).

Rotation-invariant phase-shifting joint transform correlator by use of circular harmonic expansion. — Zhaoqi Wang, Jiuhong Guan, Guoguang Mu, and Rulian Fu; **39** (10), 2595-600 (2000).

Edge detection in a homogeneous background using the phase-shift fringe projection method. — Mani Maran Ratnam; **39** (10), 2618-23 (2000).

Chromium aluminum oxide films for ArF line high transmittance attenuated phase shifting mask application. — Eunah Kim, Seong-yong Moon, Yong-hoon Kim, Hee-sun Yoon, and Kwangsoo No; **39** (11), 2947-55 (2000).

Phase-only filters

Single-output multichannel pattern recognition using projection preprocessing. — Vitaly Kober and Tae S. Choi; **39** (8), 2153-62 (2000).

Photodetectors

Comparison between super low ionization ratio and reach through avalanche photodiode structures. — Tamer F. Refaat, Gary E. Halama, and Russell J. DeYoung; **39** (10), 2642-50 (2000).

New method of angular correction of a luxmeter photometric head. — Irena Fryc; **39** (12), 3260-3 (2000).

Photodiodes

Optimum diode geometry in a two-dimensional photovoltaic array. — Vikram Dhar and Vishnu Gopal; **39** (8), 2022-30 (2000).

Photoelasticity

Novel full-field automated photoelastic analysis technique. — Liu Tong, Chai Gin Boay, and Anand Asundi; **39** (10), 2689-95 (2000).

Fiber optic voltage sensor based on the photoelastic effect in a single-mode optical fiber. — Hoseong Kim and Jinwoo Jun; **39** (12), 3281-4 (2000).

Photolithography

Self-aligned photoresist patterning for integrated optics. — D. F. Geraghty, P. Äyräs, G. E. Jabbour, S. Honkanen, and N. Peyghambarian; **39** (2), 575-6 (L) (2000).

0.13 μm photolithography using inverse Fourier transform convolution filtering. — Chongxi Zhou, Xiangang Luo, and Boru Feng; **39** (11), 2943-6 (2000).

Photometry

New method of angular correction of a luxmeter photometric head. — Irena Fryc; **39** (12), 3260-3 (2000).

Photonics

All-optical logic gates using bacteriorhodopsin films. — Tianhao Zhang, Chunping Zhang, Guanghua Fu, Yudong Li, Liqun Gu, Guangyin Zhang, Q. Wang Song, Bruce Parsons, and Robert R. Birge; **39** (2), 527-34 (2000).

Scattering loss measurements of evaporated slab waveguides of SiO_2 and NdF_3 using a prism coupler and angle-limited integrated scattering. — Juan B. Hurtado-Ramos, Orestes N. Stavroudis, Haiming Wang, and Gilberto Gómez-Rosas; **39** (2), 558-64 (2000).

Photons

Calculating characteristics of noncollinear phase matching in uniaxial and biaxial crystals. — N. Boeuf, D. Branning, I. Chaperot, E. Dauler, S. Guérin, G. Jaeger, A. Muller, and A. Migdall; **39** (4), 1016-24 (2000).

Photopolymers

Primary photochemical process in films of dichromated gelatin: a quantitative approach. — Christophe Lafond, Christine Pizzocaro, Roger A. Lessard, and Michèle Bolte; **39** (3), 610-5 (2000).

Dark spatial solitons in photopolymer films for optical interconnections. — Sergey S. Sarkisov, Michael J. Curley, Darnell E. Diggs, Aaron Wilkosz, Vladimir V. Grimalsky, and Grigory Adamovsky; **39** (3), 616-23 (2000).

Analysis of polarization characteristics of reflection-type photopolymer for stabilization. — Eun-Seok Kim and Nam Kim; **39** (9), 2506-10 (2000).

Photorefraction

Holographic multichannel radio-frequency correlator. — George A. Sefler, Jian Ma, Tallis Y. Chang, and John H. Hong; **39** (1), 260-6 (2000).

Parametric study of photorefractive beam coupling in $BaTiO_3$ at multiple wavelengths. — M. H. Majles Ara, C. Vijayan, N. Krishna Mohan, and R. S. Sirohi; **39** (2), 535-40 (2000).

Optical processing by fringed speckles registered in a BSO crystal. — Myrian Tebaldi, Luciano Angel Toro, Marcelo Trivi, and Néstor Bolognini; **39** (12), 3232-8 (2000).

Photorefractive crystals

Incoherent-to-coherent conversion using an induced self-pumped phase conjugator or a mutually pumped phase conjugator. — Y. S. Qiu, W. C. Huang, Z. Q. Zheng, T. S. Lu, and H. Li; **39** (4), 1044-6 (2000).

Photovoltaic systems

All-optical fiber optic interface for sensors and actuators. — Pentti Karioja, Risto Jurva, Kimmo Keränen, Kari Tukkiniemi, Jouko Haapamaa, Ari Tervonen, and Marja Englund; **39** (4), 1032-7 (2000).

SUBJECT INDEX

Physical optics
Optical modeling combining geometrical ray tracing and physical-optics software. — John Tesar, Rongguang Liang, and Masud Mansuripur; **39** (7), 1845-9 (2000).

Piezoelectric effect
Fiber optic voltage sensor based on the photoelastic effect in a single-mode optical fiber. — Hoseong Kim and Jinwoo Jun; **39** (12), 3281-4 (2000).

Piezoelectricity
Tetramorph, a novel optical scanner using four piezoelectric bimorphs. — Koji Fujimoto, Jan G. Smits, and Robert E. Carter; **39** (11), 3025-31 (2000).
Fiber optic voltage sensor for 420 kV electric power systems. — Klaus Bohnert, Jadran Kostovic, and Pascal Pequignot; **39** (11), 3060-7 (2000).

Plasmas
Interphase in plasma-deposited silicon nitride optical films on polycarbonate: *in situ* ellipsometric characterization. — Adam Bergeron, Daniel Poitras, and Ludvik Martinu; **39** (3), 825-31 (2000).
Application of laser-induced breakdown spectroscopy to *in situ* analysis of liquid samples. — Ota Samek, Dave C. S. Beddows, Jozef Kaiser, Sergei V. Kukhlevsky, Miroslav Liška, Helmut H. Telle, and Jim Young; **39** (8), 2248-62 (2000).

Pointing
Origins Testbed: capturing the dynamics and control of future space-based telescopes. — Gregory J. W. Mallory, Alvar Saenz-Otero, and David W. Miller; **39** (6), 1665-76 (2000).

Polarimetry
Polarization studies in multiply scattering chiral media. — I. Alex Vitkin and Emile Hoskinson; **39** (2), 353-62 (2000).
Modeling and performances of a polarization active imager at $\lambda = 806$ nm. — Sébastien Breugnot and Philippe Clémenceau; **39** (10), 2681-8 (2000).

Polarization
Polarization studies in multiply scattering chiral media. — I. Alex Vitkin and Emile Hoskinson; **39** (2), 353-62 (2000).
Sensitivity enhanced roll angle measurement. — Hong Jiang and Chunyong Yin; **39** (2), 516-9 (2000).
Three channel phase-shifting interferometer using polarization-optics and a diffraction grating. — Andrea Hettwer, Jochen Kranz, and Johannes Schwider; **39** (4), 960-6 (2000).
Simultaneous measurement of strain and temperature using interferometrically interrogated fiber Bragg grating sensors. — L. A. Ferreira, Francisco M. Araújo, José L. Santos, and Faramarz Farahi; **39** (8), 2226-34 (2000).
All-fiber connectorized compact fiber optic delay-line modules using three-dimensional polarization optics. — Nicholas Madamopoulos and Nabeel A. Riza; **39** (9), 2338-44 (2000).
Simple apparatus for polarization sensing of analytes. — Zygmunt Gryczynski, Ignacy Gryczynski, and Joseph R. Lakowicz; **39** (9), 2351-8 (2000).
Polarization encoding for optical security systems. — Bahram Javidi and Takanori Nomura; **39** (9), 2439-43 (2000).
Analysis of polarization characteristics of reflection-type photopolymer for stabilization. — Eun-Seok Kim and Nam Kim; **39** (9), 2506-10 (2000).
Topography and reflectance analysis of paper surfaces using a photometric stereo method. — Peter Hansson and Per-Åke Johansson; **39** (9), 2555-61 (2000).
Experimental realization of sculptured-thin-film polarization-discriminatory light-handedness inverters. — Ian J. Hodgkinson, Akhlesh Lakhtakia, and Qi hong Wu; **39** (10), 2831-4 (2000).

Polishing
Quantitative Makyoh topography. — Zsolt John Laczik; **39** (9), 2562-7 (2000).

Polymers
Mode scrambler for polymer optical fibers. — Rabah Attia and Jacques Marcou; **39** (1), 299-303 (2000).
Polymeric electro-optic materials: optimization of electro-optic activity, minimization of optical loss, and fine-tuning of device performance. — Larry R. Dalton; **39** (3), 589-95 (2000).
High-performance polymeric componentry for telecom and datacom applications. — Louay Eldada, Robert Blomquist, Lawrence W. Shacklette, and Michael J. McFarland; **39** (3), 596-609 (2000).
Nonlinear coupling and optical switching in a β-carotene-doped twin-core polymer optical fiber. — Zhengjun Xiong, Gang Ding Peng, and Pak Lim Chu; **39** (3), 624-7 (2000).
Excited-state four-wave mixing for nonresonant holographic storage in azo-dye-doped polymers. — Chunfei Li and Xinxian Bao; **39** (3), 628-32 (2000).
Dynamic holographic telecommunications components based on spatial light modulation with pixelated $\chi^{(2)}$ polymers in a Fabry-Pérot cavity. — Adam D. Cohen and R. J. Mears; **39** (3), 633-42 (2000).
Ultra-low-loss polymeric waveguide circuits for optical true-time delays in wideband phased-array antennas. — Suning Tang, Bulang Li, Nianhua Jiang, Dechang An, Zhenhai Fu, Linghui Wu, and Ray T. Chen; **39** (3), 643-51 (2000).
Polymer light-emitting devices with poly(2-decyloxy-1,4-phenylene). — Chang Seoul and Won-Jun Song; **39** (3), 652-5 (2000).
Design and fabrication of a projection display using optically addressed polymer-dispersed liquid crystal light valves. — Hiroshi Kikuchi, Takanori Fujii, Masahiro Kawakita, Hideo Fujikake, and Kuniharu Takizawa; **39** (3), 656-69 (2000).
Investigation of the electro-optic properties of electron-irradiated poly(vinylidene fluoride-trifluoroethylene) copolymer. — Shizhuo Yin, Qiming Zhang, Kun-Wook Chung, Rui Yang, Zhongyang Cheng, and Yu Lu; **39** (3), 670-2 (2000).
Optical backplanes with integrated polymer waveguides. — Jörg Moisel, Joachim Guttmann, Hans-Peter Huber, Oskar Krumpholz, Manfred Rode, Richard Bogenberger, and Klaus-Peter Kuhn; **39** (3), 673-9 (2000).
Highly efficient linear waveguide modulator based on domain-inverted electro-optic polymers. — Suning Tang, Zan Shi, Dechang An, Lin Sun, and Ray T. Chen; **39** (3), 680-8 (2000).
Interphase in plasma-deposited silicon nitride optical films on polycarbonate: *in situ* ellipsometric characterization. — Adam Bergeron, Daniel Poitras, and Ludvik Martinu; **39** (3), 825-31 (2000).
Effect of surface oxyfluorination on the bonding between acrylic coated optical fiber and cementitious and polyester resin matrices. — Pieter L. Swart, Lin Tu, and Anatoli A. Chtcherbakov; **39** (4), 1038-43 (2000).
Study on photobleaching of PMMA/DR1 film by z-scan measurement. — Zhenhong Jia, Qu Li, and Jun Zhou; **39** (11), 2956-8 (2000).

Printing
QR-RLS algorithm for error diffusion of color images. — Gozde Bozkurt Unal, Yasemin Yardimci, Orhan Arikan, and A. Enis Çetin; **39** (11), 2860-6 (2000).

Prisms
Method for measurement of the angles of a 45-deg deflecting (half penta) prism. — S. Madhusudana Rao and K. Narasimha Rao; **39** (6), 1573-5 (2000).

Profiling
Precision calibration and systematic error reduction in the long trace profiler. — Shinan Qian, Giovanni Sostero, and Peter Z. Takacs; **39** (1), 304-10 (2000).

Profilometry
Surface topography by wavelength scanning interferometry. — Ichirou Yamaguchi, Akihiro Yamamoto, and Masaru Yano; **39** (1), 40-6 (2000).
Absolute three-dimensional shape measurements using coaxial and coimage plane optical systems and Fourier fringe analysis for focus detection. — Mitsuo Takeda, Takahiro Aoki, Yoko Miyamoto, Hideyuki Tanaka, Ruowei Gu, and Zhibo Zhang; **39** (1), 61-8 (2000).
Moly: a prototype handheld three-dimensional digitizer with diffraction optics. — Tom Ditto and Douglas A. Lyon; **39** (1), 69-78 (2000).
Video-rate surface profiling with acousto-optic accordion fringe interferometry. — Michael S. Mermelstein, Daniel L. Feldkhun, and Lyle G. Shirley; **39** (1), 106-13 (2000).
Phase reflection—a new solution for the detection of shape defects on car body sheets. — Roland Höfling, Petra Aswendt, and Reimund Neugebauer; **39** (1), 175-82 (2000).
Spatiotemporal phase unwrapping and its application in fringe projection fiber optic phase-shifting profilometry. — Hong Zhang, Fang Wu, Michael J. Lalor, and David R. Burton; **39** (7), 1958-64 (2000).
Shadow moiré profilometry using the phase-shifting method. — Lianhua Jin, Yutaka Kodera, Toru Yoshizawa, and Yukitoshi Otani; **39** (8), 2119-23 (2000).
Centering and profiling algorithm for processing Newton's rings fringe patterns. — Adrian Dobroiu, Adrian Alexandrescu, Dan Apostol, Victor Nascov, and Victor Damian; **39** (12), 3201-6 (2000).
Instrument for on-line monitoring of surface roughness of machined surfaces. — J. Glenn Valliant, Michael P. Foley, and Jean M. Bennett; **39** (12), 3247-54 (2000).

Projection systems
Using ZEMAX Image Analysis and user-defined surfaces for projection lens design and evaluation for Digital Light Processing™ projection systems. — D. Scott Dewald; **39** (7), 1802-7 (2000).
Spatiotemporal phase unwrapping and its application in fringe projection fiber optic phase-shifting profilometry. — Hong Zhang, Fang Wu, Michael J. Lalor, and David R. Burton; **39** (7), 1958-64 (2000).
Long wave infrared zoom projector thermal analysis and compensation. — Weimin Shi and Michael E. Couture; **39** (10), 2705-14 (2000).

Propagation
Beam propagation method for analysis of Er-doped integrated optics devices. — A. Shooshtari, T. Touam, S. Safavi-Naeini, and S. I. Najafi; **39** (3), 735-7 (2000).
Interference of modes in optical fibers. — Ivan Turek, Ivan Martinček, and Roman Stránsky; **39** (5), 1304-9 (2000).
Theoretical model and experimental studies of infrared radiation propagation in hollow plastic and glass waveguides. — A. Inberg, M. Ben-David, M. Oksman, A. Katzir, and N. Croitoru; **39** (5), 1316-20 (2000).
From Fresnel patterns to fractional Fourier transform through geometrical optics. — David Mas, Carlos Ferreira, Javier Garcia, and Luis M. Bernardo; **39** (6), 1427-30 (2000).
Extension of the Navy aerosol model to coastal areas. — Jacques Piazzola, Alexander M. J. van Eijk, and Gerrit De Leeuw; **39** (6), 1620-31 (2000).
Turbulence observations over a desert basin using a kite/tethered-blimp platform. — Frank D. Eaton, Ben B. Balsley, Rod G. Frehlich, Ronald J. Hugo, Mike L. Jensen, and Kimberley A. McCrae; **39** (9), 2517-26 (2000).

Pulse shaping
Nd:YAG laser with a stimulated Brillouin scattering mirror and variable pulse duration. — Oleg V. Palashov, Efim A. Khazanov, and Nikolay F. Andreev; **39** (6), 1536-42 (2000).

Pulses
Lidar profiling by long rectangular-like chopped laser pulses. — Dimitar V. Stoyanov, Ljuan L. Gurdev, George V. Kolarov, and Orlin I. Vankov; **39** (6), 1556-67 (2000).
Control method to maintain the maximum extinction ratio of output optical pulses from an intensity modulator. — Shih-Chu Huang, Jiunn-Song Tsay, and Wuu-Wen Lin; **39** (8), 2214-9 (2000).
Novel measurement method for fiber optical cable television echo rating baseband parameter at subscriber. — Hai-Han Lu and Ching-Ting Lee; **39** (10), 2677-80 (2000).

Pyrometers
Temperature-induced transient noise of pyroelectric thermal detector. — Muno Lee and Seongho Bae; **39** (11), 3076-83 (2000).

Quantization
Selecting lattices for quantization of wavelet coefficients of images. — Mikhail Shnaider and Andrew P. Papliński; **39** (5), 1327-37 (2000).
Gradient match vector quantizers for images. — Hsuan T. Chang; **39** (8), 2046-57 (2000).
Predictive classifier for image vector quantization. — Shen-Chuan Tai, Yung-Gi Wu, and I-Sheng Kuo; **39** (9), 2372-80 (2000).
QR-RLS algorithm for error diffusion of color images. — Gozde Bozkurt Unal, Yasemin Yardimci, Orhan Arikan, and A. Enis Çetin; **39** (11), 2860-6 (2000).

Quantum efficiency
Primary photochemical process in films of dichromated gelatin: a quantitative approach. — Christophe Lafond, Christine Pizzocaro, Roger A. Lessard, and Michèle Bolte; **39** (3), 610-5 (2000).
Optimum diode geometry in a two-dimensional photovoltaic array. — Vikram Dhar and Vishnu Gopal; **39** (8), 2022-30 (2000).

Quantum wells
Novel technologies for 1.55-μm vertical cavity lasers. — Klaus Streubel, Mattias Hammar, Fredrik Salomonsson, J. Bentell, Sebastian Mogg, S. Rapp, Joël Jacquet, Julian Boucart, C. Stark, A. Plais, F. Gaborit, E. Derouin, N. Bouché, A. Rudra, Alexei V. Syrbu, Vladimir P. Iakovlev, C.-A. Berseth, O. Dehaese, E. Kapon, H. Moussa, I. Sagnes, and R. Raj; **39** (2), 488-97 (2000).
Application of CdSe-nanocrystallite-doped glass for temperature measurements in fiber sensors. — Claudia Sifuentes, Yuri O. Barmenkov, Andrei N. Starodumov, Valery N. Filippov, and Andrey A. Lipovskii; **39** (8), 2182-6 (2000).

Radar
Relative performance of correlation-based and neural-network-based classifiers of aircraft using synthetic radar range profiles. — Christoph Nieuwoudt and Elizabeth C. Botha; **39** (5), 1245-51 (2000).
Signal reconstruction from accumulation of bispectral radial slices. — Xuejun Liao and Zheng Bao; **39** (8), 2065-74 (2000).

Radiation
Theoretical model and experimental studies of infrared radiation propagation in hollow plastic and glass waveguides. — A. Inberg, M. Ben-David, M. Oksman, A. Katzir, and N. Croitoru; **39** (5), 1316-20 (2000).
Fluorescent optical liquid-level sensor. — Jonathan D. Weiss; **39** (8), 2198-213 (2000).

Radiometry
Spectral and radiometric calibration of midwave and longwave infrared cameras. — Marc D. Mermelstein, Keith A. Snail, and Richard G. Priest; **39** (2), 347-52 (2000).
Calculating characteristics of noncollinear phase matching in uniaxial and biaxial crystals. — N. Boeuf, D. Branning, I. Chaperot, E. Dauler, S. Guérin, G. Jaeger, A. Muller, and A. Migdall; **39** (4), 1016-24 (2000).

Radon transform
Moment patterns in the Radon space. — R. R. Galigekere, D. W. Holdsworth, M. N. S. Swamy, and Aaron Fenster; **39** (4), 1088-97 (2000).

Ray tracing
Automated design of a uniform distribution using faceted reflectors. — William J. Cassarly, Stuart R. David, David G. Jenkins, Andrew P. Riser, and Thomas L. Davenport; **39** (7), 1830-9 (2000).
Ray-tracing algorithms for fast calculation of the channel impulse response on diffuse IR wireless indoor channels. — Francisco J. López-Hernández, Rafael Pérez-Jiménez, and Asunción Santamaría; **39** (10), 2775-80 (2000).

Real-time imaging
Results from real-time laser speckle-shift strain measurement system. — Margaret L. Tuma, Lawrence C. Greer, III , Michael J. Krasowski, Lawrence G. Oberle, Kristie A. Elam, and Dan C. Spina; **39** (2), 498-504 (2000).

Realistic image representation
Morphological image segmentation for realistic image representation preserving semantic object shapes. — Hyun Sang Park and Jong Beom Ra; **39** (7), 1909-16 (2000).

Recognition
Recognizing target variants and articulations in synthetic aperture radar images. — Bir Bhanu and Grinnell Jones, III; **39** (3), 712-23 (2000).

Reconstruction
New method for designing two-channel causal stable IIR perfect reconstruction filter banks and wavelet bases. — J. S. Mao, S. C. Chan, and K. L. Ho; **39** (10), 2810-20 (2000).

Reflectance
Total integrated scattering from transparent substrates in the infrared region: validity of scalar theory. — Tomas Lindström and Daniel Rönnow; **39** (2), 478-87 (2000).
Topography and reflectance analysis of paper surfaces using a photometric stereo method. — Peter Hansson and Per-Åke Johansson; **39** (9), 2555-61 (2000).

Reflective systems
Techniques and tools for obtaining symmetrical performance from tilted-component systems. — John R. Rogers; **39** (7), 1776-87 (2000).

Reflectivity
Uncertainties in the values obtained by surface plasmon resonance. — Bernard G. Tilkens, Yves F. Lion, and Yvon L. Renotte; **39** (2), 363-73 (2000).
Concept of two-dimensional swing curves for critical dimension prediction and optimization of resist/antireflective coating bilayers in topographic situations. — André Schiltz and Patrick Schiavone; **39** (3), 776-86 (2000).
High reflectivity measurements using the beat frequency of longitudinal modes of external cavity semiconductor lasers. — J. Eom and Chin B. Su; **39** (6), 1587-90 (2000).

Reflectometers
In-service cable-monitoring technique for hybrid fiber/coaxial networks based on frequency domain analysis incorporated with optical time-domain reflectometer and fiber benders. — Chien-Chung Lee and Sien Chi; **39** (2), 374-8 (2000).

Reflectors
Automated design of a uniform distribution using faceted reflectors. — William J. Cassarly, Stuart R. David, David G. Jenkins, Andrew P. Riser, and Thomas L. Davenport; **39** (7), 1830-9 (2000).

Refractive index
Interference method for determination of the refractive index and thickness. — Serguei A. Alexandrov and Igor V. Chernyh; **39** (9), 2480-6 (2000).
Turbulence observations over a desert basin using a kite/tethered-blimp platform. — Frank D. Eaton, Ben B. Balsley, Rod G. Frehlich, Ronald J. Hugo, Mike L. Jensen, and Kimberley A. McCrae; **39** (9), 2517-26 (2000).
Estimation of the refractive index of plastic pigments by Wiener bounds. — Anssi J. Jääskeläinen, Kai-Erik Peiponen, Jukka Räty, Unto Tapper, O. Richard, E. I. Kauppinen, and Kari Lumme; **39** (11), 2959-63 (2000).

Region merging
Morphological image segmentation for realistic image representation preserving semantic object shapes. — Hyun Sang Park and Jong Beom Ra; **39** (7), 1909-16 (2000).

Remote sensing
Spatial enhancement of elevation data using a single multispectral image. — Mark J. Carlotto; **39** (2), 430-7 (2000).
Pushbroom imaging spectrometer with high spectroscopic data fidelity: experimental demonstration. — Pantazis Mouroulis and Michael M. McKerns; **39** (3), 808-16 (2000).
Unsupervised signature extraction and separation in hyperspectral images: a noise-adjusted fast independent component analysis approach. — Te-Ming Tu; **39** (4), 897-906 (2000).
Synthetic image generation of chemical plumes for hyperspectral applications. — S. Didi Kuo, John R. Schott, and Chia Y. Chang; **39** (4), 1047-56 (2000).
Modeling anisotropic and fractal two-dimensional fields: a tool for image simulation. — Miguel N. Setas and José Manuel Rebordão; **39** (6), 1497-506 (2000).
Neural networks versus nonparametric neighbor-based classifiers for semisupervised classification of Landsat Thematic Mapper imagery. — Perry J. Hardin; **39** (7), 1898-908 (2000).
Real-time hyperspectral detection and cuing. — Christopher M. Stellman, Geoffrey G. Hazel, Frank Bucholtz, Joseph V. Michalowicz, Alan Stocker, and William Schaaf; **39** (7), 1928-35 (2000).
Comparison between super low ionization ratio and reach through avalanche photodiode structures. — Tamer F. Refaat, Gary E. Halama, and Russell J. DeYoung; **39** (10), 2642-50 (2000).
Six band multispectral sensor using off-axis three-mirror reflective optics. — Kunihiro Tanikawa, Toshihiro Okamura, Jun-ichi Kudo, Hideo Wada, and Hiromichi Shirahata; **39** (10), 2781-8 (2000).
Target-constrained interference-minimized approach to subpixel target detection for hyperspectral images. — Hsuan Ren and Chein-I Chang,; **39** (12), 3138-45 (2000).

Resolution
Optical strain sensor using position-sensitive detector and diffraction grating: error analysis. — Anand Asundi and Bing Zhao; **39** (6), 1645-51 (2000).
0.13 μm photolithography using inverse Fourier transform convolution filtering. — Chongxi Zhou, Xiangang Luo, and Boru Feng; **39** (11), 2943-6 (2000).

Reticles
Target position extraction based on instantaneous frequency estimation in a fixed-reticle seeker. — Sung-Hyun Han, Hyun-Ki Hong, Surng-Gabb Jahng, Dong-Sun Seo, and Jong-Soo Choi; **39** (9), 2568-73 (2000).

Robot vision
Stripe illuminator based on LED array and parabolic mirror for active triangulation sensors used on mobile robots. — László Domján, László Kocsányi, Péter Richter, Sándor Várkonyi, and Wendelin Feiten; **39** (11), 2867-75 (2000).

Robustness
Oversampled optical subband decomposition. — Zikuan Chen and Mohammad A. Karim; **39** (9), 2422-30 (2000).

Ronchi tests
Computer generation of null masks for Ronchi lens tests. — John F. Forkner; **39** (7), 1840-4 (2000).

Roughness
Total integrated scattering from transparent substrates in the infrared region: validity of scalar theory. — Tomas Lindström and Daniel Rönnow; **39** (2), 478-87 (2000).
Optical characterization of the state of fabric surfaces. — Marie-Ange Bueno, Bernard Durand, and Marc Renner; **39** (6), 1697-703 (2000).
Instrument for on-line monitoring of surface roughness of machined surfaces. — J. Glenn Valliant, Michael P. Foley, and Jean M. Bennett; **39** (12), 3247-54 (2000).

Satellites
Kalman-filtering-based angular velocity estimation using infrared attitude information of spacecraft. — Yu Shi and Xian-Da Zhang; **39** (2), 551-7 (2000).

Scanners
Tetramorph, a novel optical scanner using four piezoelectric bimorphs. — Koji Fujimoto, Jan G. Smits, and Robert E. Carter; **39** (11), 3025-31 (2000).

Scanning
Noncontact homodyne scanning laser vibrometer for dynamic measurement. — Bryan K. A. Ngoi and K. Venkatakrishnan; **39** (2), 510-5 (2000).
Scanning laser vibrometer for dynamic study of small features. — Bryan K. A. Ngoi and K. Venkatakrishnan; **39** (11), 2995-3000 (2000).

Scanning microscopy
Applying branching processes theory for building a statistical model for scanning electron microscope signals. — Ira Cohen, Rotem Golan, and Stanley R. Rotman; **39** (1), 254-9 (2000).

Scattering
Total integrated scattering from transparent substrates in the infrared region: validity of scalar theory. — Tomas Lindström and Daniel Rönnow; **39** (2), 478-87 (2000).
Scattering loss measurements of evaporated slab waveguides of SiO_2 and NdF_3 using a prism coupler and angle-limited integrated scattering. — Juan B. Hurtado-Ramos, Orestes N. Stavroudis, Haiming Wang, and Gilberto Gómez-Rosas; **39** (2), 558-64 (2000).
Design and fabrication of a projection display using optically addressed polymer-dispersed liquid crystal light valves. — Hiroshi Kikuchi, Takanori Fujii, Masahiro Kawakita, Hideo Fujikake, and Kuniharu Takizawa; **39** (3), 656-69 (2000).
Plane-wave and Gaussian-beam scattering on an infinite cylinder. — Janusz Mroczka and Dariusz Wysoczański; **39** (3), 763-70 (2000).
Development of nonimaging optics for particle counters. — J. Luo, A. Trampe, and H. Fissan; **39** (4), 1009-15 (2000).
Nd:YAG laser with a stimulated Brillouin scattering mirror and variable pulse duration. — Oleg V. Palashov, Efim A. Khazanov, and Nikolay F. Andreev; **39** (6), 1536-42 (2000).
Application of the discrete Fourier transform linear interpolation method in the measurement of volume scattering function at small angle. — Józef Borkowski and Janusz Mroczka; **39** (6), 1576-86 (2000).
Surface roughness measurement in the submicrometer range using laser scattering. — S. H. Wang, Chenggen Quan, C. J. Tay, and H. M. Shang; **39** (6), 1597-601 (2000).
Systems engineering analysis of aplanatic Wolter type I x-ray telescopes. — Patrick L. Thompson and James E. Harvey; **39** (6), 1677-91 (2000).
Estimation of the refractive index of plastic pigments by Wiener bounds. — Anssi J. Jääskeläinen, Kai-Erik Peiponen, Jukka Räty, Unto Tapper, O. Richard, E. I. Kauppinen, and Kari Lumme; **39** (11), 2959-63 (2000).

Scatterings
Instrument for on-line monitoring of surface roughness of machined surfaces. — J. Glenn Valliant, Michael P. Foley, and Jean M. Bennett; **39** (12), 3247-54 (2000).

Scintillation
Scintillation model for a satellite communication link at large zenith angles. — Larry C. Andrews, Ronald L. Phillips, and Cynthia Young Hopen; **39** (12), 3272-80 (2000).

Second-harmonic generation
Optimal frequency doubling of a transferred-electron amplifier CO_2 laser. — Michael M. Tilleman and Abraham Englander; **39** (3), 758-62 (2000).

Segmentation
New video segmentation algorithm using a combined segmentation measure for content-based coding. — Kun-Woen Song, Kyeong-Man Kim, Kyu-Phil Han, Jae-Yeal Nam, and Yeong-Ho Ha; **39** (8), 2036-45 (2000).

Semiconductor lasers
High reflectivity measurements using the beat frequency of longitudinal modes of external cavity semiconductor lasers. — J. Eom and Chin B. Su; **39** (6), 1587-90 (2000).

Semiconductors
Wavelength-converting optical space switch using a semiconductor-optical-amplifier-based Mach-Zehnder interferometer. — Min-Ho Lee, Si-Mon Shin, and Sang-Kook Han; **39** (12), 3255-9 (2000).

Sensing
Absolute three-dimensional shape measurements using coaxial and coimage plane optical systems and Fourier fringe analysis for focus detection. — Mitsuo Takeda, Takahiro Aoki, Yoko Miyamoto, Hideyuki Tanaka, Ruowei Gu, and Zhibo Zhang; **39** (1), 61-8 (2000).

Sensor fusion

Improved tracking capability and efficient radar allocation through the fusion of radar and infrared search-and-track observations. — S. S. Blackman, R. J. Dempster, S. H. Roszkowski, D. M. Sasaki, and P. F. Singer; **39** (5), 1391-8 (2000).

Sensors

Brightness calibration of charge-coupled device camera systems. — Hassen Zghal and Hoda A. ElMaraghy; **39** (2), 336-46 (2000).

Kalman-filtering-based angular velocity estimation using infrared attitude information of spacecraft. — Yu Shi and Xian-Da Zhang; **39** (2), 551-7 (2000).

Distance measurement using the self-mixing effect in a three-electrode distributed Bragg reflector laser diode. — Grégory Mourat, Noël Servagent, and Thierry Bosch; **39** (3), 738-43 (2000).

Study on drag forces of the molding flow in IC packaging using optical fiber sensors. — Yu-Lung Lo, Hsin-Yi Lai, and Ming-Hong Tsai; **39** (3), 832-7 (2000).

All-optical fiber optic interface for sensors and actuators. — Pentti Karioja, Risto Jurva, Kimmo Keränen, Kari Tukkiniemi, Jouko Haapamaa, Ari Tervonen, and Marja Englund; **39** (4), 1032-7 (2000).

Beat-length measurement of high-birefringence polarization-maintaining optical fiber using the dc Faraday magneto-optic effect. — Dave Irvine-Halliday, Muhammad Raziullah Khan, and Peng-Gang Zhang; **39** (5), 1310-5 (2000).

Package design for low-cost optical liquid-level sensors. — Anjan Kumar Ghosh, Navjot Singh Bedi, and Prashanta Paul; **39** (5), 1405-12 (2000).

Special sensor masking for exceeding system geometrical resolving power. — Zeev Zalevsky, David Mendlovic, and Emanuel Marom; **39** (7), 1936-42 (2000).

In-line digital holographic sensor for monitoring and characterizing marine particulates. — Robert B. Owen and Alex A. Zozulya; **39** (8), 2187-97 (2000).

Fluorescent optical liquid-level sensor. — Jonathan D. Weiss; **39** (8), 2198-213 (2000).

Expansion of the dynamic range of a Shack-Hartmann sensor by using astigmatic microlenses. — Norbert Lindlein, Johannes Pfund, and Johannes Schwider; **39** (8), 2220-5 (2000).

Novel carbon dioxide gas sensor based on infrared absorption. — Guangjun Zhang, Junfang Lui, and Mei Yuan; **39** (8), 2235-40 (2000).

Tapered optical-fiber-based pressure sensor. — Cándido Bariáin, Ignacio R. Matías, Francisco J. Arregui, and Manuel López-Amo; **39** (8), 2241-7 (2000).

Performance of an automatic target recognizer algorithm against real and two versions of synthetic imagery. — Clarence P. Walters, Carl W. Hoover, Jr. , and James A. Ratches; **39** (8), 2279-84 (2000).

Novel navigation sensor for autonomous guide vehicle. — Wen Wei Zhang, Bao Hua Zhuang, and Yanxin Zhang; **39** (9), 2511-6 (2000).

Turbulence observations over a desert basin using a kite/tethered-blimp platform. — Frank D. Eaton, Ben B. Balsley, Rod G. Frehlich, Ronald J. Hugo, Mike L. Jensen, and Kimberley A. McCrae; **39** (9), 2517-26 (2000).

Six band multispectral sensor using off-axis three-mirror reflective optics. — Kunihiro Tanikawa, Toshihiro Okamura, Jun-ichi Kudo, Hideo Wada, and Hiromichi Shirahata; **39** (10), 2781-8 (2000).

Stripe illuminator based on LED array and parabolic mirror for active triangulation sensors used on mobile robots. — László Domján, László Kocsányi, Péter Richter, Sándor Várkonyi, and Wendelin Feiten; **39** (11), 2867-75 (2000).

Displacement sensing HeNe laser with λ/8 accuracy and self-calibration. — Yan Li, Shulian Zhang, Yanmei Han, Jie Fu, Hui Guo, and Jiaming Ou; **39** (11), 3039-43 (2000).

Temperature-induced transient noise of pyroelectric thermal detector. — Muno Lee and Seongho Bae; **39** (11), 3076-83 (2000).

Shape measurement

Overview of three-dimensional shape measurement using optical methods. — Frank Chen, Gordon M. Brown, and Mumin Song; **39** (1), 10-22 (2000).

Absolute three-dimensional shape measurements using coaxial and coimage plane optical systems and Fourier fringe analysis for focus detection. — Mitsuo Takeda, Takahiro Aoki, Yoko Miyamoto, Hideyuki Tanaka, Ruowei Gu, and Zhibo Zhang; **39** (1), 61-8 (2000).

Direct shape measurement by digital wavefront reconstruction and multiwavelength contouring. — Christophe Wagner, Wolfgang Osten, and Soenke Seebacher; **39** (1), 79-85 (2000).

Optimization of a shape measurement system based on spatial light modulators. — C. R. Coggrave and J. M. Huntley; **39** (1), 91-8 (2000).

New test methodology for static and dynamic shape measurements of microelectromechanical systems. — Gordon C. Brown and Ryszard J. Pryputniewicz; **39** (1), 127-36 (2000).

Practical three-dimensional computer vision techniques for full-field surface measurement. — Y. Y. Hung, L. Lin, H. M. Shang, and B. G. Park; **39** (1), 143-9 (2000).

Theory and arrangements of self-calibrating whole-body three-dimensional measurement systems using fringe projection technique. — Wolfgang Schreiber and Gunther Notni; **39** (1), 159-69 (2000).

Absolute shape measurements using high-resolution optoelectronic holography methods. — Cosme Furlong and Ryszard J. Pryputniewicz; **39** (1), 216-23 (2000).

3-D shape measurement of complex objects by combining photogrammetry and fringe projection. — Carsten Reich, Reinhold Ritter, and Jan Thesing; **39** (1), 224-31 (2000).

Application of optical shape measurement for the nondestructive evaluation of complex objects. — Wolfgang Osten; **39** (1), 232-43 (2000).

Direct object shape detection based on skeleton extraction of a light line. — J. Apolinar Muñoz-Rodriguez, Ramón Rodriguez-Vera, and Manuel Servin; **39** (9), 2463-71 (2000).

Shearing interferometry

Extension of the displacement measurement range for electronic speckle-shearing pattern interferometry using carrier fringes and a temporal-phase-unwrapping method. — R. A. Martínez-Celorio, A. Dávila, G. H. Kaufmann, and G. Mendiola; **39** (3), 751-7 (2000).

Shearography

Surface profiling using shearography. — H. M. Shang, Y. Y. Hung, W. D. Luo, and Frank Chen; **39** (1), 23-31 (2000).

Measurement of transient out-of-plane displacement gradients in plates using double-pulsed subtraction TV shearography. — Antonio Fernández, Angel F. Doval, Guillermo H. Kaufmann, Abundio Dávila, Jesús Blanco-García, Carlos Pérez-López, and José L. Fernández; **39** (8), 2106-13 (2000).

Fast phase-map recovery from large shears in an electronic speckle-shearing pattern interferometer using a Fourier least-squares estimation. — Abundio Dávila, Manuel Servin, and M. Facchini; **39** (9), 2487-94 (2000).

Signal detection

Decision modeling for a target acquisition task. — Masha Maltz; **39** (9), 2581-4 (2000).

Signal processing

Kalman-filtering-based angular velocity estimation using infrared attitude information of spacecraft. — Yu Shi and Xian-Da Zhang; **39** (2), 551-7 (2000).

Heteroassociative correlation filter using cross-correlation enhancement. — Jehad Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1142-8 (2000).

Signal processing for a high-spatial-resolution distributed sensor. — Michael D. DeMerchant, Anthony W. Brown, Xiaoyi Bao, and Theodore W. Bremner; **39** (6), 1632-5 (2000).

Lossy image codec based on adaptively scanned wavelet difference reduction. — James S. Walker; **39** (7), 1891-7 (2000).

Contrast-based image fusion using the discrete wavelet transform. — Tian Pu and Guoqiang Ni; **39** (8), 2075-82 (2000).

Target position extraction based on instantaneous frequency estimation in a fixed-reticle seeker. — Sung-Hyun Han, Hyun-Ki Hong, Surng-Gabb Jahng, Dong-Sun Seo, and Jong-Soo Choi; **39** (9), 2568-73 (2000).

Discussion on spatial resolution and sensitivity of Fourier transform fringe detection. — Bing Zhao and Anand Asundi; **39** (10), 2715-9 (2000).

Significance of the recovery filter in deconvolution from wavefront sensing. — Justo Arines and Salvador Bará; **39** (10), 2789-96 (2000).

Novel adaptive digital signal processing algorithm for a stationary reticle seeker. — Jeong-Su Oh, Kyung-Soo Doo, Surng-Gabb Jahng, Dong-Sun Seo, and Jong-Soo Choi; **39** (10), 2797-803 (2000).

New image filtering technique combining a wavelet transform with a linear neural network: application to face recognition. — Fan Yang, Michel Paindavoine, H. Abdi, and Johel Mitéran; **39** (11), 2894-9 (2000).

Image denoising using tree-based wavelet subband correlations and shrinkage. — James S. Walker and Ying-Jui Chen; **39** (11), 2900-8 (2000).

Signal-to-noise ratio

Signal reconstruction from accumulation of bispectral radial slices. — Xuejun Liao and Zheng Bao; **39** (8), 2065-74 (2000).

Silicon

Simple and low-cost technique for wavelength division multiplexing channel monitoring. — Mario Iodice, Giuseppe Cocorullo, Francesco G. Della Corte, and Ivo Rendina; **39** (6), 1704-11 (2000).

Evaluating the effects of thin film patterns on the temperature distribution of silicon wafers during radiant processing. — Haruna Tada, Alexis R. Abramson, Seth E. Mann, Ioannis N. Miaoulis, and Peter Y. Wong; **39** (8), 2296-304 (2000).

Binary phase modulation using electrically addressed transmissive and silicon backplane spatial light modulators. — Clarence A. T. H. Tee, William A. Crossland, Timothy D. Wilkinson, and Anthony B. Davey; **39** (9), 2527-34 (2000).

Novel mid-infrared silicon/germanium detector concepts. — Hartmut Presting, Johannes Konle, Markus Hepp, Horst Kibbel, Klaus Thonke, Rolf Sauer, Elizabeth Corbin, and Milan Jaros; **39** (10), 2624-41 (2000).

Simulations

Uncertainties in the values obtained by surface plasmon resonance. — Bernard G. Tilkens, Yves F. Lion, and Yvon L. Renotte; **39** (2), 363-73 (2000).

Concept of two-dimensional swing curves for critical dimension prediction and optimization of resist/antireflective coating bilayers in topographic situations. — André Schiltz and Patrick Schiavone; **39** (3), 776-86 (2000).

Performance of an automatic target recognizer algorithm against real and two versions of synthetic imagery. — Clarence P. Walters, Carl W. Hoover, Jr. , and James A. Ratches; **39** (8), 2279-84 (2000).

New infrared counter-countermeasure technique using an iterative self-organizing data analysis algorithm for the rosette scanning infrared seeker. — Surng-Gabb Jahng, Hyun-Ki Hong, Dong-Sun Seo, and Jong-Soo Choi; **39** (9), 2397-404 (2000).

Target position extraction based on instantaneous frequency estimation in a fixed-reticle seeker. — Sung-Hyun Han, Hyun-Ki Hong, Surng-Gabb Jahng, Dong-Sun Seo, and Jong-Soo Choi; **39** (9), 2568-73 (2000).

Ray-tracing algorithms for fast calculation of the channel impulse response on diffuse IR wireless indoor channels. — Francisco J. López-Hernández, Rafael Pérez-Jiménez, and Asunción Santamaría; **39** (10), 2775-80 (2000).

Chromium aluminum oxide films for ArF line high transmittance attenuated phase shifting mask application. — Eunah Kim, Seong-yong Moon, Yong-hoon Kim, Hee-sun Yoon, and Kwangsoo No; **39** (11), 2947-55 (2000).

Single-mode fibers

Single-mode multifiber connector using an injection molded MT type ferrule and a quick assembly technique. — Masaaki Takaya, Shinji Nagasawa, and Yasuji Murakami; **39** (4), 1025-31 (2000).

Tapered optical-fiber-based pressure sensor. — Cándido Bariáin, Ignacio R. Matías, Francisco J. Arregui, and Manuel López-Amo; **39** (8), 2241-7 (2000).

Smart structures

Origins Testbed: capturing the dynamics and control of future space-based telescopes. — Gregory J. W. Mallory, Alvar Saenz-Otero, and David W. Miller; **39** (6), 1665-76 (2000).

Pultruded fiber optic ribbon sensor for applications in severe environments. — Andrea Mellone, Andrea Gusmeroli, Mario Martinelli, and Paolo Guaita; **39** (11), 3068-75 (2000).

Solid state lasers

Nd:YAG laser with a stimulated Brillouin scattering mirror and variable pulse duration. — Oleg V. Palashov, Efim A. Khazanov, and Nikolay F. Andreev; **39** (6), 1536-42 (2000).

Adaptive compensation of lower order thermal aberrations in concave-convex power oscillators under variable pump conditions. — Steven Jackel and Inon Moshe; **39** (9), 2330-7 (2000).

Solid state multiple-beam laser with tunable wavelength difference between beams. — Göran Hansson; **39** (10), 2700-4 (2000).

Space optics

Eye-safe digital 3-D sensing for space applications. — J.-A. Beraldin, F. Blais, M. Rioux, L. Cournoyer, D. Laurin, and S. G. MacLean; **39** (1), 196-211 (2000).

High-performance Fabry-Perot etalon mount for spaceflight. — Jack A. McKay and David Rees; **39** (1), 315-9 (2000).

Inflatable membrane mirrors for optical passband imagery. — Aden B. Meinel and Marjorie P. Meinel; **39** (2), 541-50 (2000).

High resolution imaging with multilayer telescopes: resolution performance of the MSSTA II telescopes. — Dennis S. Martínez-Galarce, Arthur B. C. Walker, II, David B. Gore, Charles C. Kankelborg, Richard B. Hoover, T. W. Barbee, Jr., and P. F. X. Boerner; **39** (4), 1063-75 (2000).

Origins Testbed: capturing the dynamics and control of future space-based telescopes. — Gregory J. W. Mallory, Alvar Saenz-Otero, and David W. Miller; **39** (6), 1665-76 (2000).

Advances in very lightweight composite mirror technology. — Peter C. Chen, C. W. Bowers, David A. Content, Marzouk Marzouk, and R. C. Romeo; **39** (9), 2320-9 (2000).

Differential scrubbing in a microchannel-plate intensified CCD detector. — William T. Thompson; **39** (10), 2651-9 (2000).

Fabrication, performance, and figure metrology of epoxy-replicated aluminum foils for hard x-ray focusing multilayer-coated segmented conical optics. — Mario A. Jimenez-Garate, William W. Craig, Charles J. Hailey, Finn E. Christensen, and Ahsen Hussain; **39** (11), 2982-94 (2000).

Spatial filtering

Wigner algebra as a tool for the design of achromatic optical processing systems. — Dayong Wang, Avi Pe'er, Adolf W. Lohmann, and Asher A. Friesem; **39** (11), 3014-24 (2000).

Spatial frequencies

Target identification performance as a function of low spatial frequency image content. — Ronald G. Driggers, Richard H. Vollmerhausen, and Keith Krapels; **39** (9), 2458-62 (2000).

Spatial light modulators

Dynamic holographic telecommunications components based on spatial light modulation with pixelated $\chi^{(2)}$ polymers in a Fabry-Pérot cavity. — Adam D. Cohen and R. J. Mears; **39** (3), 633-42 (2000).

Incoherent-to-coherent conversion using an induced self-pumped phase conjugator or a mutually pumped phase conjugator. — Y. S. Qiu, W. C. Huang, Z. Q. Zheng, T. S. Lu, and H. Li; **39** (4), 1044-6 (2000).

Optically enhancing the small electro-optical effect of a fast-switching liquid-crystal mixture. — Huan Xu, Anthony B. Davey, Timothy D. Wilkinson, and William A. Crossland; **39** (6), 1568-72 (2000).

Binary phase modulation using electrically addressed transmissive and silicon backplane spatial light modulators. — Clarence A. T. H. Tee, William A. Crossland, Timothy D. Wilkinson, and Anthony B. Davey; **39** (9), 2527-34 (2000).

Electronic compensation for nonideal spatial light modulator characteristics. — David M. Budgett, James H. Sharp, Pei C. Tang, Rupert C. D. Young, Brian F. Scott, and Christopher R. Chatwin; **39** (10), 2601-8 (2000).

Optoelectronic arbitrary-waveform generator for radar applications. — Sylvie Tonda-Goldstein, Daniel Dolfi, Jean-Pierre Huignard, Ph. Sapé, G. Granger, and J. Chazelas; **39** (12), 3294-300 (2000).

Characterization of edge effects in twisted nematic liquid crystal displays. — Andrés Márquez, Juan Campos, María J. Yzuel, Ignacio Moreno, Jeffrey A. Davis, Claudio Iemmi, Alfonso Moreno, and Arnau Robert; **39** (12), 3301-7 (2000).

Spatial resolution

Discussion on spatial resolution and sensitivity of Fourier transform fringe detection. — Bing Zhao and Anand Asundi; **39** (10), 2715-9 (2000).

Speckle

Combination of 3-D deformation and shape measurement by electronic speckle-pattern interferometry for quantitative strain- stress analysis. — Andreas Ettemeyer; **39** (1), 212-5 (2000).

Results from real-time laser speckle-shift strain measurement system. — Margaret L. Tuma, Lawrence C. Greer, III , Michael J. Krasowski, Lawrence G. Oberle, Kristie A. Elam, and Dan C. Spina; **39** (2), 498-504 (2000).

Orthogonal wavelets in nonlinear speckle reduction for improved target recognition. — Khan M. Iftekharuddin; **39** (5), 1211-7 (2000).

Statistics of the dynamic speckle produced by a rotating diffuser and its application to the assessment of paint drying. — Graciela G. Romero, Elvio E. Alanís, and Héctor J. Rabal; **39** (6), 1652-8 (2000).

Speckle reduction in laser projections with ultrasonic waves. — Lingli Wang, Theo Tschudi, Markus Boeddinghaus, Alexander Elbert, Thorsteinn Halldórsson, and Pálmi Pétursson; **39** (6), 1659-64 (2000).

Fast phase-map recovery from large shears in an electronic speckle-shearing pattern interferometer using a Fourier least-squares estimation. — Abundio Dávila, Manuel Servin, and M. Facchini; **39** (9), 2487-94 (2000).

Noninvasive blood flow measurement using speckle signals from a self-mixing laser diode: *in vitro* and *in vivo* experiments. — Şahin Kaya Özdemir, Shigenobu Shinohara, Sotetsu Takamiya, and Hirofumi Yoshida; **39** (9), 2574-80 (2000).

Telescope arrays in coherent lidar wind measurement. — Adelina Ouisse, Ines Leike, and Christian Werner; **39** (12), 3220-31 (2000).

Optical processing by fringed speckles registered in a BSO crystal. — Myrian Tebaldi, Luciano Angel Toro, Marcelo Trivi, and Néstor Bolognini; **39** (12), 3232-8 (2000).

Speckle interferometry

Extension of the displacement measurement range for electronic speckle-shearing pattern interferometry using carrier fringes and a temporal-phase-unwrapping method. — R. A. Martinez-Celorio, A. Dávila, G. H. Kaufmann, and G. Mendiola; **39** (3), 751-7 (2000).

Measurement of transient out-of-plane displacement gradients in plates using double-pulsed subtraction TV shearography. — Antonio Fernández, Angel F. Doval, Guillermo H. Kaufmann, Abundio Dávila, Jesús Blanco-García, Carlos Pérez-López, and José L. Fernández; **39** (8), 2106-13 (2000).

Wavelet transform for detection of partial fringe patterns induced by defects in nondestructive testing of holographic interferometry and electronic speckle pattern interferometry. — Xide Li; **39** (10), 2821-7 (2000).

Speckle interferometry

Optical processing by fringed speckles registered in a BSO crystal. — Myrian Tebaldi, Luciano Angel Toro, Marcelo Trivi, and Néstor Bolognini; **39** (12), 3232-8 (2000).

Spectral analysis

Interference of modes in optical fibers. — Ivan Turek, Ivan Martinček, and Roman Stránsky; **39** (5), 1304-9 (2000).

Spectral filtering

Special sensor masking for exceeding system geometrical resolving power. — Zeev Zalevsky, David Mendlovic, and Emanuel Marom; **39** (7), 1936-42 (2000).

Spectrometry

Improved method for efficient computation of Fourier transform spectrum with phase errors. — Ting Xing; **39** (2), 393-5 (2000).

Spectroscopy

Uncertainties in the values obtained by surface plasmon resonance. — Bernard G. Tilkens, Yves F. Lion, and Yvon L. Renotte; **39** (2), 363-73 (2000).

Application of laser-induced breakdown spectroscopy to *in situ* analysis of liquid samples. — Ota Samek, Dave C. S. Beddows, Jozef Kaiser, Sergei V. Kukhlevsky, Miroslav Liška, Helmut H. Telle, and Jim Young; **39** (8), 2248-62 (2000).

Design, fabrication, and measurement of frequency-selective surfaces. — Maurizio Bozzi, Luca Perregrini, Jochen Weinzierl, and Carsten Winnewisser; **39** (8), 2263-9 (2000).

Physically based dual representation of spectral functions. — Yinlong Sun, F. David Fracchia, and Mark S. Drew; **39** (11), 2931-42 (2000).

Analysis of quasi-distributed optical sensors combining rf modulation with the FMCW method. — Miha Završnik and George Stewart; **39** (11), 3053-9 (2000).

Strain analysis

Optical strain sensor using position-sensitive detector and diffraction grating: error analysis. — Anand Asundi and Bing Zhao; **39** (6), 1645-51 (2000).

Pultruded fiber optic ribbon sensor for applications in severe environments. — Andrea Melloni, Andrea Gusmeroli, Mario Martinelli, and Paolo Guaita; **39** (11), 3068-75 (2000).

Stress analysis

Curved-ray technique to measure the stress profile in tempered glass. — G. Wayne Brodland and Allan T. Dolovich; **39** (9), 2501-5 (2000).

Submicron lithography

Precompensation approach for improving the quality of laser direct writing patterns by a modified proximity function. — Jinglei Du, Fuhua Gao, Yongkang Guo, Chunlei Du, Chuankai Qiu, and Zheng Cui; **39** (3), 771-5 (2000).

Surface plasma waves

Application of a liquid sensor based on surface plasma wave excitation to distinguish methyl alcohol from ethyl alcohol. — Yi-Chang Cheng, Wen-Kuan Su, and Jiann-Horng Liou; **39** (1), 311-4 (2000).

Surface plasmons

Uncertainties in the values obtained by surface plasmon resonance. — Bernard G. Tilkens, Yves F. Lion, and Yvon L. Renotte; **39** (2), 363-73 (2000).

Surface profiling

Surface profiling using shearography. — H. M. Shang, Y. Y. Hung, W. D. Luo, and Frank Chen; **39** (1), 23-31 (2000).

Surfaces

Direct quadratic polynomial fitting for fringe peak detection of white light scanning interferograms. — Min-Cheol Park and Seung-Woo Kim; **39** (4), 952-9 (2000).

Effect of surface oxyfluorination on the bonding between acrylic coated optical fiber and cementitious and polyester resin matrices. — Pieter L. Swart, Lin Tu, and Anatoli A. Chtcherbakov; **39** (4), 1038-43 (2000).

Design, fabrication, and measurement of frequency-selective surfaces. — Maurizio Bozzi, Luca Perregrini, Jochen Weinzierl, and Carsten Winnewisser; **39** (8), 2263-9 (2000).

Instrument for on-line monitoring of surface roughness of machined surfaces. — J. Glenn Valliant, Michael P. Foley, and Jean M. Bennett; **39** (12), 3247-54 (2000).

Switches

Small-tilt micromirror-device-based multiwavelength three-dimensional 2×2 fiber optic switch structures. — Nabeel A. Riza and Sarun Sumriddetchkajorn; **39** (2), 379-86 (2000).

Nonlinear coupling and optical switching in a β-carotene-doped twin-core polymer optical fiber. — Zhengjun Xiong, Gang Ding Peng, and Pak Lim Chu; **39** (3), 624-7 (2000).

Synchrotron radiation

Theory and practice of elliptically bent x-ray mirrors. — Malcolm R. Howells, Daniela Cambie, Robert M. Duarte, Steven Irick, Alasdair A. MacDowell, Howard A. Padmore, Timothy R. Renner, Seungyu Rah, and Reubin Sandler; **39** (10), 2748-62 (2000).

Coherent synchrotron radiation in the far infrared from a 1-mm electron bunch. — Åke Andersson, Matthew S. Johnson, and Bengt Nelander; **39** (12), 3099-105 (2000).

Synthetic aperture radar

Recognizing target variants and articulations in synthetic aperture radar images. — Bir Bhanu and Grinnell Jones, III; **39** (3), 712-23 (2000).

Nonlinear background estimation and change detection for wide-area search. — Mark J. Carlotto; **39** (5), 1223-9 (2000).

Synthetic aperture radar automatic target recognition with three strategies of learning and representation. — Qun Zhao, Jose C. Principe, Victor L. Brennan, Dongxin Xu, and Zheng Wang; **39** (5), 1230-44 (2000).

Map-based road detection in spaceborne synthetic aperture radar images based on curvilinear structure extraction. — Byoung-Ki Jeon, Jeong-Hun Jang, and Ki-Sang Hong; **39** (9), 2413-21 (2000).

Target detection

Evaluation of human detection performance of targets embedded in natural and enhanced infrared images using image metrics. — G. Aviram and S. R. Rotman; **39** (4), 885-96 (2000).

Nonlinear background estimation and change detection for wide-area search. — Mark J. Carlotto; **39** (5), 1223-9 (2000).

Generalized constrained energy minimization approach to subpixel target detection for multispectral imagery. — Chein-I Chang, Jih-Ming Liu, Bin-Chang Chieu, Hsuan Ren, Chuin-Mu Wang, Chien-Shun Lo, Pau-Choo Chung, Ching-Wen Yang, and Dye-Jyun Ma; **39** (5), 1275-81 (2000).

NLEBS: automatic target detection using a unique nonlinear-enhancement-based system in IR images. — Shlomo Greenberg, Raanan Yehezkel, Yaniv Gurevich, and Hugo Guterman; **39** (5), 1369-76 (2000).

Point target detection in IR image sequences: a hypothesis-testing approach based on target and clutter temporal profile modeling. — Alexis P. Tzannes and Dana H. Brooks; **39** (8), 2270-8 (2000).

Evaluating human detection performance of targets and false alarms, using a statistical texture image metric. — Guy Aviram and Stanley R. Rotman; **39** (8), 2285-95 (2000).

Clutter modeling in infrared images using genetic programming. — Liviu I. Voicu, Mosleh Uddin, Harley R. Myler, Anthony Gallagher, and Julien Schuler; **39** (9), 2359-71 (2000).

Target-constrained interference-minimized approach to subpixel target detection for hyperspectral images. — Hsuan Ren and Chein-I Chang.; **39** (12), 3138-45 (2000).

Target recognition

Engineering aspects of the two-beam coupling correlator. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **39** (5), 1177-83 (2000).

Normalized joint transform correlation for target recognition. — Shuqun Zhang and Mohammad A. Karim; **39** (5), 1184-9 (2000).

Detection of central positions of noisy rounded square function using modified Haar wavelet transform and Haar-Gaussian wavelet transform. — Feijun Song, Lei Yu, and Suganda Jutamulia; **39** (5), 1190-3 (2000).

Efficient multiple target recognition using a joint wavelet transform processor. — Mohammad S. Alam and Dylan Chain; **39** (5), 1203-10 (2000).

Synthetic aperture radar automatic target recognition with three strategies of learning and representation. — Qun Zhao, Jose C. Principe, Victor L. Brennan, Dongxin Xu, and Zheng Wang; **39** (5), 1230-44 (2000).

Fourier-Mellin descriptor and interpolated feature space trajectories for three-dimensional object recognition. — Ziliang Ping, Yunlong Sheng, Sylvain Deschênes, and Henri H. Arsenault; **39** (5), 1260-6 (2000).

Efficient approach to segment man-made targets from unmanned aerial vehicle imagery. — Hairong Qi, Wesley E. Snyder, and David Marchette; **39** (5), 1267-74 (2000).
Bayesian inference of thermodynamic state incorporating Schwarz-Rissanen complexity for infrared target recognition. — Aaron D. Lanterman; **39** (5), 1282-92 (2000).
Computer-aided diagnostic detection system of venous beading in retinal images. — Ching-Wen Yang, Dye-Jyun Ma, Shuenn-Ching Chao, Chuin-Mu Wang, Chia-Hsin Wen, Chien-Shun Lo, Pau-Choo Chung, and Chein-I Chang; **39** (5), 1293-303 (2000).
Contrasted statistical processing algorithm for obtaining improved target detection performances in infrared cluttered environment. — Zeev Zalevsky, David Mendlovic, Ehud Rivlin, and Stanley Rotman; **39** (10), 2609-17 (2000).

Targets

Computing visual target distinctness through selective filtering, statistical features, and visual patterns. — Xose R. Fdez-Vidal, Alexander Toet, J. A. Garcia, and J. Fdez-Valdivia; **39** (1), 267-81 (2000).
Defining the notion of visual pattern for predicting visual target distinctness in a complex rural background. — Xose R. Fdez-Vidal, J. A. Garcia, J. Fdez-Valdivia, and Rosa Rodriguez-Sanchez; **39** (2), 415-29 (2000).
Target classification via support vector machines. — Robert E. Karlsen, David J. Gorsich, and Grant R. Gerhart; **39** (3), 704-11 (2000).
Recognizing target variants and articulations in synthetic aperture radar images. — Bir Bhanu and Grinnell Jones, III; **39** (3), 712-23 (2000).
Signal reconstruction from accumulation of bispectral radial slices. — Xuejun Liao and Zheng Bao; **39** (8), 2065-74 (2000).
Target identification performance as a function of low spatial frequency image content. — Ronald G. Driggers, Richard H. Vollmerhausen, and Keith Krapels; **39** (9), 2458-62 (2000).
Decision modeling for a target acquisition task. — Masha Maltz; **39** (9), 2581-4 (2000).

Telescopes

Origins Testbed: capturing the dynamics and control of future space-based telescopes. — Gregory J. W. Mallory, Alvar Saenz-Otero, and David W. Miller; **39** (6), 1665-76 (2000).
Systems engineering analysis of aplanatic Wolter type I x-ray telescopes. — Patrick L. Thompson and James E. Harvey; **39** (6), 1677-91 (2000).
Compact two-mirror schemes for telescopes with a fast spherical primary. — Daniil T. Puryayev and Alexander V. Gontcharov; **39** (6), 1692-6 (2000).
Misalignment modes in high-performance optical systems. — Michael R. Descour, Mark R. Willer, Dana S. Clarke, and Curtis E. Volin; **39** (7), 1737-47 (2000).
Telescope arrays in coherent lidar wind measurement. — Adelina Ouisse, Ines Leike, and Christian Werner; **39** (12), 3220-31 (2000).
Comments on "Robust control of the multiple mirror telescope adaptive secondary mirror". — Rae-Hong Park; **39** (12), 3321-2 (T) (2000).

Television

Novel measurement method for fiber optical cable television echo rating baseband parameter at subscriber. — Hai-Han Lu and Ching-Ting Lee; **39** (10), 2677-80 (2000).

Temperature

Nonuniformity correction scheme for an infrared camera including the background effect due to camera temperature variation. — June Keun Ji, Jae Ryong Yoon, and Kyuman Cho; **39** (4), 936-40 (2000).
Application of CdSe-nanocrystallite-doped glass for temperature measurements in fiber sensors. — Claudia Sifuentes, Yuri O. Barmenkov, Andrei N. Starodumov, Valery N. Filippov, and Andrey A. Lipovskii; **39** (8), 2182-6 (2000).
Turbulence observations over a desert basin using a kite/tethered-blimp platform. — Frank D. Eaton, Ben B. Balsley, Rod G. Frehlich, Ronald J. Hugo, Mike L. Jensen, and Kimberley A. McCrae; **39** (9), 2517-26 (2000).
Testing and evaluation of thermal cameras for absolute temperature measurement. — Krzysztof Chrzanowski, Joachim Fischer, and Robert Matyszkiel; **39** (9), 2535-44 (2000).

Texture analysis

Optical characterization of the state of fabric surfaces. — Marie-Ange Bueno, Bernard Durand, and Marc Renner; **39** (6), 1697-703 (2000).

Thermal effects

Real-time measurement of spindle thermal deformation using interferometers. — Deqiang Song, Lijiang Zeng, and Chunyong Yin; **39** (8), 2114-8 (2000).
Temperature-induced transient noise of pyroelectric thermal detector. — Muno Lee and Seongho Bae; **39** (11), 3076-83 (2000).
Effects of the CTE and Young's modulus lateral gradients on the bowing of an optical fiber: analytical and finite element modeling. — Ephraim Suhir and Joseph Vuillemin; **39** (12), 3317-21 (2000).

Thermal imaging

Fiber optic thermal imaging system based on hollow glass waveguides or silver halide fibers as scanning elements. — B. Dekel, A. Inberg, N. Croitoru, S. Shalem, and A. Katzir; **39** (4), 941-6 (2000).
A condition on spatial resolution of IR collimators for testing of thermal imaging systems. — K. Chrzanowski, H. C. Lee, and W. Wrona; **39** (5), 1413-7 (2000).
Feasibility study on low-resolution uncooled thermal imagers for home-security applications. — Tzong-Sheng Lee and Jin-Shown Shie; **39** (6), 1431-40 (2000).
Clutter modeling in infrared images using genetic programming. — Liviu I. Voicu, Mosleh Uddin, Harley R. Myler, Anthony Gallagher, and Julien Schuler; **39** (9), 2359-71 (2000).
Thermal modeling of desert backgrounds in the far-infrared spectral region. — Ali Mahmoodi, Abdolreza Nabavi, and Mehdi N. Fesharaki; **39** (9), 2545-54 (2000).
Combined IR imaging-neural network method for the estimation of internal temperature in cooked chicken meat. — Juan G. Ibarra, Yang Tao, and Hongwei Xin; **39** (11), 3032-8 (2000).

Thermal properties

Evaluating the effects of thin film patterns on the temperature distribution of silicon wafers during radiant processing. — Haruna Tada, Alexis R. Abramson, Seth E. Mann, Ioannis N. Miaoulis, and Peter Y. Wong; **39** (8), 2296-304 (2000).
Optical, mechanical and thermal properties of MgF_2-ZnS and MgF_2-Ta_2O_5 composite thin films deposited by coevaporation. — Tae Uk Ryu, Sung Hong Hahn,, Sok Won Kim, and Eui Jung Kim; **39** (12), 3207-13 (2000).

Thermo-optics

Simple and low-cost technique for wavelength division multiplexing channel monitoring. — Mario Iodice, Giuseppe Cocorullo, Francesco G. Della Corte, and Ivo Rendina; **39** (6), 1704-11 (2000).

Thermography

Means of eliminating background effects for defect detection and visualization in infrared thermography. — Yuri A. Plotnikov, Nik Rajic, and William P. Winfree; **39** (4), 879-84 (2000).

Thin films

Uncertainties in the values obtained by surface plasmon resonance. — Bernard G. Tilkens, Yves F. Lion, and Yvon L. Renotte; **39** (2), 363-73 (2000).
Scattering loss measurements of evaporated slab waveguides of SiO_2 and NdF_3 using a prism coupler and angle-limited integrated scattering. — Juan B. Hurtado-Ramos, Orestes N. Stavroudis, Haiming Wang, and Gilberto Gómez-Rosas; **39** (2), 558-64 (2000).
Polymer light-emitting devices with poly(2-decyloxy-1,4-phenylene). — Chang Seoul and Won-Jun Song; **39** (3), 652-5 (2000).
Interphase in plasma-deposited silicon nitride optical films on polycarbonate: *in situ* ellipsometric characterization. — Adam Bergeron, Daniel Poitras, and Ludvik Martinu; **39** (3), 825-31 (2000).
Diamond-like carbon thin films as antireflective and protective coatings of GaAs elements and devices. — Lev Klibanov, Nathan Croitoru, Ady Seidman, Mordechai Gilo, and Reuben Dahan; **39** (4), 989-92 (2000).
Circular polarization filters made of chiral sculptured thin films: experimental and simulation results. — Qihong Wu, Ian J. Hodgkinson, and Akhlesh Lakhtakia; **39** (7), 1863-8 (2000).
Evaluating the effects of thin film patterns on the temperature distribution of silicon wafers during radiant processing. — Haruna Tada, Alexis R. Abramson, Seth E. Mann, Ioannis N. Miaoulis, and Peter Y. Wong; **39** (8), 2296-304 (2000).
Experimental realization of sculptured-thin-film polarization-discriminatory light-handedness inverters. — Ian J. Hodgkinson, Akhlesh Lakhtakia, and Qi hong Wu; **39** (10), 2831-4 (2000).
Monolithic integration of thin-film coolers with optoelectronic devices. — Christopher LaBounty, Ali Shakouri, Patrick Abraham, and John E. Bowers; **39** (11), 2847-52 (2000).
Chromium aluminum oxide films for ArF line high transmittance attenuated phase shifting mask application. — Eunah Kim, Seong-yong Moon, Yong-hoon Kim, Hee-sun Yoon, and Kwangsoo No; **39** (11), 2947-55 (2000).

Three dimensions

Overview of three-dimensional shape measurement using optical methods. — Frank Chen, Gordon M. Brown, and Mumin Song; **39** (1), 10-22 (2000).
Enhanced three-dimensional reconstruction of surfaces using multicolor gratings. — Bernard S. Gilbert and Joel H. Blatt; **39** (1), 52-60 (2000).
Moly: a prototype handheld three-dimensional digitizer with diffraction optics. — Tom Ditto and Douglas A. Lyon; **39** (1), 69-78 (2000).
Optimization of a shape measurement system based on spatial light modulators. — C. R. Coggrave and J. M. Huntley; **39** (1), 91-8 (2000).
Video-rate surface profiling with acousto-optic accordion fringe interferometry. — Michael S. Mermelstein, Daniel L. Feldkhun, and Lyle G. Shirley; **39** (1), 106-13 (2000).
Practical three-dimensional computer vision techniques for full-field surface measurement. — Y. Y. Hung, L. Lin, H. M. Shang, and B. G. Park; **39** (1), 143-9 (2000).
Adaptive optical three-dimensional measurement with structured light. — Richard Kowarschik, Peter Kühmstedt, Jörg Gerber, Wolfgang Schreiber, and Gunther Notni; **39** (1), 150-8 (2000).
Theory and arrangements of self-calibrating whole-body three-dimensional measurement systems using fringe projection technique. — Wolfgang Schreiber and Gunther Notni; **39** (1), 159-69 (2000).
Calibration, parameter estimation, and accuracy enhancement of a four-dimensional imager camera turntable system. — Xiang Sean Zhou, Ruihua Yin, Wenjian Wang, Xiaogu Wu, and William G. Wee; **39** (1), 170-4 (2000).
Analysis of 3-D surface waviness on standard artifacts by retroreflective metrology. — Xianzhu Zhang and Walter P. T. North; **39** (1), 183-6 (2000).
Robust fringe analysis system for human body shape measurement. — Francis Lilley, Michael J. Lalor, and David R. Burton; **39** (1), 187-95 (2000).
Eye-safe digital 3-D sensing for space applications. — J.-A. Beraldin, F. Blais, M. Rioux, L. Cournoyer, D. Laurin, and S. G. MacLean; **39** (1), 196-211 (2000).
Combination of 3-D deformation and shape measurement by electronic speckle-pattern interferometry for quantitative strain- stress analysis. — Andreas Ettemeyer; **39** (1), 212-5 (2000).
3-D shape measurement of complex objects by combining photogrammetry and fringe projection. — Carsten Reich, Reinhold Ritter, and Jan Thesing; **39** (1), 224-31 (2000).
Fabrication and characterization of a volumetric three-dimensional display using ion-exchanged integrated waveguides. — Cristian Penciu and D. L. MacFarlane; **39** (2), 565-71 (2000).
Direct quadratic polynomial fitting for fringe peak detection of white light scanning interferograms. — Min-Cheol Park and Seung-Woo Kim; **39** (4), 952-9 (2000).
Spatiotemporal phase unwrapping and its application in fringe projection fiber optic phase-shifting profilometry. — Hong Zhang, Fang Wu, Michael J. Lalor, and David R. Burton; **39** (7), 1958-64 (2000).
Three-dimensional water-flow reconstruction by stereo cameras. — Tzu-Lun Weng and Yung-Nien Sun; **39** (11), 2922-30 (2000).

Tomography

Comparison of reconstruction-algorithm performance for optical-phase tomography of a heated air flow. — Robert E. Pierson, David F. Olson, Ellen Y. Chen, and Lenore McMackin; **39** (3), 838-46 (2000).
Moment patterns in the Radon space. — R. R. Galigekere, D. W. Holdsworth, M. N. S. Swamy, and Aaron Fenster; **39** (4), 1088-97 (2000).
Subfringe integration method for automatic analysis of moire deflection tomography. — Ming Wang, Li Ma, Dacheng Li, and Jingang Zhong; **39** (10), 2726-33 (2000).

Tracking

Improved tracking capability and efficient radar allocation through the fusion of radar and infrared search-and-track observations. — S. S. Blackman, R. J. Dempster, S. H. Roszkowski, D. M. Sasaki, and P. F. Singer; **39** (5), 1391-8 (2000).
Novel adaptive digital signal processing algorithm for a stationary reticle seeker. — Jeong-Su Oh, Kyung-Soo Doo, Sung-Gabb Jahng, Dong-Sun Seo, and Jong-Soo Choi; **39** (10), 2797-803 (2000).

Transforms

Fast discrete cosine transform structure suitable for implementation with integer computation. — Yeonsik Jeong and Imgeun Lee; **39** (10), 2672-6 (2000).

Transistors

All-optical logic gates using bacteriorhodopsin films. — Tianhao Zhang, Chunping Zhang, Guanghua Fu, Yudong Li, Liqun Gu, Guangyin Zhang, Q. Wang Song, Bruce Parsons, and Robert R. Birge; **39** (2), 527-34 (2000).

Transmittance
Total integrated scattering from transparent substrates in the infrared region: validity of scalar theory. — Tomas Lindström and Daniel Rönnow; **39** (2), 478-87 (2000).

Tunable filters
High-performance Fabry-Perot etalon mount for spaceflight. — Jack A. McKay and David Rees; **39** (1), 315-9 (2000).
High-performance polymeric componentry for telecom and datacom applications. — Louay Eldada, Robert Blomquist, Lawrence W. Shacklette, and Michael J. McFarland; **39** (3), 596-609 (2000).
Investigation of the electro-optic properties of electron-irradiated poly(vinylidene fluoride-trifluoroethylene) copolymer. — Shizhuo Yin, Qiming Zhang, Kun-Wook Chung, Rui Yang, Zhongyang Cheng, and Yu Lu; **39** (3), 670-2 (2000).

Tunable lasers
Surface topography by wavelength scanning interferometry. — Ichirou Yamaguchi, Akihiro Yamamoto, and Masaru Yano; **39** (1), 40-6 (2000).
Three-dimensional imaging using a tunable laser source. — Joseph C. Marron and Kurt W. Gleichman; **39** (1), 47-51 (2000).
Solid state multiple-beam laser with tunable wavelength difference between beams. — Göran Hansson; **39** (10), 2700-4 (2000).

Turbulence
Significance of the recovery filter in deconvolution from wavefront sensing. — Justo Arines and Salvador Bará; **39** (10), 2789-96 (2000).

Ultrasonics
Speckle reduction in laser projections with ultrasonic waves. — Lingli Wang, Theo Tschudi, Markus Boeddinghaus, Alexander Elbert, Thorsteinn Halldórsson, and Pálmi Pétursson; **39** (6), 1659-64 (2000).
Extrinsic and intrinsic fiber optic Sagnac ultrasound sensors. — Pavel A. Fomitchov, Sridhar Krishnaswamy, and Jan D. Achenbach; **39** (7), 1972-84 (2000).

Ultraviolet
Measurement of atmospheric ozone by differential absorption of solar radiation using a compact optical spectrometer. — Ulrich Kempfer and Herbert Schneckenburger; **39** (7), 1989-93 (2000).

Vector quantization
Markov system for image vector quantization coding. — Shen-Chuan Tai, Yung-Gi Wu, and Ling-Shiou Huang; **39** (5), 1338-43 (2000).
Predictive subcodebook search algorithm for vector quantization. — Yu-Chen Hu and Chin-Chen Chang; **39** (6), 1489-96 (2000).
Multistage motion vector quantization for video coding. — Wen-Jyi Hwang and Yu-Chun Huang; **39** (7), 1994-2002 (2000).

Velocimetry
Measurements of velocity distribution along depth using low coherence interferometry. — Yoh Imai, Kazuhiro Tanaka, and Hiroshi Higo; **39** (4), 947-51 (2000).

Velocity
Kalman-filtering-based angular velocity estimation using infrared attitude information of spacecraft. — Yu Shi and Xian-Da Zhang; **39** (2), 551-7 (2000).

Vibration
Origins Testbed: capturing the dynamics and control of future space-based telescopes. — Gregory J. W. Mallory, Alvar Saenz-Otero, and David W. Miller; **39** (6), 1665-76 (2000).
Restoration and resolution enhancement of a single image from a vibration-distorted image sequence. — Adrian Stern, Elad Kempner, Avi Shukrun, and Norman S. Kopeika; **39** (9), 2451-7 (2000).
Scanning laser vibrometer for dynamic study of small features. — Bryan K. A. Ngoi and K. Venkatakrishnan; **39** (11), 2995-3000 (2000).

Video
Enhanced three-dimensional reconstruction of surfaces using multicolor gratings. — Bernard S. Gilbert and Joel H. Blatt; **39** (1), 52-60 (2000).
Multistage motion vector quantization for video coding. — Wen-Jyi Hwang and Yu-Chun Huang; **39** (7), 1994-2002 (2000).
New video segmentation algorithm using a combined segmentation measure for content-based coding. — Kun-Woen Song, Kyeong-Man Kim, Kyu-Phil Han, Jae-Yeal Nam, and Yeong-Ho Ha; **39** (8), 2036-45 (2000).
Efficient fractal video coding algorithm using intercube correlation search. — Chou-Chen Wang and Chaur-Heh Hsieh; **39** (8), 2058-64 (2000).

Video processing
Hybrid algorithm for estimating true motion fields. — Demin Wang and Daniel Lauzon; **39** (11), 2876-81 (2000).

Visibility
Beamsplitter testing using temporal coherence. — Arun Anand and C. S. Narayanamurthy; **39** (11), 3084-8 (2000).

Vision
Optimization of a shape measurement system based on spatial light modulators. — C. R. Coggrave and J. M. Huntley; **39** (1), 91-8 (2000).

Visual communications
Test of three visual search and detection models. — Alexander Toet, Piet Bijl, and J. Mathieu Valeton; **39** (5), 1344-53 (2000).

Visual compression
Block-based unsupervised natural image segmentation. — Chee Sun Won; **39** (12), 3146-53 (2000).

Volume holography
Holographic multichannel radio-frequency correlator. — George A. Sefler, Jian Ma, Tallis Y. Chang, and John H. Hong; **39** (1), 260-6 (2000).

Wavefront aberrations
Optical design procedure for duplicating wavefront errors of an optical instrument. — Juan L. Rayces and Martha Rosete-Aguilar; **39** (7), 1768-75 (2000).

Wavefront errors
Optical design procedure for duplicating wavefront errors of an optical instrument. — Juan L. Rayces and Martha Rosete-Aguilar; **39** (7), 1768-75 (2000).

Wavefront sensors
Expansion of the dynamic range of a Shack-Hartmann sensor by using astigmatic microlenses. — Norbert Lindlein, Johannes Pfund, and Johannes Schwider; **39** (8), 2220-5 (2000).
Significance of the recovery filter in deconvolution from wavefront sensing. — Justo Arines and Salvador Bará; **39** (10), 2789-96 (2000).
Two-dimensional optical wavefront measurements using a small-aperture beam technique derivative instrument. — Edward J. Fitzgerald and Eric J. Jumper; **39** (12), 3285-93 (2000).

Wavefronts
Comparison of reconstruction-algorithm performance for optical-phase tomography of a heated air flow. — Robert E. Pierson, David F. Olson, Ellen Y. Chen, and Lenore McMackin; **39** (3), 838-46 (2000).

Waveguides
Dark spatial solitons in photopolymer films for optical interconnections. — Sergey S. Sarkisov, Michael J. Curley, Darnell E. Diggs, Aaron Wilkosz, Vladimir V. Grimalsky, and Grigory Adamovsky; **39** (3), 616-23 (2000).
Ultra-low-loss polymeric waveguide circuits for optical true-time delays in wideband phased-array antennas. — Suning Tang, Bulang Li, Nianhua Jiang, Dechang An, Zhenhai Fu, Linghui Wu, and Ray T. Chen; **39** (3), 643-51 (2000).
Optical backplanes with integrated polymer waveguides. — Jörg Moisel, Joachim Guttmann, Hans-Peter Huber, Oskar Krumpholz, Manfred Rode, Richard Bogenberger, and Klaus-Peter Kuhn; **39** (3), 673-9 (2000).
Fiber optic thermal imaging system based on hollow glass waveguides or silver halide fibers as scanning elements. — B. Dekel, A. Inberg, N. Croitoru, S. Shalem, and A. Katzir; **39** (4), 941-6 (2000).
Theoretical model and experimental studies of infrared radiation propagation in hollow plastic and glass waveguides. — A. Inberg, M. Ben-David, M. Oksman, A. Katzir, and N. Croitoru; **39** (5), 1316-20 (2000).
Hollow glass waveguides and silver halide fibers as scanning elements for CO_2 laser marking systems. — B. Dekel, A. Inberg, N. Croitoru, S. Shalem, and A. Katzir; **39** (5), 1384-90 (2000).
Vertically tapered polymer waveguide mode size transformer for improved fiber coupling. — Antao Chen, Vadim Chuyanov, Felix Ignacio Marti-Carrera, Sean Garner, William H. Steier, Jinghong Chen, Shajing Sun, and Larry R. Dalton; **39** (6), 1507-16 (2000).
Improved optical cavity quality of a waveguide free-electron laser with hole coupling by using a grating. — Xiaojian Shu, Yuanzhang Wang, Yunqing Jiang, and Y. K. Ho; **39** (6), 1543-7 (2000).
Analysis of crosstalk between single-mode rectangular optical waveguides. — Yuri Sikorski, Robert T. Deck, Anca L. Sala, and Brian G. Bagley; **39** (8), 2015-21 (2000).
Optical incoherent imaging through a thin slab waveguide. — Charles E. Dionne and Robert A. Gonsalves; **39** (9), 2392-6 (2000).
Second-harmonic generation using an *a* axis Nd:MgO:$LiNbO_3$ single crystal fiber with Mg-ion indiffused cladding. — Wenxiu Que, Y. Zhou, Y. L. Lam, Y. C. Chan, C. H. Kam, Yujing Huo, and Xi Yao; **39** (10), 2804-9 (2000).

Wavelet transforms
Limited samples wavelet network and its application for damage detection composites. — Yao-Jun Wu, Kwok-Wo Wong, and Tian-Ge Zhuang; **39** (4), 1002-8 (2000).
Matrix methods of constructing wavelet filters and discrete hyper-wavelet transforms. — Guoqiu Wang; **39** (4), 1080-7 (2000).
Detection of central positions of noisy rounded square function using modified Haar wavelet transform and Haar-Gaussian wavelet transform. — Feijun Song, Lei Yu, and Suganda Jutamulia; **39** (5), 1190-3 (2000).
Forest representation of wavelet transform and feature detection. — Zikuan Chen and Mohammad A. Karim; **39** (5), 1194-202 (2000).
Efficient multiple target recognition using a joint wavelet transform processor. — Mohammad S. Alam and Dylan Chain; **39** (5), 1203-10 (2000).
Orthogonal wavelets in nonlinear speckle reduction for improved target recognition. — Khan M. Iftekharuddin; **39** (5), 1211-7 (2000).
Data reduction via the wavelet transform for the synthesis of the projection-slice filter. — Vahid R. Riasati, Hanying Zhou, Tien-Hsin Chao, and D. A. Gregory; **39** (5), 1218-22 (2000).
Selecting lattices for quantization of wavelet coefficients of images. — Mikhail Shnaider and Andrew P. Papliński; **39** (5), 1327-37 (2000).
Wavelet-based approach to adaptive Wiener filtering of images in the presence of colored noise. — Ioannis M. Stephanakis and Stefanos D. Kollias; **39** (5), 1354-63 (2000).
Method for the deviation inspection of integrated circuit chip pin based on Harr wavelet transform. — Gang Luo, Hui Fang, Zhiliang Fang, and Guoguang Mu; **39** (6), 1712-6 (2000).
Lossy image codec based on adaptively scanned wavelet difference reduction. — James S. Walker; **39** (7), 1891-7 (2000).
Contrast-based image fusion using the discrete wavelet transform. — Tian Pu and Guoqiang Ni; **39** (8), 2075-82 (2000).
Evaluating fabric fuzziness using wavelet transforms. — Sheng Lin and Bugao Xu; **39** (9), 2387-91 (2000).
Multiresolution gradient-based edge detection in noisy images using wavelet domain filters. — Yunwoo Lee and Samuel P. Kozaitis; **39** (9), 2405-12 (2000).
Oversampled optical subband decomposition. — Zikuan Chen and Mohammad A. Karim; **39** (9), 2422-30 (2000).
Volume holographic wavelet correlation processor. — Wenyi Feng, Yingbai Yan, Guofan Jin, Minxian Wu, and Qingsheng He; **39** (9), 2444-50 (2000).
Wavelet transform for detection of partial fringe patterns induced by defects in nondestructive testing of holographic interferometry and electronic speckle pattern interferometry. — Xide Li; **39** (10), 2821-7 (2000).
New image filtering technique combining a wavelet transform with a linear neural network: application to face recognition. — Fan Yang, Michel Paindavoine, H. Abdi, and Johel Mitéran; **39** (11), 2894-9 (2000).
Image denoising using tree-based wavelet subband correlations and shrinkage. — James S. Walker and Ying-Jui Chen; **39** (11), 2900-8 (2000).

Wavelets
High-quality still color image compression. — F. Truchetet, B. Joanne, F. Pérot, and O. Laligant; **39** (2), 409-14 (2000).
Limited samples wavelet network and its application for damage detection composites. — Yao-Jun Wu, Kwok-Wo Wong, and Tian-Ge Zhuang; **39** (4), 1002-8 (2000).
Matrix methods of constructing wavelet filters and discrete hyper-wavelet transforms. — Guoqiu Wang; **39** (4), 1080-7 (2000).
New method for designing two-channel causal stable IIR perfect reconstruction filter banks and wavelet bases. — J. S. Mao, S. C. Chan, and K. L. Ho; **39** (10), 2810-20 (2000).

Wigner distribution functions
Wigner algebra as a tool for the design of achromatic optical processing systems. — Dayong Wang, Avi Pe'er, Adolf W. Lohmann, and Asher A. Friesem; **39** (11), 3014-24 (2000).

X rays
Testing layered synthetic microstructures by computer processing of their digitized electron-microscope cross sections. — Marc-Olivier Flaissier, Georges Rasigni, Monique Rasigni, and Christophe Guichet; **39** (5), 1364-8 (2000).

Schwarzschild objective for soft x-rays. — Igor A. Artioukov and Kirill M. Krymski; **39** (8), 2163-70 (2000).
Lateral migration radiography application to land mine detection, confirmation and classification. — Zhong Su, Alan Jacobs, Edward T. Dugan, Joseph Howley, and Jennifer Jacobs; **39** (9), 2472-9 (2000).
Theory and practice of elliptically bent x-ray mirrors. — Malcolm R. Howells, Daniela Cambie, Robert M. Duarte, Steven Irick, Alasdair A. MacDowell, Howard A. Padmore, Timothy R. Renner, Seungyu Rah, and Reubin Sandler; **39** (10), 2748-62 (2000).
Fabrication, performance, and figure metrology of epoxy-replicated aluminum foils for hard x-ray focusing multilayer-coated segmented conical optics. — Mario A. Jimenez-Garate, William W. Craig, Charles J. Hailey, Finn E. Christensen, and Ahsen Hussain; **39** (11), 2982-94 (2000).

Zone plates

Radial shearing interferometer for in-process measurement of diamond turning. — Tsuguo Kohno, Daiji Matsumoto, Takanori Yazawa, and Yutaka Uda; **39** (10), 2696-9 (2000).

Zoom lenses

Long wave infrared zoom projector thermal analysis and compensation. — Weimin Shi and Michael E. Couture; **39** (10), 2705-14 (2000).